










Chapter 1: An Introduction to Scala 2.13


















Chapter 2: Understanding Types in Scala









Chapter 7: Understanding Algebraic Structures





Chapter 11: An Introduction to the Akka and Actor Models






<pre> slasch@packt:~\$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch11 slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch11\$ sbt [info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/project [info] Loading settings for project ch11 from build.sbt ... [info] Set current project to akka-bakery (in build file:/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/) [warn] sbt server could not start because there's another instance of sbt running on this build. [warn] Running multiple instances is unsupported sbt:akka-bakery> run [warn] Multiple main classes detected. Run 'show discoveredMainClasses' to see the list Multiple main classes detected, select one to run: [1] ch11.Bakery [2] ch11.Store Enter number: <input type="text"/> </pre>	<pre> slasch@packt:~\$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch11 slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch11\$ sbt [info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/project [info] Loading settings for project ch11 from build.sbt ... [info] Set current project to akka-bakery (in build file:/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/) [info] sbt server started at local:///home/slasch/.sbt/1.0/server/7bde7a4d263e73d9ff87/sock sbt:akka-bakery> run [info] new client connected: network-1 run [warn] Multiple main classes detected. Run 'show discoveredMainClasses' to see the list Multiple main classes detected, select one to run: [1] ch11.Bakery [2] ch11.Store Enter number: 2 [info] Running ch11.Store [INFO] [09/29/2018 19:54:17.938] [run-main-0] [akka.remote.RemoteIng] Starting remoting [INFO] [09/29/2018 19:54:18.408] [run-main-0] [akka.remote.RemoteIng] Remoting started; listening on addresses :[akka.tcp://Store@127.0.0.1:2553] [INFO] [09/29/2018 19:54:18.412] [run-main-0] [akka.remote.RemoteIng] Remoting now listens on addresses: [akka.tcp://Store@127.0.0.1:2553] </pre>
---	---

<pre> slasch@packt:~\$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch11 slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch11\$ sbt [info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/project [info] Loading settings for project ch11 from build.sbt ... [info] Set current project to akka-bakery (in build file:/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/) [warn] sbt server could not start because there's another instance of sbt running on this build. [warn] Running multiple instances is unsupported sbt:akka-bakery> run [warn] Multiple main classes detected. Run 'show discoveredMainClasses' to see the list Multiple main classes detected, select one to run: [1] ch11.Bakery [2] ch11.Store Enter number: 1 </pre>	<pre> slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch11\$ sbt [info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/project [info] Loading settings for project ch11 from build.sbt ... [info] Set current project to akka-bakery (in build file:/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/) [info] sbt server started at local:///home/slasch/.sbt/1.0/server/7bde7a4d263e73d9ff87/sock sbt:akka-bakery> run [info] new client connected: network-1 run [warn] Multiple main classes detected. Run 'show discoveredMainClasses' to see the list Multiple main classes detected, select one to run: [1] ch11.Bakery [2] ch11.Store Enter number: 2 [info] Running ch11.Store [INFO] [09/29/2018 19:54:17.938] [run-main-0] [akka.remote.RemoteIng] Starting remoting [INFO] [09/29/2018 19:54:18.408] [run-main-0] [akka.remote.RemoteIng] Remoting started; listening on addresses :[akka.tcp://Store@127.0.0.1:2553] [INFO] [09/29/2018 19:54:18.412] [run-main-0] [akka.remote.RemoteIng] Remoting now listens on addresses: [akka.tcp://Store@127.0.0.1:2553] [WARN] [SECURITY][09/29/2018 19:54:34.080] [Store-akka.remote.default-remote-dispatcher-6] [akka.serialization.Serialization(akka://Store)] Using the default Java serializer for class [ch11.Mixer\$Groceries] which is not recommended because of performance implications. Use another serializer or disable this warning using the setting 'akka.actor.warn-about-java-serializer-usage' </pre>
--	--

Chapter 12: Building Reactive Applications with Akka Typed






```


slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch12
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch12$ sbt
"runMain ch12.Bakery"
slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch12
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch12$ sbt
"runMain ch12.Store"
  
```

```

slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch12
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch12$ sbt
"runMain ch12.Bakery"
[info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch12/project
[info] Loading settings for project ch12 from build.sbt ...
[info] Set current project to akka-typed-bakery (in build file: /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch12/)
[warn] Multiple main classes detected. Run 'show discoveredMainClasses' to see the list
[info] Packaging /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch12/target/scala-2.12/akka-typed-bakery_2.12-1.0.jar ...
[info] Done packaging.
[info] Running ch12.Bakery
[INFO] [09/30/2018 14:01:25.137] [run-main-0] [akka.remote.RemoteTransport] Starting remoting
[INFO] [09/30/2018 14:01:25.790] [run-main-0] [akka.remote.RemoteTransport] Remoting started; listening on addresses :[akka.tcp://Typed-Bakery@127.0.0.1:2552]
[INFO] [09/30/2018 14:01:25.798] [run-main-0] [akka.remote.RemoteTransport] Remoting now listens on addresses: [akka.tcp://Typed-Bakery@127.0.0.1:2552]
[INFO] [09/30/2018 14:01:25.904] [run-main-0] [akka.cluster.Cluster] Cluster Node [akka.tcp://Typed-Bakery@127.0.0.1:2552] - Starting up, Akka version [2.5.17] ...
[INFO] [09/30/2018 14:01:26.072] [run-main-0] [akka.cluster.Cluster] Cluster Node [akka.tcp://Typed-Bakery@127.0.0.1:2552] - Registered cluster JMX MBean [akka:type=Cluster]
[INFO] [09/30/2018 14:01:26.072] [run-main-0] [akka.cluster.Cluster] Cluster Node [akka.tcp://Typed-Bakery@127.0.0.1:2552] - Started up successfully
[WARN] [09/30/2018 14:01:26.690] [New I/O boss #3] [NettyTransport] (akka://Typed-Bakery) Remote connection to [null] failed with java.net.ConnectException: Connection refused: /127.0.0.1:2553
[WARN] [09/30/2018 14:01:26.696] [Typed-Bakery-akka.remote.default
  
```

Chapter 13: Basics of Akka Streams





```

slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch13
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch13$ sbt
"runMain ch13.BakeryApp"
[info] Loading project definition from /home/slasch/Learn-Scala---
Fundamentals-of-Scala-2.13/ch13/project
[info] Loading settings for project ch13 from build.sbt ...
[info] Set current project to akka-streams-bakery (in build file:
/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch13/)
[warn] Multiple main classes detected. Run 'show discoveredMainC
lasses' to see the list
[info] Running ch13.BakeryApp
[INFO] [09/30/2018 19:04:03.522] [run-main-0] [akka.remote.Remoti
ng] Starting remoting
[INFO] [09/30/2018 19:04:04.014] [run-main-0] [akka.remote.Remoti
ng] Remoting started; listening on addresses :[akka.tcp://Bakery@
127.0.0.1:2552]
[INFO] [09/30/2018 19:04:04.016] [run-main-0] [akka.remote.Remoti
ng] Remoting now listens on addresses: [akka.tcp://Bakery@127.0.0
.1:2552]
Shopping list ShoppingList(8,400,80,40)
Shopping list ShoppingList(10,500,100,50)
[WARN] [SECURITY][09/30/2018 19:04:05.439] [Bakery-akka.remote.de
fault-remote-dispatcher-8] [akka.serialization.Serialization(akka
://Bakery)] Using the default Java serializer for class [ch13.Sto
re$ShoppingList] which is not recommended because of performance
implications. Use another serializer or disable this warning usin
g the setting 'akka.actor.warn-about-java-serializer-usage'
Shopping list ShoppingList(11,550,110,55)
resuming

slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch13
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch13$ sbt
"runMain ch13.Store"
[info] Loading project definition from /home/slasch/Learn-Scala---
Fundamentals-of-Scala-2.13/ch13/project
[info] Updating ProjectRef(uri("file:/home/slasch/Learn-Scala---F
undamentals-of-Scala-2.13/ch13/project/"), "ch13-build")...
[info] Done updating.
[info] Loading settings for project ch13 from build.sbt ...
[info] Set current project to akka-streams-bakery (in build file:
/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch13/)
[info] Updating ...
[info] downloading https://repo1.maven.org/maven2/com/typesafe/ak
ka/akka-stream-testkit_2.12/2.5.14/akka-stream-testkit_2.12-2.5.1
4.jar ...
[info] [SUCCESSFUL ] com.typesafe.akka#akka-stream-testkit_2.12;
2.5.14!akka-stream-testkit_2.12.jar (263ms)
[info] Done updating.
[warn] There may be incompatibilities among your library dependen
cies.
[warn] Run 'evicted' to see detailed eviction warnings
[info] Compiling 3 Scala sources to /home/slasch/Learn-Scala---Fu
ndamentals-of-Scala-2.13/ch13/target/scala-2.12/classes ...
[info] Done compiling.
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by com.google.protobuf.UnsafeU
til (file:/home/slasch/.sbt/boot/scala-2.12.6/org.scala-sbt/sbt/1
.2.3/protobuf-java-3.3.1.jar) to field java.nio.Buffer.address
WARNING: Please consider reporting this to the maintainers of com
.google.protobuf.UnsafeUtil
WARNING: Use --illegal-access=warn to enable warnings of further
illegal reflective access operations
WARNING: All illegal access operations will be denied in a future
release
[warn] Multiple main classes detected. Run 'show discoveredMainC
lasses' to see the list
  
```

Chapter 14: Project 1 - Building Microservices with Scala

```
slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch14
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch14$ sbt
[info] Loading settings for project ch14-build from plugins.sbt ...
[info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch14/project
[info] Loading settings for project root from build.sbt ...
[info] Set current project to root (in build file:/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch14/)
[info] sbt server started at local:///home/slasch/.sbt/1.0/server/5feabd4374d0fc31ffb8/sock
sbt:root> http4s/run
d[info] Running ch14.Server
19:52:45.105 [run-main-0] INFO org.flywaydb.core.internal.util.VersionPrinter - Flyway Community Edition 5.1.4 by Boxfuse
19:52:45.131 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - HikariPool-1 - configuration:
19:52:45.152 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - allowPoolSuspension.....false
19:52:45.157 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - autoCommit.....true
19:52:45.157 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - catalog.....none
19:52:45.158 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - connectionInitSql.....none
19:52:45.160 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - connectionTestQuery.....none
19:52:45.161 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - connectionTimeout.....30000
19:52:45.161 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - dataSource.....none
19:52:45.161 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - dataSourceClassName.....none
19:52:45.161 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - dataSourceJNDI.....none
19:52:45.162 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - dataSourceProperties.....{password=<masked>}
19:52:45.165 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - driverClassName.....none
19:52:45.165 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - healthCheckProperties.....{}
19:52:45.165 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - healthCheckRegistry.....none
19:52:45.165 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - idleTimeout.....600000
19:52:45.165 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - initializationFailTimeout.....1
19:52:45.166 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - isolateInternalQueries.....false
19:52:45.166 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - jdbcUrl.....jdbc:h2:mem:ch14;DB_CLOSE_DELAY=-1
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - leakDetectionThreshold.....0
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - maxLifetime.....1800000
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - maximumPoolSize.....10
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - metricRegistry.....none
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - metricsTrackerFactory.....none
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - minimumIdle.....10
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - password.....<masked>
19:52:45.167 [run-main-0] DEBUG com.zaxxer.hikari.HikariConfig - poolName....."HikariPool-1"
```

```
19:52:46.799 [run-main-0] DEBUG org.flywaydb.core.internal.database.Table - Lock acquired for table "PUBLIC"."flyway_schema_history"
19:52:46.845 [run-main-0] INFO org.flywaydb.core.internal.command.DbMigrate - Current version of schema "PUBLIC": << Empty Schema >>
19:52:46.867 [run-main-0] DEBUG org.flywaydb.core.internal.database.ExecutableSqlScript - Parsing V1_inventory_table.sql ...
19:52:46.878 [run-main-0] DEBUG org.flywaydb.core.internal.database.ExecutableSqlScript - Found statement at line 1: CREATE TABLE article (
  name VARCHAR PRIMARY KEY,
  count INTEGER NOT NULL CHECK (count >= 0)
)
19:52:46.879 [run-main-0] INFO org.flywaydb.core.internal.command.DbMigrate - Migrating schema "PUBLIC" to version 1 - inventory table
19:52:46.883 [run-main-0] DEBUG org.flywaydb.core.internal.database.ExecutableSqlScript - Executing SQL: CREATE TABLE article (
  name VARCHAR PRIMARY KEY,
  count INTEGER NOT NULL CHECK (count >= 0)
)
19:52:46.891 [run-main-0] DEBUG org.flywaydb.core.internal.database.ExecutableSqlScript - Update Count: 0
19:52:46.902 [run-main-0] DEBUG org.flywaydb.core.internal.command.DbMigrate - Successfully completed migration of schema "PUBLIC" to version 1 - inventory table
19:52:46.959 [run-main-0] DEBUG org.flywaydb.core.internal.database.Table - Locking table "PUBLIC"."flyway_schema_history"...
19:52:46.968 [run-main-0] DEBUG org.flywaydb.core.internal.database.Table - Lock acquired for table "PUBLIC"."flyway_schema_history"
19:52:46.971 [run-main-0] DEBUG org.flywaydb.core.internal.schemahistory.JdbcTableSchemaHistory - Schema History table "PUBLIC"."flyway_schema_history" successfully updated to reflect changes
19:52:46.979 [run-main-0] DEBUG org.flywaydb.core.internal.database.Table - Locking table "PUBLIC"."flyway_schema_history"...
19:52:47.003 [run-main-0] DEBUG org.flywaydb.core.internal.database.Table - Lock acquired for table "PUBLIC"."flyway_schema_history"
19:52:47.050 [run-main-0] INFO org.flywaydb.core.internal.command.DbMigrate - Successfully applied 1 migration to schema "PUBLIC" (execution time 00:00.567s)
19:52:47.357 [run-main-0] INFO org.http4s.blaze.channel.nio1.NIO1SocketServerGroup - Service bound to address /0:0:0:0:0:0:8080
19:52:47.358 [run-main-0] INFO org.http4s.server.blaze.BlazeBuilder -
19:52:47.361 [run-main-0] INFO org.http4s.server.blaze.BlazeBuilder -
19:52:47.361 [run-main-0] INFO org.http4s.server.blaze.BlazeBuilder -
19:52:47.361 [run-main-0] INFO org.http4s.server.blaze.BlazeBuilder -
19:52:47.361 [run-main-0] INFO org.http4s.server.blaze.BlazeBuilder -
19:52:47.520 [run-main-0] INFO org.http4s.server.blaze.BlazeBuilder - http4s v0.18.9 on blaze v0.12.13 started at http://[0:0:0:0:0:0:8080/
19:53:15.716 [HikariPool-1 housekeeper] DEBUG com.zaxxer.hikari.pool.HikariPool - HikariPool-1 - Pool stats (total=10, active=0, idle=10, waiting=0)
```



```
slasch void:-$ ## Get Inventory
slasch void:-$ curl "http://localhost:8080/inventory"
{}slasch void:-$ ## Create Chocolate
slasch void:-$ curl -X "POST" "http://localhost:8080/articles/chocolate"
slasch void:-$ ## Create Eggs
slasch void:-$ curl -X "POST" "http://localhost:8080/articles/eggs"
slasch void:-$ ## Restock
slasch void:-$ curl -X "POST" "http://localhost:8080/restock" \
> -H 'Content-Type: application/json; charset=utf-8' \
> -d $'{
> "stock": {
> "chocolate": 10000,
> "sugar": 10000,
> "flour": 10000,
> "eggs": 10000
> }
> }'
curl: (18) transfer closed with outstanding read data remaining
slasch void:-$ ## Reinventory
slasch void:-$ curl -X "POST" "http://localhost:8080/restock" \
> -H 'Content-Type: application/json; charset=utf-8' \
> -d $'{
> "inventory": {
> "chocolate": 10000,
> "sugar": 10000,
> "flour": 10000,
> "eggs": 10000
> }
> }'
{"chocolate":10000,"eggs":10000}slasch void:-$ ## Get Inventory
slasch void:-$ curl "http://localhost:8080/inventory"
{"chocolate":10000,"eggs":10000}slasch void:-$
```

```

slasch@packt:~$ cd Learn-Scala---Fundamentals-of-Scala-2.13/ch14
slasch@packt:~/Learn-Scala---Fundamentals-of-Scala-2.13/ch14$ sbt
[info] Loading settings for project ch14-build from plugins.sbt ...
[info] Loading project definition from /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch14/project
[info] Loading settings for project root from build.sbt ...
[info] Set current project to root (in build file:/home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch14/)
[info] sbt server started at local:///home/slasch/.sbt/1.0/server/5feabd4374d0fc31ffb8/sock
sbt:root> akkaHttp/run
[info] Updating akkaHttp...
[info] downloading https://repo1.maven.org/maven2/com/typesafe/akka/akka-slf4j_2.12/2.5.14/akka-slf4j_2.12-2.5.14.jar ...
[info] [SUCCESSFUL ] com.typesafe.akka#akka-slf4j_2.12;2.5.14!akka-slf4j_2.12.jar (1167ms)
[info] Done updating.
[warn] There may be incompatibilities among your library dependencies.
[warn] Run 'evicted' to see detailed eviction warnings
[info] Packaging /home/slasch/Learn-Scala---Fundamentals-of-Scala-2.13/ch14/akka-http/target/scala-2.12/akka-http_2.12-1.0-SNAPSHOT.jar ...
[info] Done packaging.
[info] Running ch14.Server
20:26:48.713 [ch14-akka.actor.default-dispatcher-5] INFO akka.event.slf4j.Slf4jLogger - Slf4jLogger started
20:26:48.991 [run-main-0] INFO o.f.c.internal.util.VersionPrinter - Flyway Community Edition 5.1.4 by Boxfuse
20:26:49.559 [run-main-0] INFO o.f.c.i.database.DatabaseFactory - Database: jdbc:h2:file:./ch14 (H2 1.4)
20:26:49.856 [run-main-0] INFO o.f.core.internal.command.DbValidate - Successfully validated 1 migration (execution time 00:00.065s)
20:26:49.931 [run-main-0] INFO o.f.core.internal.command.DbMigrate - Current version of schema "PUBLIC": 1
20:26:49.933 [run-main-0] INFO o.f.core.internal.command.DbMigrate - Schema "PUBLIC" is up to date. No migration necessary.



```

```

slasch void: $ curl "http://localhost:8080/inventory"
{"state":{"eggs":935,"flour":1000,"sugar":1000,"chocolate":995}}slasch void: $ curl -X "POST" "http://localhost:8080/purchase" \
> -H 'Content-Type: application/json; charset=utf-8' \
> -d $'{
>   "order": {
>     "chocolate": 5,
>     "eggs": 65
>   }
> }'
{"order":{"chocolate":5,"eggs":65}}
slasch void: $ curl "http://localhost:8080/inventory"
{"state":{"eggs":870,"flour":1000,"sugar":1000,"chocolate":990}}slasch void: $ _

```

Chapter 15: Project 2 - Building Microservices with Lagom



<pre> slasch void:~/Dropbox/packt\$ cd Learn-Scala---Fundamentals-of-Scala-2.12/ch15 slasch void:~/Dropbox/packt/Learn-Scala---Fundamentals-of-Scala-2.12/ch15 [mas ter]\$ sbt [info] Loading settings for project ch15-build from plugins.sbt ... [info] Loading project definition from /Users/slasch/Dropbox/packt/Learn-Scala ---Fundamentals-of-Scala-2.12/ch15/project [info] Loading settings for project bakery from build.sbt ... [info] Set current project to bakery (in build file:/Users/slasch/Dropbox/pack t/Learn-Scala---Fundamentals-of-Scala-2.12/ch15/) [info] sbt server started at local:///Users/slasch/.sbt/1.0/server/1b265a88e47 ace241bb7/sock sbt:bakery> runAll </pre>	<pre> slasch void:~/Dropbox/packt\$ cd Learn-Scala---Fundamentals-of-Scala-2.12/ch14 slasch void:~/Dropbox/packt/Learn-Scala---Fundamentals-of-Scala-2.12/ch14 [mas ter]\$ sbt [info] Loading settings for project ch14-build from plugins.sbt ... [info] Loading project definition from /Users/slasch/Dropbox/packt/Learn-Scala ---Fundamentals-of-Scala-2.12/ch14/project [info] Loading settings for project root from build.sbt ... [info] Set current project to root (in build file:/Users/slasch/Dropbox/packt/ Learn-Scala---Fundamentals-of-Scala-2.12/ch14/) [info] sbt server started at local:///Users/slasch/.sbt/1.0/server/8034325e153 80d474f63/sock sbt:root> akkaHttp/run [info] Running ch14.Server 21:06:56.474 [ch14-akka.actor.default-dispatcher-2] INFO akka.event.slf4j.Slf 4jLogger - Slf4jLogger started 21:06:56.693 [run-main-0] INFO o.f.c.internal.util.VersionPrinter - Flyway Co mmunity Edition 5.1.4 by Boxfuse 21:06:57.395 [run-main-0] INFO o.f.c.i.database.DatabaseFactory - Database: j dbc:h2:file:./ch14 (H2 1.4) 21:06:57.685 [run-main-0] INFO o.f.core.internal.command.DbValidate - Success fully validated 1 migration (execution time 00:00.056s) 21:06:57.774 [run-main-0] INFO o.f.core.internal.command.DbMigrate - Current version of schema "PUBLIC": 1 21:06:57.778 [run-main-0] INFO o.f.core.internal.command.DbMigrate - Schema " PUBLIC" is up to date. No migration necessary. </pre>
--	---

```

20:55:58.666 [info] Manager [] - Shopping list: ShoppingList(10,300,100,50)
20:55:59.735 [info] Manager [] - Sent Groceries(10,300,100,50) to Chef
20:56:11.570 [info] Baker [] - Baking: Source(SourceShape(Map.out(882804106)))
20:56:11.582 [info] BakerFlow [] - Extracting: RawCookies(15)
20:56:11.583 [info] Oven [] - Baked: RawCookies(12)

```

Chapter 16: Preparing the Environment and Running Code Samples

```
Last login: Sat Sep 29 15:48:30 on ttys006
slasch void: $ wget https://download.java.net/java/ga/jdk11/openjdk-11_osx-x64_bin.tar.gz
--2018-09-29 15:53:02-- https://download.java.net/java/ga/jdk11/openjdk-11_osx-x64_bin.tar.gz
Auflösen des Hostnamens download.java.net (download.java.net)... 23.211.0.195
Verbindungsaufbau zu download.java.net (download.java.net)[23.211.0.195]:443 ... verbunden.
HTTP-Anforderung gesendet, auf Antwort wird gewartet ... 200 OK
Length: 182717049 (174M) [application/x-gzip]
Wird in <<openjdk-11_osx-x64_bin.tar.gz.1>> gespeichert.

openjdk-11_osx-x64_bin.tar.gz.1      100%[=====] 174.25M  2.26MB/s   in 78s
2018-09-29 15:54:21 (2.22 MB/s) - <<openjdk-11_osx-x64_bin.tar.gz.1>> gespeichert [182717049/182717049]



slasch void: $ tar -xzf openjdk-11_osx-x64_bin.tar.gz
slasch void: $ export JAVA_HOME="pwd"/jdk-11_jdk/Contents/Home/
slasch void: $ echo 'PATH=$PATH:$JAVA_HOME/bin >> .bashrc
slasch void: $ export PATH=$PATH:$JAVA_HOME/bin
slasch void: $ java -version
openjdk version "11" 2018-09-25
OpenJDK Runtime Environment 18.9 (build 11+28)
OpenJDK 64-Bit Server VM 18.9 (build 11+28, mixed mode)
slasch void: $
```







```
slasch@packt:~$ wget https://download.java.net/java/ga/jdk11/openjdk-11_linux-x64_bin.tar.gz
--2018-09-29 19:19:45-- https://download.java.net/java/ga/jdk11/openjdk-11_linux-x64_bin.tar.gz
Resolving download.java.net (download.java.net)... 23.211.0.195
Connecting to download.java.net (download.java.net)[23.211.0.195]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 187611826 (179M) [application/x-gzip]
Saving to: 'openjdk-11_linux-x64_bin.tar.gz'

openjdk-11_linux-x64_bin.tar.gz  100%[=====] 178,92M  1,64MB/s   in 2m 1s
2018-09-29 19:21:48 (1,48 MB/s) - 'openjdk-11_linux-x64_bin.tar.gz' saved [187611826/187611826]

slasch@packt:~$ tar -xzf openjdk-11_linux-x64_bin.tar.gz
slasch@packt:~$ export JAVA_HOME="pwd"/jdk-11/
slasch@packt:~$ echo 'PATH=$PATH:$JAVA_HOME/bin >> .bashrc
slasch@packt:~$ export PATH=$PATH:$JAVA_HOME/bin
slasch@packt:~$ java -version
openjdk version "11" 2018-09-25
OpenJDK Runtime Environment 18.9 (build 11+28)
OpenJDK 64-Bit Server VM 18.9 (build 11+28, mixed mode)
slasch@packt:~$
```







Learn Scala - Fundamentals of Scala 2.13, published by Packt

Edit

Manage topics

35 commits 10 branches 0 releases 2 contributors MIT

Button holding the URLs

Branch: master New pull request

Create new file Upload files Find file Clone or download

slavaschmidt Ch07 algebraic structures (#9)

ch01	Skeletons for all chapters	
ch02	Skeletons for all chapters	
ch03	Skeletons for all chapters	
ch04	Skeletons for all chapters	
ch05	Skeletons for all chapters	5 days ago
ch06	ch06: Chapters code (#8)	2 days ago
ch07	Ch07 algebraic structures (#9)	23 hours ago
ch08	Skeletons for all chapters	5 days ago

Clone with HTTPS Use SSH

Use Git or checkout with SVN using the web URL.

https://github.com/PacktPublishing/Le

URL to use with "git clone"

Open in Desktop

Download ZIP

Button to use for manual download

Open "https://github.com/PacktPublishing/Learn-Scala---Fundamentals-of-Scala-2.13/archive/master.zip" in a new tab

```

slasch void:~/code$ git clone https://github.com/PacktPublishing/Learn-Scala---Fundamentals-of-Scala-2.13
Cloning into 'Learn-Scala---Fundamentals-of-Scala-2.13'...
remote: Enumerating objects: 93, done.
remote: Counting objects: 100% (93/93), done.
remote: Compressing objects: 100% (61/61), done.
remote: Total 602 (delta 11), reused 80 (delta 8), pack-reused 509
Receiving objects: 100% (602/602), 108.48 KiB | 793.00 KiB/s, done.
Resolving deltas: 100% (119/119), done.
slasch void:~/code$ wget https://github.com/PacktPublishing/Learn-Scala---Fundamentals-of-Scala-2.13/archive/master.zip
--2018-09-29 17:51:28-- https://github.com/PacktPublishing/Learn-Scala---Fundamentals-of-Scala-2.13/archive/master.zip
Aufl"osen des Hostnamens github.com (github.com)... 192.30.253.113, 192.30.253.112
Verbindungsaufbau zu github.com (github.com)|192.30.253.113|443 ... verbunden.
HTTP-Anforderung gesendet, auf Antwort wird gewartet ... 302 Found
Platz: https://codeload.github.com/PacktPublishing/Learn-Scala---Fundamentals-of-Scala-2.13/zip/master [folgend]
--2018-09-29 17:51:29-- https://codeload.github.com/PacktPublishing/Learn-Scala---Fundamentals-of-Scala-2.13/zip/master
Aufl"osen des Hostnamens codeload.github.com (codeload.github.com)... 192.30.253.120, 192.30.253.121
Verbindungsaufbau zu codeload.github.com (codeload.github.com)|192.30.253.120|443 ... verbunden.
HTTP-Anforderung gesendet, auf Antwort wird gewartet ... 200 OK
L"ange: nicht spezifiziert [application/zip]
Wird in <master.zip> gespeichert.

master.zip                               [ <=> ] 146.22K  388KB/s  in 0.4s

2018-09-29 17:51:30 (388 KB/s) - <<master.zip>> gespeichert [149728]

slasch void:~/code$ unzip master
Archive:  master.zip
400449748f4fed56c817b7c046aa80c7aa64cece
  creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/.gitignore
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/LICENSE
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/README.md
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/build.sbt
    creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch01/
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch01/build.sbt
    creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch01/project/
  extracting: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch01/project/build.properties
    creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/build.sbt
    creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/project/
  extracting: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/project/build.properties
    creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/src/
  creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/src/main/
    creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/src/main/scala/
  creating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/src/main/scala/ch02/
  inflating: Learn-Scala---Fundamentals-of-Scala-2.13-master/ch02/src/main/scala/ch02/Contravariance.scala

```

```

slasch void:~/code$ cd Learn-Scala---Fundamentals-of-Scala-2.13
slasch void:~/code/Learn-Scala---Fundamentals-of-Scala-2.13 [master]$ git pull
Already up to date.
slasch void:~/code/Learn-Scala---Fundamentals-of-Scala-2.13 [master]$ cd ch02
slasch void:~/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch02 [master]$ sbt
[info] Loading project definition from /Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch02/project
[info] Updating ProjectRef(uri("file:/Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch02/project/"), "ch02-build")...
[info] Done updating.
[info] Loading settings from build.sbt ...
[info] Set current project to ch02 (in build file:/Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch02/)
[info] sbt server started at local:///Users/slasch/.sbt/1.0/server/37d37da6e4699d80ac89/sock
sbt:ch02>

```

```

slasch@slasch:~/Code/Learn-Scala---Fundamentals-of-Scala-2.13/ch11 [master]$ sbt
[info] Loading project definition from /Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/project
[info] Loading settings from build.sbt ...
[info] Set current project to akka-bakery (in build file:/Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/)
[info] sbt server started at local:///Users/slasch/.sbt/1.0/server/fd41eff9682461385ed3/soc

sbt:akka-bakery> test
[INFO] [09/29/2018 18:07:55.548] [pool-5-thread-4] [akka.remote.Remoting] Starting remoting
[INFO] [09/29/2018 18:07:55.548] [pool-5-thread-5] [akka.remote.Remoting] Starting remoting
[INFO] [09/29/2018 18:07:55.856] [pool-5-thread-5] [akka.remote.Remoting] Remoting started; listening on addresses :[akka.tcp://BakerySpec@127.0.0.1:2552]
[INFO] [09/29/2018 18:07:55.860] [pool-5-thread-4] [akka.remote.Remoting] Remoting started; listening on addresses :[akka.tcp://Store@127.0.0.1:2553]
[INFO] [09/29/2018 18:07:55.864] [pool-5-thread-5] [akka.remote.Remoting] Remoting now listens on addresses: [akka.tcp://BakerySpec@127.0.0.1:2552]
[INFO] [09/29/2018 18:07:55.865] [pool-5-thread-4] [akka.remote.Remoting] Remoting now listens on addresses: [akka.tcp://Store@127.0.0.1:2553]
[INFO] [09/29/2018 18:07:56.335] [BakerySpec-akka.actor.default-dispatcher-2] [akka://BakerySpec/user/$a] Message [scala.Symbol] from Actor[akka://BakerySpec/system/testActor-#11109-913486] to Actor[akka://BakerySpec/user/$a#-1814815196] was not delivered. [1] dead letters encountered. If this is not an expected behavior, then Actor[akka://BakerySpec/user/$a#-1814815196]] may have terminated unexpectedly, this logging can be turned off or adjusted with configuration settings 'akka.log-dead-letters' and 'akka.log-dead-letters-during-shutdown'.
[INFO] [09/29/2018 18:07:56.895] [BakerySpec-akka.remote.default-remote-dispatcher-13] [akka.tcp://BakerySpec@127.0.0.1:2552/system/remoting-terminator] Shutting down remote daemon.
[INFO] [09/29/2018 18:07:56.897] [BakerySpec-akka.remote.default-remote-dispatcher-13] [akka.tcp://BakerySpec@127.0.0.1:2552/system/remoting-terminator] Remote daemon shut down; proceeding with flushing remote transports.
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by org.jboss.netty.util.internal.ByteBufferUtil (file:/Users/slasch/.ivy2/cache/io.netty/netty/bundles/netty-3.10.6.Final.jar) to method java.nio.DirectByteBuffer.cleaner()
WARNING: Please consider reporting this to the maintainers of org.jboss.netty.util.internal.ByteBufferUtil
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
[INFO] [09/29/2018 18:07:56.942] [BakerySpec-akka.actor.default-dispatcher-4] [akka.remote.Remoting] Remoting shut down
[INFO] [09/29/2018 18:07:56.944] [BakerySpec-akka.remote.default-remote-dispatcher-5] [akka.tcp://BakerySpec@127.0.0.1:2552/system/remoting-terminator] Remoting shut down.
[info] BakerySpec:
[info] The boy should
[info] - should forward given ShoppingList to the seller
[info] - should ignore other message types
[info] The baker should
[info] - should bake cookies in batches
[INFO] [09/29/2018 18:07:59.328] [Store-akka.remote.default-remote-dispatcher-15] [akka.tcp://Store@127.0.0.1:2553/system/remoting-terminator] Shutting down remote daemon.
[INFO] [09/29/2018 18:07:59.329] [Store-akka.remote.default-remote-dispatcher-15] [akka.tcp://Store@127.0.0.1:2553/system/remoting-terminator] Remote daemon shut down; proceeding with flushing remote transports.
[INFO] [09/29/2018 18:07:59.334] [Store-akka.actor.default-dispatcher-6] [akka.remote.Remoting] Remoting shut down
[info] StoreSpec:
[info] A seller in store
[info] - should do nothing for all unexpected message types
[info] - should return groceries if given a shopping list
[info] Run completed in 4 seconds, 768 milliseconds.
[info] Total number of tests run: 5
[info] Suites: completed 2, aborted 0
[info] Tests: succeeded 5, failed 0, canceled 0, ignored 0, pending 0
[info] All tests passed.
[success] Total time: 8 s, completed 29 Sep 2018, 18:07:59

sbt:akka-bakery>

```

```

sbt:akka-bakery> run
[warn] Multiple main classes detected. Run 'show discoveredMainClasses' to see the list

Multiple main classes detected, select one to run:

[1] ch11.Bakery
[2] ch11.Store
[info] Packaging /Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch11/target/scala-2.12/akka-bakery_2.12-1.0.jar ...
[info] Done packaging.

Enter number:

```

```
>>> slasch void:~/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch07 [master]$ sbt ← Start SBT
[info] Loading global plugins from /Users/slasch/.sbt/0.13/plugins
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by sbt.ivyint.ErrorMessageAuthenticator$ (file:/Users/slasch/.sbt/boot/scala-2.10.7/org.scala-sbt/sbt/0.13.17/ivy-0.13.17.jar) to field java.net.Authenticator.theAuthenticator
WARNING: Please consider reporting this to the maintainers of sbt.ivyint.ErrorMessageAuthenticator$
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
[info] Loading project definition from /Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch07/project
[info] Set current project to ch07 (in build file:/Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch07/)
[info] Found 1 dependency update for ch07
[info] org.scala-lang:scala-library : 2.13.0-M4 -> 2.13.0-M5
[success] Total time: 1 s, completed 29 Sep 2018, 18:18:16
[ch07] ⚡ master ✓
>>> console ← Start REPL
[info] Compiling 6 Scala sources to /Users/slasch/code/Learn-Scala---Fundamentals-of-Scala-2.13/ch07/target/scala-2.13.0-M4/classes...
[info] Starting scala interpreter...
[info]
Welcome to Scala 2.13.0-M4 (OpenJDK 64-Bit Server VM, Java 11).
Type in expressions for evaluation. Or try :help.

scala> org.scalacheck.Gen.posNum[Long].sample ← Use dependencies from build.sbt
res0: Option[Long] = Some(95)

scala> :q ← Exit REPL

[success] Total time: 19 s, completed 29 Sep 2018, 18:18:39
[ch07] ⚡ master ✓
>>> _ ← Next command
```