




Chapter 1: Introducing Vue CLI 3






Create a new project


Details Presets Features Configuration

Project folder

Type a name

C:/Users/Warrior Gaming/Desktop/VC3DAVTCL/ 

Package manager

Default 



Additional options

Overwrite target folder if it exists

Git repository

Initialize git repository (recommended)

Initial commit message (optional)

 Cancel  Next

Create a new project

☰ Details ✓ Presets 👤 Features ⚙️ Configuration

1 A preset is an association of plugins and configurations. After you've selected features, you can optionally save it as a preset so that you can reuse it for future projects, without having to reconfigure everything again.

Select a preset

- Default preset
babel, eslint
- Manual
Manually select features
- Remote preset
Fetch a preset from a git repository

← Previous ✓ Create Project


second-vue-project ▾ Install devtools ↗️ Customize

Project dashboard

- Dashboard
- Plugins
- Dependencies
- Configuration
- Tasks

... More

Welcome tips



Welcome to your new project!

- 🗪 You are looking at the project dashboard where you can put widgets. Use the 'Customize' button to add more! Everything is automatically saved.
- ← On the left are the different available pages. 'Plugins' let you add new Vue CLI plugins, 'Dependencies' for managing the packages, 'Configuration' to configure the tools and 'Tasks' to run scripts (for example webpack).
- 🏠 Return to the project manager with the dropdown at the top left of the screen or the home button in the status bar at the bottom.

✓ Understood

Kill port

⚡ Ready to kill

Enter a network port ⚡ Kill

ml


Chapter 2: Webpack in Vue CLI 3


```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  1: cmd + [ ] [x] [v] [x]

Built at: 2019-02-27 12:07:10
  Asset      Size  Chunks             Chunk Names
  main.js   944 bytes  0 [emitted]         main
Entrypoint main = main.js
[0] ./src/index.js 38 bytes {0} [built]



WARNING in configuration
The 'mode' option has not been set, webpack will fallback to 'production' for this value.
Set 'mode' option to 'development' or 'production' to enable defaults for each environment.
You can also set it to 'none' to disable any default behavior. Learn more: https://webpack.js.org/concepts/mode/

C:\Users\Warrior Gaming\Desktop\new-project-with-webpack>
```





Chapter 3: Babel in Vue CLI 3



Our own custom article component!



This is another component.

Our own custom article component!

This is another component.

Current value of the counter: 0

Chapter 4: Testing in Vue CLI 3



Create a new project

Details Presets Features Configuration

A preset is an association of plugins and configurations. After you've selected

- features, you can optionally save it as a preset so that you can reuse it for future projects, without having to reconfigure everything again.

Select a preset

Default preset
babel, eslint

Manual
Manually select features

← Previous Create Project




Project plugins



Add vuex Add vue-router + Add plugin



1

2

Installed plugins

	@vue/cli-service version 3.5.1 latest 3.5.1	★ Official	✓ Installed	local service for vue-cli projects	More
	@vue/cli-plugin-babel version 3.5.1 latest 3.5.1	★ Official	✓ Installed	babel plugin for vue-cli	More Info
	@vue/cli-plugin-eslint version 3.5.1 latest 3.5.1	★ Official	✓ Installed	eslint plugin for vue-cli	More Info









Project plugins



Add vueux Add vue-router + Add plugin

Installed plugins

- 
@vue/cli-service
 version 3.5.1 latest 3.5.1 ★ Official ✓ Installed *local service for vue-cli projects* [More Info](#)
- 
@vue/cli-plugin-babel
 version 3.5.1 latest 3.5.1 ★ Official ✓ Installed *babel plugin for vue-cli* [More Info](#)
- 
@vue/cli-plugin-eslint
 version 3.5.1 latest 3.5.1 ★ Official ✓ Installed *eslint plugin for vue-cli* [More Info](#)
- 
@vue/cli-plugin-unit-jest
 version 3.5.1 latest 3.5.1 ★ Official ✓ Installed *unit-jest plugin for vue-cli* [More Info](#)

EXPLORER

- ▶ OPEN EDITORS
- ▲ TESTING-DEBUGGING-VUECLI3
 - ▶ node_modules
 - ▶ public
 - ▲ src
 - ▶ assets
 - ▲ components
 - ▼ AnotherComponent.vue U
 - ▼ App.vue M
 - JS main.js M
 - ▶ tests
 - ◆ .gitignore
 - JS babel.config.js
 - JS jest.config.js
 - { } package-lock.json
 - { } package.json
 - i README.md



The screenshot shows the 'Project dependencies' and 'Development dependencies' sections of a code editor. The 'Project dependencies' section lists 'vue' with version 2.6.9, wanted 2.6.9, and latest 2.6.9. The 'Development dependencies' section lists '@vue/test-utils' with version 1.0.0-beta.29, wanted 1.0.0-beta.29, and latest 1.0.0-beta.29; 'babel-core' with version 7.0.0-bridge.0, wanted 7.0.0-bridge.0, and latest 6.26.3; and 'babel-eslint' with version 10.0.1, wanted 10.0.1, and latest 10.0.1. Each dependency entry includes a 'More Info' link.

The screenshot shows a task runner interface for a task named 'test:unit'. The task is currently running, as indicated by the 'Run u...' status. The 'Parameters' button is highlighted with a red box, and a red arrow points to it. The 'Run task' button is also visible. Below the task name, there is an 'Output' section with a trash icon and a refresh icon.

Tests ✓ -- ✗ 1 ⌂ -- 4.38 ● ↓ ↻

▼ My First Test

✗ Visits the app root url ⚠

▼ TEST

1	VISIT	/
2	CONTAINS	h1, Welcome to Your Vue.js App 0

(XHR) ● GET 200 /sockjs-node/info?t=15528848...

CypressError: Timed out retrying: Expected to find content: 'Welcome to Your Vue.js App' within the selector: 'h1' but never did.

Tests ✓ 1 ✗ -- ⌂ -- 0.34 ● ↓ ↻

▼ My First Test


✓ Visits the app root url

▼ TEST

1	VISIT	/
2	CONTAINS	article, Our own custom article componen...


(XHR) ● GET 200 /sockjs-node/info?t=1552888389...

Chapter 5: Vue CLI 3 and Routing






A screenshot of the Visual Studio Code terminal window. The terminal title bar shows '1: node'. The terminal content includes the copyright notice for Microsoft Corporation, the command 'vue create .' being executed, and the output 'Vue CLI v3.3.0' followed by a prompt '? Generate project in current directory? (Y/n) y'.


```
PROBLEMS  TERMINAL  ...  1: node  +  -  -  v  x  
Copyright (c) 2009 Microsoft Corporation. All rights reserved  
C:\Users\Warrior Gaming\Desktop\vuecli3chapter5>vue create .  
  
Vue CLI v3.3.0  
? Generate project in current directory? (Y/n) y
```



A screenshot of the Visual Studio Code terminal window. The terminal title bar shows '1: node'. The terminal content shows 'Vue CLI v3.3.0' and a green box highlighting the message 'Update available: 3.5.1'. Below this, there is a prompt '? Please pick a preset:' with two options: 'default (babel, eslint)' and '> Manually select features'.

```
PROBLEMS  TERMINAL  ...  1: node  +  -  -  v  x  
Vue CLI v3.3.0  
Update available: 3.5.1  
? Please pick a preset:  
  default (babel, eslint)  
> Manually select features
```






PROBLEMS TERMINAL ... 1: node + [] [] ^

Vue CLI v3.3.0

- ✦ Creating project in C:\Users\W\Desktop\vuecli3chapter5
- ◆ Initializing git repository...
- ⊙ Installing CLI plugins. This might take a while...

[█.....] / fetchMetadata: sill pacote range manifest







\$ npm run serve

C:\Users\W\Desktop\vuecli3chapter5>vue ui 1



◆ Starting GUI...



◆ Ready on http://localhost:8000 2









Chapter 6: Using ESLint and Prettier in Vue CLI 3












Chapter 7: Improving CSS with SCSS









Chapter 8: Deploying Vue CLI 3 Apps on GitHub Pages





No local changes

You have no uncommitted changes in your repository! Here are some friendly suggestions for what to do next.



Publish your repository to GitHub

This repository is currently only available on your local machine. By publishing it on GitHub you can share it, and collaborate with others.

Always available in the toolbar for local repositories or **Ctrl** **P**

Publish repository

Open the repository in your external editor

Configure which editor you wish to use in [options](#)

Repository menu or **Ctrl** **Shift** **A**

Open in Atom

View the files in your repository in Explorer

Repository menu or **Ctrl** **Shift** **F**

Show in Explorer

The screenshot shows the GitHub dashboard. At the top, there is a search bar and navigation links for Pull requests, Issues, Marketplace, and Explore. On the left, the 'Repositories' section is active, showing a search for 'chapter8' and a result for 'ImsirovicAjdin/chapter8'. The main content area features a 'ProTip' about the feed, a 'Subscribe to your news feed' link, and a 'Welcome to the new dashboard' notification. Below the notification, there is a 'Discover repositories' section with three items: 'web-platform-tests/wpt' (HTML, 2.2k stars), 'tobrun/flutter-mapbox-gl' (Dart, 82 stars), and 'spring-projects/spring-security' (Spring Security).

Search or jump to... Pull requests Issues Marketplace Explore

ImsirovicAjdin / chapter8 Private Unwatch 1 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Insights Settings

No description, website, or topics provided. Edit

Manage topics

2 commits 1 branch 0 releases

Branch: master New pull request Create new file Upload files Find File Clone or download

ImsirovicAjdin Update App.vue's template Latest commit e469374 8 hours ago	
public	init 8 hours ago
src	Update App.vue's template 8 hours ago
.gitignore	init 8 hours ago
README.md	init 8 hours ago

ImsirovicAjdin / chapter8 Private Unwatch 1 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Insights Settings

Settings

Options
Collaborators
Branches
Webhooks
Notifications
Integrations & services
Deploy keys

Repository name
chapter8 Rename

Social preview

⚠ You can upload a social image, but it will not be visible publicly while `ImsirovicAjdin/chapter8` is private.

Upload an image to customize your repository's social media preview.
Images should be at least 640×320px (1280×640px for best display).
[Download template](#)

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Upgrade to GitHub Pro or make this repository public to enable Pages.

Upgrade now

Danger Zone

Make this repository public

Make this repository visible to anyone.

Make public

Transfer ownership

Transfer this repository to another user or to an organization where you have the ability to create repositories.

Transfer

Make this repository public ×

⚠ Warning: this is a potentially destructive action.

- The code will be visible to everyone who can visit <https://github.com>
- Anyone can fork your repository.
- Your changes will be published as activity.

Please type in the name of the repository to confirm.

I understand, make this repository public.

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Source
GitHub Pages is currently disabled. Select a source below to enable GitHub Pages for this repository. [Learn more.](#)

None ▾

- Select source
- master branch
Use the master branch for GitHub Pages.
- master branch /docs folder
Use only the /docs folder for GitHub Pages.
- None
Disable GitHub Pages.

D Make this repository private
Hide this repository from the public. [Make private](#)

GitHub Pages source saved. ✕

ImsirovicAjdin / chapter8 Unwatch 1 ★ Star 0 Fork 0

[Code](#) [Issues 0](#) [Pull requests 0](#) [Projects 0](#) [Wiki](#) [Insights](#) **Settings**

Settings

Options

- Collaborators
- Branches
- Webhooks
- Notifications
- Integrations & services

Repository name
chapter8 [Rename](#)

Social preview
Upload an image to customize your repository's social media preview.

GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

Your site is ready to be published at <https://imsirovicajdin.github.io/chapter8/>.

Source

Your GitHub Pages site is currently being built from the `master` branch. [Learn more.](#)

master branch ▾

Theme Chooser

Select a theme to publish your site with a Jekyll theme. [Learn more.](#)

Choose a theme

Custom domain

Custom domains allow you to serve your site from a domain other than `imsirovicajdin.github.io`. [Learn more.](#)

Save

