

# **Chapter 1: Discovering Visual Studio 2013**





```
Startup.cs → ×
🔩 ASP_Net_Web.Startup


→ Configuration(IAppBuilder app)


    ⊡using Microsoft.Owin;
    using Owin;
     [assembly: OwinStartupAttribute(typeof(ASP_Net_Web.Startup))]
   □namespace ASP_Net_Web
     {
          public partial class Startup {
              public void Configuration(IAppBuilder app) {
                   ConfigureAuth(app);
                                                                                                                           Startup.Auth.cs 🛎 X
                   // For more information on configuring authentication, please visit <a href="http://go.microsoft.com/fwlink/">http://go.microsoft.com/fwlink/</a>
                   public void ConfigureAuth(IAppBuilder app)
                        // Enable the application to use a cookie to store information for the signed in user
                       // and also store information about a user logging in with a third party login provider.
// This is required if your application allows users to login
                       app.UseCookieAuthentication(new CookieAuthenticationOptions
```










































IService1CompositeType

▲ C# IService1.cs







■·■ System.Web.Services


Service1.svc.cs
Service1


Solution Explorer | Team Explorer | Class View


C# IService1.cs


••• IService1

■ Service1.svc













# **Chapter 2: Getting Started with Windows Store Applications**





















```
namespace InsertItemAppCS
{
    class DataClass
    {
        public string Title { get; set; }
        public string Subtitle { get; set; }
    }
}
```


```
private void navigationHelper_LoadState(object sender, LoadStateEventArgs e)
{
    // TODO: Assign a bindable collection of items to this.DefaultViewModel["Items"]
    var list = new List<DataClass>() {
        new DataClass(){Title = "Fish", Subtitle="First Item"},
        new DataClass(){Title = "Lion", Subtitle="Second Item"},
        new DataClass(){Title = "Zebra", Subtitle="Third Item"}
    };


    this.defaultViewModel["Items"] = list;
}
```


```
if (!rootFrame.Navigate(typeof(ItemsPage1), e.Arguments))
{
    throw new Exception("Failed to create initial page");
}
```

My Application	
Fish	Zebra
First Item	Third Item
Lion	
Second Item	
















```
private void ItemListView_SelectionChanged(object sender, SelectionChangedEventArgs e)
{
    // Invalidate the view state when logical page navigation is in effect, as a change
    // in selection may cause a corresponding change in the current logical page. When
    // an item is selected this has the effect of changing from displaying the item list
    // to showing the selected item's details. When the selection is cleared this has the
    // opposite effect.
    if (this.UsingLogicalPageNavigation()) this.InvalidateVisualState();
}
```























### **Create Your Packages**


Do you want to build packages to upload to the Windows Store?



You don't have to sign in with a Microsoft account. The packages can be used only on a computer that has a developer license installed or meets the requirements for sideloading Windows Store apps. For more information, see the <u>developer license</u> and the <u>sideloading</u> requirements.









#### **Analysis Target**



Startup Project

SplitApp (Windows 8.1)

#### **Available Tools**

☐ CPU Sampling

Examine which functions are using the CPU most frequently


✓ Energy Consumption

Examine where energy is consumed in your application


XAML UI Responsiveness

Examine where time is spent in your application


Start



















```
if (rootFrame.Content == null)
{
    // When the navigation stack isn't restored navigate to the first page,
    // configuring the new page by passing required information as a navigation
    // parameter
    rootFrame.Navigate(typeof(ItemsPage1), e.Arguments);
}
// Ensure the current window is active
Window.Current.Activate();
```










# Chapter 3: Web Development – ASP.NET, HTML5, CSS, and JavaScript










```
html {
    background-color: #ffffff;
}
```






```
∃body {
     font-size: 14pt;
     color: blue;
     font-weight: bold;
     text-decoration: underline;
     text-transform: uppercase;
 }
⊡ul {
     color: orangered;
     font-weight: 200;
     ul li {
         color: green;
         ul li a {
             color: yellowgreen;
  ⊡body {
       font-size: 14pt;
       color: blue;
       font-weight: bold;
       text-decoration: underline;
       text-transform: uppercase;
  ⊡ul {
       color: orangered;
       font-weight: 200;
       ul li {
           color: green;
           ul li a {
               color: black;
           ul li a:hover {
               color: yellowgreen;
```








go();

```
</div>
    <script src="/Scripts/marquee.js"></script>
    <script>
        $('p').marquee();
    </script>
</asp:Content>
```




```
<asp:PlaceHolder runat="server">
    <%: Scripts.Render("~/bundles/modernizr") %>
</asp:PlaceHolder>
```


Account


```
App_Data
                   App_Start bundles?
                   Content
                   img
                   Models
                   Scripts
       </form>
       <%: Scripts.Render("~/bundles/customjs") %>
   </body>
void Application_Start(object sender, EventArgs e)
   // Code that runs on application startup
   BundleConfig.RegisterBundles(BundleTable.Bundles);
   RouteConfig.RegisterRoutes(RouteTable.Routes);
   BundleTable.EnableOptimizations = true;
```


{





















Description: HTTP 404. The resource you are looking for (or one of its dependencies) coulor is temporarily unavailable. Please review the following URL and make sure that it is spelled


Requested URL: /Shared/\_LoginPartial





























### **Chapter 4: .NET Framework 4.5.1 Development**















































<endpoint address="http://localhost:63980/Service1.svc" binding="basicHttpB
bindingConfiguration="BasicHttpBinding\_IService1" contract="ServiceRefe
name="BasicHttpBinding\_IService1" />


Optional string attribute. This attribute uniquely identifies an endpoint for a given contract.


























### Adding\_1\_and\_2\_should\_give\_3


Source: CalculatorOperations.cs line 15


Test Failed - Adding\_1\_and\_2\_should\_give\_3


Message: System.NotImplementedException: The method or operation is not implemented.


Elapsed time: 39 ms





















```
using System.Windows.Controls.Ribbon;

□ namespace WpfRibbon

{


□ /// <summary> ...
□ public partial class MainWindow : RibbonWindow...

}
```






## **Chapter 5: Debugging Your .NET Application**



Modules									
	Name	Path	Optimized	User Code	Symbol Status	Symbol File			
=	mscorlib.dll	C:\Windows\Microsoft.Net\asse	Yes	No	Skipped loading symbols.				
**	consoleApplic	c:\temp\consoleApplication1.exe	No	No	Cannot find or open the PDB file.				



```
PS C:\IntelliTraceLogs> Start-WebApplicationMonitoring

cmdlet Start-WebApplicationMonitoring at command pipeline position 1

Supply values for the following parameters:

Name: Default Web Site\VS2013


Mode: Trace

OutputPath: C:\IntelliTraceLogs

Starting monitoring for 'Default Web Site/VS2013' ...

Monitoring started for 'Default Web Site/VS2013'

PS C:\IntelliTraceLogs>
```



GET	http://localhost/VS2013/	41	200	0				
POST	http://localhost/VS2013/default.aspx	41	500	1				
POST	http://localhost/VS2013/	44	200	0				
Request Details								

### http://localhost/VS2013/default.aspx

Details:

 Time Taken:
 41
 Method:
 POST

 Client IP:
 ::1
 Id:
 1


Target URL: http://localhost/VS2013/default.aspx User Agent: Mozilla/5.0 (Windows NT 6.3; WOW64; Trident/7.0; rv:11.0) like Gecko


Status: 500 End Time: 10/29/2013 11:19:40 PM


### Request Events:


# All Categories Search ASP.NET: Page Post Back "/VS2013/" Gesture: Clicked "Click Me" (Button) Exception: Thrown: "No clicky for you!" (System.ApplicationException) A System.ApplicationException was thrown: "No clicky for you!" Time: 10/29/2013 11:19:40 PM Thread: [2784] Exception: Caught: "No clicky for you!" (System.ApplicationException) Exception: Thrown: "null" (System Web Httpl://phandledException) Debug This Event


```
Protected Sub ClickMe_Click(sender As Object, e As EventArgs)
                Dim second As Integer = DateTime.Now.Second
  Ľ,
                If (second Mod 2 = 0) Then
  ±
5
                    Throw New ApplicationException("No clicky for you!")
                    ClickMe.Text = "current second: " & second.ToString()
                End If
            End Sub
       End Class
                 var total = 0;
                 for (int loop = 0; loop < 1000000; loop++)
                      total += loop;
                      total /= i;
                                i 411 □
```























































### **Chapter 6: Asynchrony in .NET**

```
Title: Massively [http://massively.joystiq.com]
   Post: Make My MMO: Crowdfunding October 20 - November 2, 2013[htt
owdfunding-october-20-november-2-2013/]
   Date: 11/2/2013 7:00:00 PM
Title: Morning Dew [http://www.alvinashcraft.com]
   Post: Dew Drop â?" Anniversary Edition â?" November 1, 2013 (#1,69
cWgxTvPlk4s/]
  Date: 11/1/2013 8:45:23 AM
Title: Scott Hanselman's Blog [http://www.hanselman.com/blog/]
  Post: Using a Surface 2 (RT/ARM) to get actual work done + Remote
man.com/~/49293971/0/scotthanselman~Using-a-Surface-RTARM-to-get-act
x]
  Date: 10/31/2013 4:28:16 PM
Fitle: .NET Parallel Programming [http://blogs.msdn.com/b/pfxteam/]
   Post: .NET memory allocation profiling and Tasks[http://blogs.msdr
tion-profiling-and-tasks.aspx]
  Date: 4/4/2013 1:26:00 PM
Total Time: 00:00:03.4865682
```

```
starting...
finished...
Title: Massively [http://massively.joystiq.com]
  Post: Warhammer Online goes free for final weeks[http://massively
or-final-weeks/]
  Date: 11/2/2013 9:00:00 PM
Title: Morning Dew [http://www.alvinashcraft.com]
  Post: Dew Drop â?" Anniversary Edition â?" November 1, 2013 (#1,0
cWgxTvPlk4s/]
  Date: 11/1/2013 8:45:23 AM
Title: Scott Hanselman's Blog [http://www.hanselman.com/blog/]
  Post: Using a Surface 2 (RT/ARM) to get actual work done + Remot
man.com/~/49293971/0/scotthanselman~Using-a-Surface-RTARM-to-get-act
x]
  Date: 10/31/2013 4:28:16 PM
Title: .NET Parallel Programming [http://blogs.msdn.com/b/pfxteam/]
  Post: .NET memory allocation profiling and Tasks[http://blogs.msd
tion-profiling-and-tasks.aspx]
  Date: 4/4/2013 1:26:00 PM
Total Time: 00:00:01.6033822
```

Load Feeds

# 00:00:00.6903628

### NASA Breaking News

http://www.nasa.gov/

Three Space Station Crews Answer Media Questions from Orbit http://www.nasa.gov/press/2013/november/three-space-station-crews-ans 11/1/2013 12:00:00 PM

### Scott Hanselman's Blog

http://www.hanselman.com/blog/

Using a Surface 2 (RT/ARM) to get actual work done + Remote Desktop + http://feeds.hanselman.com/~/49293971/0/scotthanselman~Using-a-Surface 10/31/2013 4:28:16 PM

### Massively

http://massively.joystiq.com

Ragnarok Online debuts on Steam

http://massively.joystiq.com/2013/11/02/ragnarok-online-debuts-on-stean 11/2/2013 10:00:00 PM





00:00:01.0475018

```
Output


Show output from: Debug


'iisexpress.exe' (CLR v4.0.30319:
'iisexpress.exe' (CLR v4.0.30319:
Duration: 00:00:00


198178
267164
2290
```


```
ifile:///c:/users/jeff/documents/visual studio 2013/Projects/DataFlow/Dat... - 
hjsdoisA==
oSg==
waiting for the queue to flush
RA==
Tw==
SQ==
Uw==
Tw==
SQ==
press any key
```


## **Chapter 7: Unwrapping C++ Development**



















### Name


The non-localized display name of the rule set.







































































#### **Chapter 8: Working with Team Foundation Server 2013**













### ▲ In Progress Work





#### ■ Suspended Work


Resume | Merge with In Progress No suspended work.












# ▲ Included Changes (3) Exclude All | View Options ▼

- c:\users\jeff\documents\visual studio 2013\Projects\...
  - VB Class1.vb
  - VB Class2.vb [add]
  - TFSClassLibrary1.vbproj
- Related Work Items
- Included Changes
- Excluded Changes

Include All | View Options ▼ | Detected: 1 add(s), 1 delete(s)


There are no pending changes.





▲ Included Changes (2)

Exclude All | View Options -

- c:\users\jeff\documents\visual studio 2013\Projects...
  - VB FirstClass.vb [Class2.vb][rename, edit]
  - TFSClassLibrary1.vbproj









My Code Reviews & Requests ▼ Open Query





My Code Reviews & Requests ▼ Open Query

🖒 👺 Jeff Martin: 5 - Take a look at this code.











Configure schedule and iterations... Configure work areas...

Select Stakeholders The people you select will receive an email request that includes a link to launch Microsoft Feedback Client, the tool stakeholders use to provide feedback.




Tell Stakeholders How to Access the Application

Microsoft Feedback Client will display a link to launch the specified application and your exact instructions, which might include login credentials, specific navigations steps to follow, or general context of the application to review.













VisualStudioOnline@microsoft.com to Jeff Martin cc Jeff Martin

Sun, Dec 15 11:06 PM

# Jeff Martin is inviting you to provide feedback on team project VSCookbook

We want your feedback for the following items:


1. Look for cookbooks of interest

#### Start your feedback session

If the feedback tool is not already installed on your machine, install the feedback tool.


Thanks, Jeff Martin


If clicking the "Start your feedback session" link fails to launch the feedback session, copy the following URL (mfbclients:// visualstudio.com/DefaultCollection/p:VSCookbook?rid=7) and paste it into a browser address bar to start the session.





#### ■ Queries


- My Queries
- ▲ Shared Queries
  - ▶ Current Sprint
    - **Feedback**
    - **電 Product Backlog**







































































#### **Chapter 9: Languages**





















```
http://localhost:2161/ - Original Source
e°
    Edit Format
File
    <!DOCTYPE html>
  3
    <html lang="en">
  4
    <head>
        <meta charset="utf-8" />
        <title>TypeScript HTML App</title>
        <link rel="stylesheet" href="app.css" type="text/css" />
        <script src="app.js"></script>
 9
    </head>
 10
    <body>
 11
        <h1>TypeScript HTML App</h1>
 12
 13
        <div id="content"></div>
 14
    </body>
 15
    </html>
```




```
var greeter = new Greeter(e1);
greeter.element = 10.00;


Cannot convert 'number' to 'HTMLElement':
    Type 'Number' is missing property 'onmouseleave' from type 'HTMLElement'.
```


```
var greeter = new Greeter(el);
greeter.element = 10.00;
greeter.start();
```


## **Appendix: Visual Studio Medley**
























#### **Associate Your App with the Windows Store**

You can associate your app with the Windows Store and Visual Studio will automatically download the following values to your local app manifest:

Package Display Name Package Name Publisher ID Publisher Display Name Version

After these values are inserted in the manifest, you can test various purchase and notification scenarios.

To associate your app with the Store, you must sign in to a Store account with a Microsoft account. For more information about the Store and Store association, click  $\underline{\text{here}}$ .