




Chapter 1: Introduction to Business Central






















```
1 reference
10
       PROCEDURE GetSalesPrice(ExampleProduct : Record "Example Product";PersonNo : Code[20]) : Decimal;
11
         ExampleProductPrice : Record "Example Product Price";
12
13
       begin
14
        WITH ExampleProduct DO
15
         EXIT("Sales Price");
16
17
        WITH ExampleProductPrice DO BEGIN
18
          IF GET(ExampleProduct."No.", PersonNo) THEN
            EXIT("Sales Price");
19
                                                                                        Ι
20
           IF GET(ExampleProduct."No.") THEN
21
22
           EXIT("Sales Price");
23
         END;
24
       end;
25
     }
```














```
◀ launch.json - WDTU - Visual Studio Code [Administrator]
<u>File Edit Selection View Go Debug Tasks Help</u>
                                                         {} launch.json ×
         EXPLORER
                                                            1
        △ OPEN EDITORS
                                                                      "version": "0.2.0",
            {} launch.json .vscode
                                                                      "configurations": [
        ⊿ WDTU

■ .vscode

                                                                               "type": "al",
          {} launch.json
                                                                               "request": "launch",
                                                            6
         {} app.json
                                                            7
                                                                               "name": "Your own server",
8
                                                                               "server": "http://localhost",
                                                                               "serverInstance": "nav",
                                                            9
                                                                               "authentication": "UserPassword",
                                                           10
 ij.
                                                                               "startupObjectId": 22,
                                                           11
                                                                               "startupObjectType": "Page"
                                                           12
                                                           13
```










```
    ■ Radio Show.al ●


                                                            (点) 田
       0 references
      table id MyTable
           DataClassification = ToBeClassified;
  3
  4
          fields
  5
  6
               1 reference
               field(1;MyField; Integer)
  7
  8
                    DataClassification = ToBeClassified;
  9
 10
 11
 12
 13
           keys
 14
 15
               - reference
               key(PK; MyField)
 16
 17
                   Clustered = true;
 18
```

```
table 50100 "Radio Show"
 1
 2
          fields
 3
 4
          {
              0 references
              field(1; "No."; Code[20]) {}
 5
              0 references
              field(10;"Radio Show Type"; Code[10]) {}
 6
              0 references
              field(20; "Name"; Text[50]) {}
 7
              0 references
              field(40;"Run Time"; Duration) {}
 8
              0 references
              field(50;"Host Code"; Code[20]) {}
 9
              0 references
              field(60; "Host Name"; Text[50]) {}
10
              0 references
              field(100; "Average Listeners"; Decimal) {}
11
              0 references
              field(110; "Audience Share"; Decimal) {}
12
              0 references
13
              field(120; "Advertising Revenue"; Decimal) {}
              0 references
              field(130;"Royalty Cost"; Decimal) {}
14
15
     }
16
```











```
≡ table 50100 Radio Show.al •
                                                                                               ≡ page 50100 Radio Show List.al ●
        0 references
       page 50100 "Radio Show List"
   1
            PageType = List;
   3
            SourceTable = "Radio Show";
   4
   5
            layout
   7
                0 references
                area(content)
                    0 references
                    repeater(Group)
  10
                         0 references
                         field(Name; NameSource)
  12
  13
   PROBLEMS 1
                   OUTPUT
                                                                   Filter. Eg: text, **/*.t... 👸 🗊 ∧ 🔲 🗴
                              DEBUG CONSOLE
                                               TERMINAL
■ page 50100 Radio Show List.al 1
   (12, 29) AL] The name 'NameSource' does not exist in the current context
```


```
page 50100 "Radio Show List"
 1
 2
 3
         PageType = List;
          SourceTable = "Radio Show";
 4
 5
 6
         layout
 7
          {
              0 references
 8
              area(content)
 9
                  0 references
                  repeater(Group)
10
11
                      0 references
                      field("No."; "No.") { ApplicationArea = Basic; }
12
                      0 references
                      field("Radio Show Type"; "Radio Show Type") { ApplicationArea =
13
                      0 references
                      field("Name"; "Name") { ApplicationArea = Basic; }
14
                      0 references
                      field("Run Time"; "Run Time") { ApplicationArea = Basic; }
15
                      0 references
                      field("Host Code"; "Host Code") { ApplicationArea = Basic; }
16
                      0 references
17
                      field("Host Name"; "Host Name") { ApplicationArea = Basic; }
                      0 references
                      field("Average Listeners"; "Average Listeners") { ApplicationArea
18
19
                      field("Audience Share"; "Audience Share") { ApplicationArea =
                      0 references
                      field("Advertising Revenue"; "Advertising Revenue") { Application
20
                      0 references
                      field("Royalty Cost"; "Royalty Cost") { ApplicationArea = Basic; }
21
22
23
24
25
26
```





```
page 50101 "Radio Show Card"
 2
 3
         PageType = Card;
         SourceTable = "Radio Show";
 4
 5
         layout
 6
              0 references
              area(content)
 8
                  0 references
                  group(General)
 9
10
                      0 references
                      field("No."; "No.") { ApplicationArea = Basic; }
11
                      field("Radio Show Type"; "Radio Show Type") { ApplicationArea
12
                      0 references
                      field("Name"; "Name") { ApplicationArea = Basic; }
13
                      0 references
                      field("Run Time"; "Run Time") { ApplicationArea = Basic; }
14
                      field("Host Code"; "Host Code") { ApplicationArea = Basic; }
15
                      0 references
                      field("Host Name"; "Host Name") { ApplicationArea = Basic; }
16
17
                      field("Average Listeners"; "Average Listeners") { ApplicationArea
                      0 references
                      field("Audience Share"; "Audience Share") { ApplicationArea
18
                      field("Advertising Revenue"; "Advertising Revenue") { Application
19
                      0 references
                      field("Royalty Cost"; "Royalty Cost") { ApplicationArea = Basic;
20
21
22
23
24
```






```
report 50100 "Radio Shows"
 2
 3
          dataset
              0 references
              dataitem(DataItemName; SourceTableName)
 5
 6
                  column(ColumnName; SourceFieldName)
 7
 8
                  {
10
                  }
11
12
```

```
1    report 50100 "Radio Shows"
2    {
3         UsageCategory = ReportsAndAnalysis;
4         ApplicationArea = Basic;
5         dataset
```

```
report 50100 "Radio Shows"
 2
 3
         UsageCategory = ReportsAndAnalysis;
         ApplicationArea = Basic;
 5
         dataset
 6
             0 references
             dataitem(DataItemName; "Radio Show")
 7
 9
                     column("No"; "No.") { }
10
                     column("RadioShowType"; "Radio Show Type") { }
                     column("Name"; "Name") { }
11
                     column("RunTime"; "Run Time") { }
12
13
                     column("HostCode"; "Host Code") { }
                     column("HostName"; "Host Name") { }
14
                     column("AverageListeners"; "Average Listeners") { }
15
                     column("AudienceShare"; "Audience Share") { }
16
                     column("AdvertisingRevenue"; "Advertising Revenue") { }
17
18
                     column("RoyaltyCost"; "Royalty Cost") { }
19
20
21
     }
22
```

```
1    report 50100 "Radio Shows"
2    {
3         UsageCategory = ReportsAndAnalysis;
4         ApplicationArea = Basic;
5         WordLayout = 'RadioShows.docx';
6         RDLCLayout = 'RadioShows.RDLC';
7         dataset
```



```
EXPLORER
                                          <?xml version="1.0" encoding="utf-8"?>
△ OPEN EDITORS
                                                 <Report xmlns="http://schemas.microsoft.com/sqlserver/reporting/2016/01/reportdent/</pre>
   RadioShows.RDLC
                                                  <AutoRefresh>0</AutoRefresh>
▶ PROGRAMMING-MICROSOFT-DYNAMICS-365-BUSINES...
                                                  <DataSources>
                                                    <DataSource Name="DataSource">
                                                      <ConnectionProperties>
                                                        <DataProvider>SQL</DataProvider>
                                            8
                                                        <ConnectString />
                                            9
                                                      </ConnectionProperties>
                                           10
                                                      <rd:SecurityType>None</rd:SecurityType>
                                           11
                                                    </DataSource>
                                           12
                                                   </DataSources>
                                           13
                                                  <ReportSections>
                                           14
                                                    <ReportSection>
                                           15
                                                      <Body>
                                                        <Height>2in</Height>
                                           17
                                                        <Style />
                                           18
                                                      </Body>
                                           19
                                                      <Width>6.5in</Width>
                                           20
                                                      <Page>
                                           21
                                                      <Style />
                                           22
                                                      </Page>
                                           23
                                                    </ReportSection>
                                           24
                                                   </ReportSections>
                                           25
                                                   <Code>Public Function BlankZero(ByVal Value As Decimal)
                                           26
                                                     if Value = 0 then
                                           27
                                                     Return ""
                                                     end if
                                           28
                                                     Return Value
```

```
RadioShows.RDLC
                      {} launch.json ×
           "version": "0.2.0",
  2
           "configurations": [
                   "type": "al",
                   "request": "launch",
                   "name": "WDTU",
                    "server": "http://8c58d5c0f5b8",
                   "serverInstance": "nav",
  9
                   "authentication": "UserPassword",
 10
                   //"startupObjectId": 50101,
 11
                   //"startupObjectType": "Page"
 12
 13
 14
 15
```



```
EXPLORER
                                             ≡ report 50100 Radio Shows.al 🗙
△ OPEN EDITORS
                                                    0 references
                                                    report 50100 "Radio Shows"
     report 50100 Radio Shows.al
                                               2
🗸 PROGRAMMING-MICROSOFT-DYN.. 🛅 🎦 💍 🗊
                                                         UsageCategory = ReportsAndAnalysis;
                                               3
 ■ .alpackages
                                               4
                                                         ApplicationArea = Basic;
  WordLayout = 'RadioShows.docx';


≡ Microsoft_System_12.0.12928.0.app
                                                        DefaultLayout = Word;


■ .vscode


                                               8
                                                         dataset
  {} launch.json
                                               9
                                                         {
.gitignore
                                                             0 references
~$dioShows.docx
                                               10
                                                             dataitem(DataItemName; "Radio Show")
{} app.json
                                               11


    ■ Mark, Dave & Chris WDTU_1.0.0.0.app


                                                                      column("No"; "No.") { }
                                              12
page 50100 Radio Show List.al
                                        U
                                              13
                                                                      column("RadioShowType"; "Radio Show Type") { }
                                                                      column("Name"; "Name") { }
                                               14
 page 50101 Radio Show Card.al
                                        U
                                               15
                                                                      column("RunTime"; "Run Time") { }
RadioShows.docx
                        Open Externally
                                                                      column("HostCode"; "Host Code") { }
(i) README.md
                        Open to the Side
                                        Ctrl+Enter
                                                                     column("HostName"; "Host Name") { }
  report 50100 Radio Sh
                        Reveal in Explorer
                                       Alt+Shift+R
                                                                     column("AverageListeners"; "Average Listeners") { }
                        Open in Command Prompt
 ≡ table 50100 Radio Shov
                                                                     column("AudienceShare"; "Audience Share") { }
                        Select for Compare
                                                                      column("AdvertisingRevenue"; "Advertising Revenue") { }
                                                                     column("RoyaltyCost"; "Royalty Cost") { }
                                          Ctrl+C
                        Copy Path
                                                             }
```













Chapter 2: Tables





```
EXPLORER
                                                    ≡ table 50100 Radio Show.al ●
G
      △ OPEN EDITORS 1 UNSAVED
                                                           3 references
                                                           table 50100 "Radio Show"
                                                      1
        • = table 50100 Radio Show.al
Q
                                                      2
      ▶ PROGRAMMING-MICROSOFT-DYNAMICS-365-BUSINES...
                                                      3
                                                       4
                                                               fields
                                                      5
                                                                    3 references
                                                                    field(1;"No."; Code[20]) {}
                                                                    3 references
                                                                    field(10;"Radio Show Type"; Code[10]) {}
ij.
                                                                    3 references
                                                                    field(20;"Name"; Text[50]) {}
                                                                    3 references
                                                                    field(40;"Run Time"; Duration) {}
                                                                    3 references
                                                                    field(50;"Host Code"; Code[20]) {}
                                                     10
                                                                    3 references
                                                                    field(60;"Host Name"; Text[50]) {}
                                                                    3 references
                                                                    field(100; "Average Listeners"; Decimal) {}
                                                     12
                                                                    3 references
                                                                    field(110; "Audience Share"; Decimal) {}
                                                      13
                                                                    3 references
                                                     14
                                                                    field(120;"Advertising Revenue"; Decimal) {}
                                                                    field(130; "Royalty Cost"; Decimal) {}
                                                     15
                                                     16
```

```
≡ table 50100 Radio Show.al 
●
      3 references
      table 50100 "Radio Show"
  2
  3

    Caption

                                            Caption property ()
  4
       CaptionML
  5
       DataCaptionFields
       ▶ DataClassification
  6
       DataPerCompany
       ▶ Description
  7
       ✗ DrillDownPageId
       ExternalName
  8
       ExternalSchema
  9
       LinkedInTransaction

✓ LinkedObject

 10
       ✗ LookupPageId
               3 references
              field(60;"Host Name"; Text[50]) {}
 11
```

```
3 references
               field(120; "Advertising Revenue"; Decimal) {}
14
               3 references
               field(130;"Royalty Cost"; Decimal) {}
15
16
17
          trigger
18
      }

    OnDelete

    OnInsert

    ○ OnModify

    ○ OnRename

                     □ taction
```

```
keys
{
    - reference
    key(PK; "No.") { }
    - reference
    key(Name; Name) {}
    - reference
    key(HostName; "Host Name") {}
}
```


```
keys
{
    Ireference
    key(PK; "No.") { }

    Clustered


                                           Clustered property ()
    - reference
    key(Name; Name) 	≠ Description
    - reference
                     Enabled
    key(HostName; "H ≯ MaintainSiftIndex

    MaintainSqlIndex


                     ObsoleteReason
                     ✗ ObsoleteState
                     SqlIndex
                     SumIndexFields
```



```
fieldgroups
{
    -reference
    fieldgroup(DropDown; "No.", Name, "Host Name") {}
    -reference
    fieldgroup(Brick; "No.", Name, "Audience Share") {}
}
```




CRONU	omers	
	Adatum Corporation Robert Townes	0,00 0,00
0	Trey Research Helen Ray	2.345,63 1.563,75
	School of Fine Art Meagan Bond	32.644,30 31.407,70
	Alpine Ski House Ian Deberry	2.617,50 2.617,50
	Relectoud Jesse Homer	6.762,38 4.404,00
		.
	\leftarrow +	



```
table 50100 "Radio Show"
 2
 3
          fields
 4
          {
              6 references
 5
              field(1; "No."; Code[20]) { }
              field(10; "Radio Show Type"; Code[10]) { TableRelation = "Radio Show Type"; }
 6
 7
              field(20; "Name"; Text[50]) { }
              3 references
              field(40; "Run Time"; Duration) { }
 8
              3 references
9
              field(50; "Host Code"; Code[20]) { }
              5 references
10
              field(60; "Host Name"; Text[50]) { }
              3 references
11
              field(100; "Average Listeners"; Decimal) { }
              4 references
              field(110; "Audience Share"; Decimal) { }
12
              3 references
              field(120; "Advertising Revenue"; Decimal) { }
13
              3 references
              field(130; "Royalty Cost"; Decimal) { }
14
              0 references
              field(1000; Frequency; Option) { }
15
              0 references
              field(1010; "PSA Planned Quantity"; Integer) { }
16
17
              field(1020; "Ads Planned Quantity"; Integer) { }
              0 references
18
              field(1030; "News Required"; Boolean) { }
              field(1040; "News Duration"; Duration) { }
19
              0 references
              field(1050; "Sports Required"; Boolean) { }
20
              0 references
21
              field(1060; "Sports Duration"; Duration) { }
              0 references
              field(1070; "Weather Required"; Boolean) { }
22
              0 references
              field(1080; "Weather Duration"; Duration) { }
23
              0 references
24
              field(1090; "Date Filter"; Date) { FieldClass = FlowFilter; }
```

```
14  | field(120; "Advertising Revenue"; Decimal) { }
3 references
15  | field(130; "Royalty Cost"; Decimal) { }
0 references
16  | field(1000; Frequency; Option) { OptionMembers = Hourly,Daily,Weekly,Monthly; }
0 references
17  | field(1010; "PSA Planned Quantity"; Integer) { }
0 references
18  | field(1020; "Ads Planned Quantity"; Integer) { }
```




```
page 50102 "Radio Show Type"
 2
 3
         PageType = List;
         SourceTable = "Radio Show Type";
 4
         ApplicationArea = Basic;
 5
         UsageCategory = Administration;
 6
 7
         layout
 8
         {
              0 references
              area(content)
10
                  0 references
11
                  repeater(Group)
12
                      0 references
                      field(Code; Code) { ApplicationArea = Basic; }
13
                      0 references
                      field(Description; Description) { ApplicationArea = Basic; }
14
15
16
17
18
```

III	Dynamics 365 ∨	Business Central	dio Sh	ow Type > Radio Show Type	Q	☺	₽	€	?	A
	номе									
	NEW - RADIO SHOW TYPE	+ New					=	88	Q	×
	CODE			DESCRIPTION						
	CALL-IN		• • • •	Talk and Listener In						
	MUSIC			Music and Misc						
	NEWS		• • • •	In-Depth Stories						
	TALK		•••	Mostly Talk						

```
2 references
     table 50101 "Radio Show Type"
 1
 2
          LookupPageId="Radio Show Type";
 3
          DrillDownPageId="Radio Show Type";
 4
          fields
 5
 6
              1 reference
              field(1; Code; Code[20]) { }
 7
              1 reference
              field(10; Description; Text[50]) { }
 8
 9
10
      }
```

```
≡ table 50100 Radio Show.al ●
                      {} launch.json
     3 references
     table 50100 "Radio Show"
 2
 3
 4
        fields
            6 references
            field(1; "No."; Code[20]) { }
            3 references
 7
            field(10; "Radio Show Type"; Code[10]) { TableRelation="Radio Show Type"; }
            field(20; "Name"; Text[50]) { }
            3 references
            field(40: "Run Time": Duration) { }
```



```
0 references
              field(1020; "Ads Planned Quantity"; Integer) { }
17
              field(1030; "News Required"; Boolean) { InitValue = true; }
18
              0 references
             field(1040; "News Duration"; Duration) { }
19
              0 references
             field(1050; "Sports Required"; Boolean) { InitValue = true; }
20
              0 references
             field(1060; "Sports Duration"; Duration) { }
21
              0 references
              field(1070; "Weather Required"; Boolean) { InitValue = true; }
22
              0 references
              field(1080; "Weather Duration"; Duration) { }
23
              0 references
```

```
table 50102 "Playlist Header"
 2
          fields
              0 references
 5
              field(1; "No."; Code[20]) { }
              0 references
              field(10; "Radio Show No."; code[20]){}
 6
              0 references
              field(20;Description;Text[50]){}
 7
              0 references
              field(30;"Broadcast Date";Date) {}
 8
              0 references
              field(40;Duration;Duration){}
 9
              0 references
              field(50;"Start Time"; Time) {}
10
              0 references
              field(60;"End Time"; Time) {}
11
12
          }
13
```


```
table 50103 "Playlist Line"
1
2
3
         fields
 4
              1 reference
              field(1; "Document No."; Code[20]) { }
5
              1 reference
              field(2; "Line No."; Integer) { }
              0 references
              field(10; Type; Option) { OptionMembers = ,Resource,Show,Item; }
              field(20; "No."; Code[20]) { }
              0 references
              field(30; "Data Format"; Option) { OptionMembers = ,Vinyl,CD,MP3,PSA,Advertisement; }
9
              0 references
              field(40; Publisher; Code[10]) { }
10
              0 references
11
              field(50; Description; Text[50]) { }
              0 references
              field(60; Duration; Duration) { }
12
              0 references
              field(70; "Start Time"; Time) { }
13
              0 references
              field(80; "End Time"; Time) { }
14
```


```
table 50104 "Playlist Item Rate"
 1
 2
 3
          fields
 4
 5
              field(1; "Source Type"; Option) { OptionMembers = Vendor, Customer; }
              0 references
              field(2; "Source No."; Code[20]) { }
 6
              0 references
              field(30; "Item No."; Code[20]) { }
 7
              0 references
              field(40; "Start Time"; Time) { }
 8
              0 references
              field(50; "End Time"; Time) { }
 9
              0 references
10
              field(60; "Rate Amount"; Decimal) { }
              0 references
              field(70; "Publisher Code"; Code[10]) { }
11
12
13
```


```
1
     table 50105 "Radio Show Entry"
2
3
         fields
4
         {
              0 references
              field(1; "Entry No."; Integer) { }
              field(10; "Radio Show No."; Code[20]) { }
 6
              0 references
              field(20; Type; Option) { OptionMembers = ,Resource,Show,Item; }
              0 references
 8
              field(30; "No."; Code[20]) { }
              0 references
              field(40; "Data Format"; Option) { OptionMembers = ,Vinyl,CD,MP3,PSA,Advertisement; }
9
              0 references
              field(50; Description; Text[50]) { }
10
              0 references
              field(60; Date; Date) { }
11
              0 references
              field(70; Time; Time) { }
12
              0 references
13
              field(80; Duration; Duration) { }
              0 references
              field(90; "Fee Amount"; Decimal) { }
14
              0 references
              field(100; "ACSAP ID"; Integer) { }
15
16
             field(120; "Publisher Code"; Code[10]) { }
17
18
```


```
table 50106 "Listernership Entry"
 2
 3
         fields
             0 references
             field(1; "Entry No."; Integer) { }
             0 references
             field(10; "Ratings Source Entry No."; Integer) { }
             0 references
             field(20; Date; Date) { }
             0 references
             field(30; "Start Time"; Time) { }
             0 references
             field(40; "End Time"; Time) { }
             field(50; "Radio Show No."; Code[20]) { }
10
             0 references
             field(60; "Listener Count"; Decimal) { }
11
            field(70; "Audience Share"; Decimal) { }
             0 references
             field(80; "Age Demographic"; Option) { OptionMembers = ,"0-12","13-18","19-34","35-50","51+"; }
13
14
15
     }
```


```
tableextension 50100 Item extends Item
1
2
3
         fields
4
             0 references
5
             field(50100; "Publisher Code"; code[10]) { }
             0 references
             field(50101; "ACSAP ID"; Integer) { }
6
             0 references
             field(50102; Duration; Duration) { }
             0 references
             field(50103; "Data Format"; Option) { OptionMembers = ,Vinyl,CD,MP3,PSA,Advertisement; }
8
             0 references
             field(50104; "MP3 Location"; text[250]) { }
9
         }
10
```
























III	Dynamics 365	>	Business	Central	> Payment Terms	C	ર ©		€	?	A
× Yo	HOME ACTIONS										
	VIEW - PAYMENTTE	RMS	+ New					ŧ≡	===	Q	X
	CODE		DUE DATE CALCULATION	DISCOUNT DATE CALCULATION	DISCOUNT%		CALC. PMT. DISC. ON CR. MEMO!	DESCRIPTION	ıN		
	10 DAYS		10D			0		Net 10 da	ys		
	14 DAYS		14D			0		Net 14 da	ys 🖟		
	15 DAYS		15D			0		Net 15 da	ys		
	1M(8D)		1M	8D		2		1 Month/2	2% 8 da	ys	
	2 DAYS		2D			0		Net 2 days	5		
	21 DAYS		21D			0		Net 21 da	ys		
	30 DAYS		30D			0		Net 30 da	ys		
	60 DAYS		60D			0		Net 60 da	ys		
	7 DAYS		7D			0		Net 7 day	5		
	CM		CM			0		Current M	onth		
	COD		0D			0		Cash on d	elivery		









Chapter 3: Data Types and Fields

```
field(2000; Test; Blob) {[Subtype=Bitmap; Compressed="true"}
}
keys
{
- reference

UserDefined
```

```
field(2000; Test; Code[30])
{
    InitValue = '';
    CaptionClass = '1,1';
    Editable = true;
    NotBlank = true;
    Numeric = true;
    CharAllowed = '';
    DateFormula = false;
    ValuesAllowed = '';
    SqlDataType = Varchar;
    TableRelation = Customer;
    ExtendedDatatype = Masked;
}
```

General	
User Name · · · *	Master Data Sy
Password · · · · · ·	Master Data Las
Authorization Ke 🛪	Enabled · · · · · · ·
Default OCR Do	

```
field(2000; Test; Decimal)
{
    DecimalPlaces=0;
    BlankNumbers=DontBlank;
    BlankZero=true;
    SignDisplacement=1;
    MinValue=0;
    MaxValue=10;
    AutoIncrement=true;
}
```

```
field(1000; Frequency; Option)
{
    OptionMembers = Hourly, Daily, Weekly, Monthly;
    OptionCaptionML = ENU = 'Hourly, Daily, Weekly, Monthly';
}
```

```
table 50100 "Radio Show"
 1
 2
 3
          fields
 4
              7 references
              field(1; "No."; Code[20]) {
                   trigger OnValidate()
 6
 7
                   begin
 8
 9
                   end;
10
                   trigger OnLookup()
                   begin
11
12
13
                   end;
14
```

```
field(1000; Frequency; Option)
{
    OptionMembers = Hourly, Daily, Weekly, Monthly;
    OptionCaptionML = ENU = 'Hourly, Daily, Weekly, Monthly';
}
```

Search	Process Fun	ctions 📴 Entry	Show Attache	d 🛂 Open in Excel	Actions Less	options			
POSTING DATE	DOCUMENT TYPE	DOCUMENT NO.	G/L ACCOUNT NO.	DESCRIPTION	GEN. POSTING TYPE	GEN. BUS. POSTING GROUP	GEN. PROD. POSTING GROUP	AMOUNT	BAL. ACCOUNT TYPE
C12/31/2018		START	5840	Opening Entry				-4,518.40	G/L Account
C12/31/2018		START	5920	Opening Entry				-45,552.00	G/L Account
C12/31/2018		START	3120	Opening Entry				-488,329.71	G/L Account
1/1/2019	Invoice	108017	1320	Order 106015	Purchase	DOMESTIC	MISC	30,000.00	G/L Account
1/1/2019	Invoice	108017	5630	Order 106015				7,500.00	G/L Account
1/1/2019	Invoice	108017	5410	Order 106015				-37,500.00	G/L Account
1/1/2019	Payment	108017	2940	Order 106015				-37,500.00	Vendor
1/1/2019	Payment	108017	5410	Order 106015				37,500.00	Bank Account
1/1/2019	Invoice	108018	1220	Order 106018	Purchase	DOMESTIC	MISC	6,600.00	G/L Account

```
table 50140 "Date Formula"
1
2
3
        fields
             1 reference
             field(1; "Primary Key"; Code[10]) { }
5
             3 references
             field(10; "Reference for Date Calculation"; Date) { }
6
             3 references
             field(20; "Date Formula to Test"; DateFormula) { }
7
             2 references
             field(30; "Date Result"; Date) { }
8
```

```
local procedure CalculateNewDate()
begin

"Date Result" := CalcDate("Date Formula to Test", "Reference for Date Calculation");
end;
```

```
field(1; "Primary Key"; Code[10]) { }
3 references
field(10; "Reference for Date Calculation"; Date)
{
    trigger OnValidate()
    begin
        CalculateNewDate;
    end;
3 references
field(20; "Date Formula to Test"; DateFormula)
    trigger OnValidate()
    begin
        CalculateNewDate;
    end;
2 references
field(30; "Date Result"; Date) { }
```

```
page 50140 "Date Formula"
   PageType = List;
   ApplicationArea = All;
    UsageCategory = Administration;
    SourceTable = "Date Formula";
    layout
    {
        0 references
       area(Content)
            0 references
            repeater(GroupName)
                0 references
              field("Primary Key"; "Primary Key") { ApplicationArea = All; }
               field("Reference for Date Calculation"; "Reference for Date Calculation") { ApplicationArea = All; }
                0 references
               field("Date Formula to Test"; "Date Formula to Test") { ApplicationArea = All; }
                0 references
               field("Date Result"; "Date Result") { ApplicationArea = All; }
```

PRIMARY KEY	REFERENCE FOR DATE CALCULATION	DATE FORMULA TO TEST	DATE RESULT
1	2/1/2017	1D	2/2/2017
2	2/1/2017	1W	2/8/2017
3	3/10/2017	CM	3/31/2017
4	3/10/2017	-CM	3/1/2017
5	2/15/2016	CM	2/29/2016

PRIMARY KEY	REFERENCE FOR DATE CALCULA	TION DATE FORMULA TO TEST	DATE RESULT
1	2/1/2017	1D	2/2/2017
2	2/1/2017	1W	2/8/2017
3	3/10/2017	CM	3/31/2017
4	3/10/2017	-CM	3/1/2017
5	2/15/2016	CM	2/29/2016
6	2/15/2017	CM	2/28/2017
7	4/6/2017	1M	5/6/2017
8	4/6/2017	-1M	3/6/2017
9	9/3/2017	-1W-1D	8/26/2017
10	8/26/2017	1W+1D	9/3/2017
42	3/10/2017	-1W	3/3/2017
55	1/15/2017	-CM-1D	12/31/2016
56	1/15/2017	-1Y-CM	1/1/2016

```
FieldClass = FlowField;
CalcFormula = average ("Listernership Entry"."Listener Count"
where ("Radio Show No." = field ("No.")));
```

```
FieldClass = FlowField;
CalcFormula = \( \text{"Listernership Entry"."Listener Count"} \)
where ("Radio Show No." = \( \text{"No.")));

\text{\text{\text{\text{Ex} const}}} \)
erences

Field

Field

Field

Field

Field

Field

Field

Field

Field

Field
```

```
field(66; "Balance Due"; Decimal)
{
    AutoFormatExpression = "Currency Code";
    AutoFormatType = 1;
    CalcFormula = Sum ("Detailed Cust. Ledg. Entry".Amount
    WHERE ("Customer No." = FIELD ("No."),
    "Initial Entry Due Date" = FIELD (UPPERLIMIT ("Date Filter")),
    "Initial Entry Global Dim. 1" = FIELD ("Global Dimension 1 Filter"),
    "Initial Entry Global Dim. 2" = FIELD ("Global Dimension 2 Filter"),
    "Currency Code" = FIELD ("Currency Filter")));
    Caption = 'Balance Due';
    Editable = false;
    FieldClass = FlowField;
}
```


```
1 reference
field(54; "Last Date Modified"; Date)
{
        Caption = 'Last Date Modified';
        Editable = false;
}
32 references
field(55; "Date Filter"; Date)
{
        Caption = 'Date Filter';
        FieldClass = FlowFilter;
}
```

```
field(1; "No."; Code[20]) { }
3 references
field(10; "Radio Show Type"; Code[10]) { TableRelation = "Radio Show Type"; }
field(20; "Name"; Text[50]) { }
3 references
field(40; "Run Time"; Duration) { }
3 references
field(50; "Host Code"; Code[20]) { }
5 references
field(60; "Host Name"; Text[50]) { }
3 references
field(100; "Average Listeners"; Decimal) { }
4 references
field(110; "Audience Share"; Decimal) { }
3 references
field(120; "Advertising Revenue"; Decimal) { }
3 references
field(130; "Royalty Cost"; Decimal) { }
0 references
field(1000; Frequency; Option)
```

```
field(100; "Average Listeners"; Decimal)
{
    Editable = false;
    FieldClass = FlowField;
    CalcFormula = average ("Listernership Entry"."Listener Count"
    where ("Radio Show No." = field ("No."), Date = field("Date Filter")));
}
```


```
field(110; "Audience Share"; Decimal)
{
    Editable = false;
    FieldClass = FlowField;
    CalcFormula = average ("Listernership Entry"."Audience Share"
    where ("Radio Show No." = field ("No."), Date = field ("Date Filter")));
}
```

```
field(120; "Advertising Revenue"; Decimal)
{
    Editable = false;
    FieldClass = FlowField;
    CalcFormula = sum ("Radio Show Entry"."Fee Amount"
    where (
        "Radio Show No." = field ("No."),
        "Data Format" = filter (Advertisement)
        ));
}
```





```
field(1090; "Date Filter"; Date) { FieldClass = FlowFilter; }
```



Customer/Item Sales

Period: CRONUS International Ltd. All amounts are in LCY Sunday, September 23, 2018 Page 1 / 4 DESKTOP-AHMVITO\MARKB

Total				71,612.44	3,986.42	15,084.09	21.1
ltem No.	Description	Invoiced Quantity	Unit of Measure	Amount	Discount Amount	Profit	Profit %
01445544 -	Progressive Home Furnishings						
1928-S	AMSTERDAM Lamp	14	PCS	498.41	0.00	109.21	21.90
1988-W	CALGARY Whiteboard, yellow	1	PCS	877.32	97.48	168.72	19.20
1972-S	MUNICH Swivel Chair, yellow	1	PCS	123.30	0.00	27.20	22.10
Progressive	e Home Furnishings			1,499.03	97.48	305.13	20.40
	e Home Furnishings e Cannon Group PLC			1,499.03	97.48	305.13	20.40
	<u> </u>	3	PCS	1,499.03 351.40	97.48 18.50	305.13 63.10	20.4 0
10000 - Th	e Cannon Group PLC	_	PCS PCS				
10000 - The	e Cannon Group PLC MEXICO Swivel Chair, black	7		351.40	18.50	63.10	18.00
1 0000 - Th 1968-S 1996-S	e Cannon Group PLC MEXICO Swivel Chair, black ATLANTA Whiteboard, base	7	PCS	351.40 6,029.56	18.50 317.34	63.10 1,079.16	18.0 17.9

Custome	er			
Show results:				
Where:	No.	~	is:	~
And:	Search Name	~	is:	A* ×
And:	Customer Posting Group	~	is:	~

Customer/Item Sales


Sunday, September 23, 2018 Page 1 / 1 DESKTOP-AHMVITO\MARKB

Period: CRONUS International Ltd. All amounts are in LCY

Customer: Search Name: A*

Total				6,914.20	588.89	2,191.67	31.7
item No.	Description	Invoiced Quantity	Unit of Measure	Amount	Discount Amount	Profit	Profit %
32656565 -	- Antarcticopy						
1968-S	MEXICO Swivel Chair, black	4	PCS	493.20	0.00	108.80	22.10
1960-S	ROME Guest Chair, green	7	PCS	875.70	0.00	193.20	22.10
1976-W	INNSBRUCK Storage Unit/W.Door	5	PCS	1,152.45	128.05	399.45	34.70
70011	Glass Door	1	PCS	61.45	10.84	24.55	40.00
Antarcticop	ру			2,582.80	138.89	726.00	28.10
19633663	- Autohaus Mielberg KG	47.574.0					
49633663 -	- Autohaus Mielberg KG INNSBRUCK Storage Unit/W.Door	17.57126		4,050.00	450.00	1,403.77	34.70
19633663 - 1976-W 1896-S	- Autohaus Mielberg KG	0	PCS PCS PCS				34.70
19633663 - 1976-W 1896-S 1906-S	- Autohaus Mielberg KG INNSBRUCK Storage Unit/W.Door ATHENS Desk	0	PCS	4,050.00 0.00	450.00 0.00	1,403.77	34.70 0.00 22.00
19633663 - 1976-W 1896-S 1906-S	- Autohaus Mielberg KG INNSBRUCK Storage Unit/W.Door ATHENS Desk ATHENS Mobile Pedestal	0	PCS	4,050.00 0.00 281.40	450.00 0.00 0.00	1,403.77 0.00 61.90	


Contact Graph Id Options Contact ID Contact Type New Page p Contract Gain/Loss Amount Copy Sell-to Addr. to Qte From Country/Region Code County Custome Cr. Memo Amounts Cr. Memo Amounts (LCY) Show results: Credit Amount Credit Amount (LCY) Where: Credit Limit (LCY) Currency Code And: Currency Id Customer Disc. Group And: **Customer Posting Group** Customer Price Group Debit Amount Debit Amount (LCY) Department Code Document Sending Profile Value En Email Show results: Fax No. Fin. Charge Memo Amounts (LCY) Where: Fin. Charge Terms Code Finance Charge Memo Amounts And: Gen. Bus. Posting Group GLN. Home Page IC Partner Code




Custon	Customer/Item Sales Sunday, September 23, 2018 Page 1 / 1 DESKTOP-AHMVITOMARKB									
Period: CRONUS Int All amounts	ternational Ltd. are in LCY					DESKTOP-AHMV	/ITO\MARKB			
	earch Name: A* Item No.: *W*									
Total				5,202.45	578.05	1,803.22	34.7			
ltem No.	Description	Invoiced Quantity	Unit of Measure	Amount	Discount Amount	Profit	Profit %			
32656565 -	Antarcticopy									
1976-W	INNSBRUCK Storage Unit/W.Door	5	PCS	1,152.45	128.05	399.45	34.70			
Antarcticop	у			1,152.45	128.05	399.45	34.70			
49633663 -	Autohaus Mielberg KG									
1976-W	INNSBRUCK Storage Unit/W.Door	17.57126	PCS	4,050.00	450.00	1,403.77	34.70			
Autohaus N	/lielberg KG			4,050.00	450.00	1,403.77	34.70			
Total				5,202.45	578,05	1,803,22	34.7			


Dynamics 365	Business Central	Customers	
CRONUS Inte	rnational Ltd.	Sales ∨ Purchasing ∨ Inventory ∨ Posted Documents ∨ Self-Service ∨	
Customers: A	All V Seatch	+ New ➤ Delete Process∨ Report∨ New Document∨ Cus	to
NO.	NAME	RESPONSIBI LOCATION CENTER CODE PHONE NO. CONTACT	

Dynamics 365 Busines	ss Central	Custome	rs				
CRONUS International I	Ltd.	Sales ∨	Purch	asing V Inventory V	Posted Docur	ments 🗸 🤇	Self-Serv
Customers: All V	∠ Search	+ New	× De	lete Process V Report V	New Docum	ent V Cust	omer ~
Views	×	NO.		NAME	RESPONSI CENTER	LOCATION CODE	
All		01121212	:	Spotsmeyer's Furnishings		YELLOW	
		01445544		Progressive Home Furnishi		YELLOW	
Filter list by:		01454545		New Concepts Furniture		YELLOW	
Filter totals by:		01905893		Candoxy Canada Inc.		YELLOW	
Date Filter:01/23/20		01905899		Elkhorn Airport		YELLOW	
		01905902		London Candoxy Storage		YELLOW	
Reset filters		10000		The Cannon Group PLC	BIRMINGHAM	BLUE	
Neset litters		20000		Selangorian Ltd.			
		20309920		Metatorad Malaysia Sdn B		YELLOW	
		20312912		Highlights Electronics Sdn		GREEN	





Chapter 4: Pages - The Interactive Interface






ynamics 365	Business Central Sales C	orders, De	elayed					
CRONUS Inte	ernational Ltd. Sales \	Purch	asing \vee Ir	ventory V	Posted Docum	ents V Sel	f-Service	/
Sales Orders Sales Orders	Sales Quotes s 365 for Sales Blanket Sales Or		Sales Invoice Sales Return		es Credit Memo ms	os Customo		ales Jourr ash Recei
Sales Orders:	Delayed ✓	+ New	× Delete	Process ∨ Re	quest Approval	∨ Order∨	Release	∨ Postin
NO.	All Shipped Not Invoiced	NAME	EXTERNAL DOCUME NO.	LOCATION CODE	ASSIGNED USER ID	STATUS T	SALESPE CODE	R CAI
101009	Completely Shipped Not Invoiced	. t		RED		Released	JR	
101011	Pending Approval	en		RED		Released	JR	
101013	Approved	oler AB		YELLOW		Released	JR	
101015	- Sales Orders - Open	5		GREEN		Released	JR	
101019		V		YELLOW		Released	JR	
104008	Ready To Ship	ice Co.				Released	PS	
104009	Partially Shipped	mpany		YELLOW		Released	PS	
104010 :	✓ Delayed			WHITE		Released	JR	
104011	Show filter pane	C		BLUE		Released	PS	










INSIGHT FROM LAST WEEK


The largest posted sales invoice was for kr114,729


000















New Manage			
VIEW - AVAILABILITY CHECK - 1000 · BICYCLE			∠ ×
The available inventory for item 1000 is lower to	han the entered quantity a	t this location.	
Inventory			
Available Inventory · · · · · ·	32	All locations · · · · · · · · ·	32
Inventory Shortage · · · · · ·	-118		
Details			
No	1000		
Description	Bicycle		
Earliest Availability Date			
Substitutes Exist	No No		
Unit of Measure Code · · · · · · · · · · · · · · · · · · ·	PCS		
			Close













Customer Statistics	
Balance (LCY)	13,732.60
SALES	
Outstanding Orders (LCY)	143,011.80
Shipped Not Invd. (LCY)	0.00
Outstanding Invoices (LCY)	0.00
SERVICE	
Outstanding Serv. Orders (LCY)	0.00
Serv Shipped Not Invoiced(L	0.00
Outstanding Serv.Invoices(LCY)	0.00
Total (LCY)	156,744.40
Credit Limit (LCY)	0.00
Overdue Amounts (LCY) as of	0.00
Total Sales (LCY)	13,732.60
Invoiced Prepayment Amoun	0.00


My Items∨			
ITEM NO.		DESCRIPTION	UNITPRICE
1000	- :	Bicycle	4,000.00
1001	۲۳. ::	Touring Bicycle	4,000.00
1100		Front Wheel	1,000.00
1150		Front Hub	500.00
1200		Back Wheel	1,200.00




















Name	Туре	Compressed size	Password	Size	Ratio	Date modified
.vscode	File folder					
🖵 app.json	JSON File	1 KB	No	3 KB	66%	30-9-2018 14:53
PageExtension50100.al	AL File	1 KB	No	1 KB	24%	30-9-2018 14:53
PageExtension50101.al	AL File	1 KB	No	1 KB	40%	30-9-2018 14:53



trigger

- OnAfterGetCurrRecord
- OnAfterGetRecord
- OnClosePage
- OnDeleteRecord
- OnFindRecord
- OnInit
- OnInsertRecord
- OnModifyRecord
- OnNewRecord
- OnNextRecord
- OnOpenPage
- OnQueryClosePage

```
1 page 50100 "Radio Show List"
 2 {
 3
      PageType = List;
4
     SourceTable = "Radio Show";
5
      ApplicationArea = Basic;
6
      UsageCategory = Lists;
7
8
   CaptionML
   CardPageId
  ChangeTrackingAllowed
10
DataCaptionExpression
   DataCaptionFields
DelayedInsert
  ▶ DeleteAllowed
13
   Description
14 🎾 Editable
   EntityName
   EntitySetName
15
```

Dynamics 365	E	Business Central	Radio Show List				
CRONUS International Ltd. Sales > Purchasing > Inventory > Posted Documents > Self-Service >							
Radio Show List:		∠ Search	+ New Manage ∨ Show A	attached ∨ 🔼 Open	in Excel		
NO.		RADIO SHOW TYPE	NAME	RUNTIME	HOSTCODE	HOSTNAME	
RS001	÷	TALK	CeCe and Friends	2 hours	CECE	CeCe Grace	
RS002		MUSIC	Alec Rocks and Bobs	2 hours	ALEX	Alec Benito	

```
ᆀ File Edit Selection View Go Debug Terminal Help table 50100 Radio Show.al - Programming-Microsoft-Dynamics-365-Business-Central - Visual Studio Code
       EXPLORER
                                ≡ table 50100 Radio Show.al 🗶
0

▲ OPEN EDITORS

                                       4 references
                                       table 50100 "Radio Show"
                                  1
Ω
       x ≡ table 50100 R... M
                                  2
                                        {
      fields

    Microsoft_System_13...

                                   4
        7 references
        {} launch.json
                                                 field(1; "No."; Code[20]) { }
       .gitignore
                                                 3 references
       {} app.json
                                                 field(10; "Radio Show Type"; Code[10]) { TableRelation = "Radio Show Type"; }
                                                 6 references
       ≡ Mark, Dave & Chris_W...
Ġ.
                                                                 "; Text[50]) { }
       ≡ page 50100 |
                        Open Externally
       ≡ page 50101
                                                                 Time"; Duration) { }
       ≡ page 50102
                        Reveal in Explorer
                                                    Shift+Alt+R
       ≡ page 50103 l
                                                                  Code"; Code[20]) { }
       ≡ page 50105 l
                        Open in Terminal
```

```
Go Debug Terminal Help
                                           page 50100 Radio Show List.al - Programming-Microsoft-Dynamics-365-Business-Central - Visual Studio Code [Administrator]
                                                                                                                                                                  ල්
                                                                                                                                                                    ш .

        ≡ table 50100 Radio Show.al ×

≡ page 50100 Radio Show List.al 


x

           fields
                                                                                                                                                                      B2336
                                                                                                           repeater(Group)
                field(1; "No."; Code[20]) { }
                                                                                         14
                                                                                                               field("No."; "No.") { ApplicationArea = Basic; }
                field(10; "Radio Show Type"; Code[10]) { TableRelation = "F
                                                                                         15
                                                                                                               field("Radio Show Type"; "Radio Show Type") { Appli
                field(20; "Name"; Text[50]) { }
                                                                                         16
                                                                                                               field("Name"; "Name") { ApplicationArea = Basic; }
               field(40; "Run Time"; Duration) { }
                                                                                                               field("Run Time"; "Run Time") { ApplicationArea = E
               field(50; "Host Code"; Code[20]) { }
                                                                                                               field("Host Code"; "Host Code") { ApplicationArea =
                field(60; "Host Name"; Text[50]) { }
                                                                                                               field("Host Name"; "Host Name") { ApplicationArea =
                                                                                         19
                field(100; "Average Listeners"; Decimal) { }
                                                                                                               field("Average Listeners"; "Average Listeners") { /
 12
                field(110; "Audience Share"; Decimal) { }
                                                                                         21
                                                                                                               field("Audience Share"; "Audience Share") { Applica
 13
               field(120; "Advertising Revenue"; Decimal) { }
                                                                                                                field("Advertising Revenue"; "Advertising Revenue"
               field(130; "Royalty Cost"; Decimal) { }
                                                                                         23
                                                                                                                field("Royalty Cost"; "Royalty Cost") { Application
                                                                                         24
               field(1090; "Date Filter"; Date) { FieldClass = FlowFilter;
                                                                                         25
                                                                                         26
 17
```

RADIO SHOW CARD		0	+ 11	
RS001				
Show Attached				٦ ^٧
General				
No	RS001		Frequency · · · · · · · · · · · · · · · · · · ·	0
Radio Show Type	TALK		Host Code · · · · · · · · · · · · · · · · · · ·	CECE
Name · · · · · · · · · · · · · · · · · · ·	CeCe and Friends		Host Name · · · · · · · · · · · · · · · · · · ·	CeCe Grace
Run Time · · · · · · · · · · · · · · · · · · ·	2 hours			
Requirements				
PSA Planned Quantity · · · · · · · · · · · · · · · · · · ·		0	Sports Required · · · · · · · · · · · · · · · · · · ·	
Ads Planned Quantity · · · · · · · · · · · · · · · · · · ·		0	Sports Duration · · · · · · · · · · · · · · · · · · ·	
News Required · · · · · · · · · · · · · · · · · · ·			Weather Required · · · · · · · · · · · · · · · · · · ·	
News Duration · · · · · · · · · · · · · · · · · · ·			Weather Duration · · · · · · · · · · · · · · · · · · ·	
Statistics				
Average Listeners		0.00	Advertising Revenue · · · · · · · · · · · · · · · · · · ·	0.00
Audience Share · · · · · · · · · · · · · · · · · · ·		0.00	Royalty Cost · · · · · · · · · · · · · · · · · · ·	0.00


```
page 50100 "Radio Show List"
{
    PageType = List;
    SourceTable = "Radio Show";
    ApplicationArea = Basic;
    UsageCategory = Lists;
    CardPageId = "Radio Show Card";

layout
{
```



Dynamics 365	Busine	ess Central Radio	Show List				
CRONUS International Ltd. Sales > Purchasing > Inventory > Posted Documents > Self-Service >							
Radio Show List: → Search + New ➤ Delete Show Attached ✓ □ Open in Excel							
NO.	RADIO TYPE	O SHOW NAME		RUNTIME	HOST CODE	HOSTNAME	
RS001	: TALK	CeCe ar	nd Friends	2 hours	CECE	CeCe Grace	
RS002	MUSIC	C Alec Roo	cks and Bobs	2 hours	ALEX	Alec Benito	

```
page 5600 "Fixed Asset Card"
    layout
     area(Content)
       group(General)
          field("No.";"No.")
          {
         field(Description; Description)
B
          }
         group(Control34)
          { …
+
          field("FA Location Code";"FA Location Code")
         field("Budgeted Asset"; "Budgeted Asset")
          field("Serial No."; "Serial No.")
          {
         field("Main Asset/Component"; "Main Asset/Component")
          field("Component of Main Asset";"Component of Main Asset")
```



```
page 5600 "Fixed Asset Card"
    layout
    {
      area(Content)
        group(General)
        { …
+
        group("Depreciation Book")
        { …
+
        part(DepreciationBook; "FA Depreciation Books Subform")
        group(Maintenance)
+
      area(FactBoxes)
      {
        part(FixedAssetPicture; "Fixed Asset Picture")
```

```
group(General)
 Caption
                      Caption property ()
 CaptionML
 CuegroupLayout
 Description
 ✗ Editable
 Enabled
 ✗ FreezeColumn
 GridLayout
 IndentationColumn
 IndentationControls
 InstructionalText
 InstructionalTextML
```

```
page 9060 "SO Processor Activities"
{
    layout
    {
        cuegroup("For Release")
        {···
        }
        cuegroup("Sales Orders Released Not Shipped")
        {···
        }
        cuegroup(Returns)
        {···
        }
        cuegroup("Document Exchange Service")
```




Chart of Accounts									
∠ Search	+ New	₩ Edit List	× Delete	Manage	Process	Report	Show Atta	ched	
NO.	NAME				NET C	HANGE	BALANCE	INCOME/	
1000	BALAN	NCE SHEET				_	_	Balance She.	
1002	ASSET	s				_	_	Balance She.	
1003	Fixed	d Assets				_	_	Balance She.	
1005	Tan	gible Fixed Asset	s			_	_	Balance She.	
1100	La	and and Buildings	;			_	_	Balance She.	
1110		Land and Building	5		1,479	9,480.60	1,479,480.60	Balance She.	
1120		Increases during tl	ne Year			147.73	147.73	Balance She.	
1130		Decreases during	the Year			_	_	Balance She.	
1140		Accum. Depreciati	on, Buildings		-526	5,620.38	-526,620.38	Balance She.	
1190	La	and and Buildings	, Total		953	3,007.95	953,007.95	Balance She.	
1200	: o	perating Equipm	nt			_	_	Balance She.	
1210		Operating Equipm	ent		582	2,872.18	582,872.18	Balance She.	
1220		Increases during tl	ne Year		25	5,116.00	25,116.00	Balance She.	

```
AccessByPermission AccessByPermission property (1)

AssistEdit

AutoFormatExpression

AutoFormatType

BlankNumbers

BlankZero

Caption

CaptionClass


CaptionML

CharAllowed

ClosingDates


ColumnSpan
```


```
part(Subpage;"Example Document Subpage")
{
    SubPageLink="Document No."=FIELD("No.");
}
```




```
table 50110 "Radio Show Fan"
     {
 2
 3
          DataClassification = ToBeClassified;
4
          fields
 5
 6
          {
              0 references
7
              field(1; "No."; Code[20]) { }
              0 references
              field(10; "Radio Show No."; Code[20]) { }
 8
              0 references
             field(20; Name; Text[50]) { }
 9
              0 references
              field(30; "E-Mail"; Text[250]) { }
10
              0 references
              field(40; "Last Contacted"; Date) { }
11
12
13
```

```
25
                      field("Royalty Cost"; "Royalty Cost") { ApplicationArea = Basic; }
26
27
28
              0 references
29
              area(FactBoxes)
30
                  0 references
31
                  part(Fans; "Radio Show Fan Factbox")
32
                      ApplicationArea = Basic;
33
                      SubPageLink = "Radio Show No." = field ("No.");
34
35
36
```





```
actions
  area(Navigation)
    group("Fixed &Asset")
    group("Main Asset")
    group(Insurance)
      action("Total Value Ins&ured")
    group(History)
      action("Ledger E&ntries")
      action("Error Ledger Entries")
      action("Main&tenance Ledger Entries")
```





```
actions
{
    O references
    area(Processing)

{
    E Creation
    B Navigation
    Processing
}

Reporting
```

```
Process
                 Show Attached
                                   Actions
                                                                                              (i) 7
         Report
                                                               Less options
                                            Navigate
                                                      Report
■ Fixed Asset ∨
               Main Asset ∨
                            ■ Insurance ∨
                                           History ~
                Main Asset Components
                                                                Fixed Asset Picture >
General
                Main Asset Statistics
    actions
       area(Navigation)
          group("Fixed &Asset")
          group("Main Asset")
             action("M&ain Asset Components")
            action("Ma&in Asset Statistics")
```






Chapter 5: Queries and Reports


```
≡ query 50100 Lot Avail. by Bin.al ●
       0 references
       query 50100 "Lot Avail. by Bin"
  2
  3
            elements
  4
  5
                0 references
                dataitem(Item_Ledger_Entry; "Item Ledger Entry")
  6
                     0 references
                     column(Item_No; "Item No.") { }
  8
                     0 references
                     column(Lot_No; "Lot No.") { }
  9
 10
 11
```

```
column(Item_No; "Item No.") { }
                  0 references
 9
                  column(Lot_No; "Lot No.") { }
                  0 references
                  dataitem(Warehouse_Entry; "Warehouse Entry")
10
11
                      DataItemLink = "Location Code" = Item_Ledger_Entry."Location Code",
12
                                      "Item No." = Item_Ledger_Entry."Item No.",
13
                                      "Lot No." = Item Ledger Entry."Lot No.";
14
15
                  }
```

```
≡ guery 50100 Lot Avail. by Bin.al •
      query 50100 "Lot Avail. by Bin"
  1
  2
  3
          QueryType = Normal;
  4
           elements
  5
  6
               dataitem(Item_Ledger_Entry; "Item Ledger Entry")
  7
               {
                   column(Item_No; "Item No.") { }
  8
  9
                   column(Lot_No; "Lot No.") { }
 10
                   dataitem(Warehouse_Entry; "Warehouse Entry")
 11
 12
                       DataItemLink = "Location Code" = Item_Ledger_Entry."Location Code",
 13
                                      "Item No." = Item_Ledger_Entry."Item No.",
                                      "Lot No." = Item_Ledger_Entry."Lot No.";
 14
                       column(Entry No; "Entry No.") { }
 15
                       column(Location_Code; "Location Code") { }
 16
                       column(Zone Code; "Zone Code") { }
 17
                       column(Bin_Code; "Bin Code") { }
 18
                       column(Sum_Quantity; Quantity) { Method = Sum; }
 19
 20
                       dataitem(Bin; Bin)
 21
                           DataItemLink = Code = Warehouse Entry. "Bin Code";
 22
                           dataitem(Bin_Type; "Bin Type")
 23
 24
 25
                               DataItemLink = Code = Bin.Code;
 26
                               DataItemTableFilter = Pick = CONST (true);
 27
                                                                                         Ι
 28
                       }
 29
                   }
```


```
≡ page 50141 Lot Avail. by Bin.al ●
      page 50141 "Lot Avail. by Bin"
  2
  3
           PageType = List;
           SourceTable = "Warehouse Entry";
  4
  5
           SourceTableTemporary = true;
           UsageCategory = Lists;
           layout {
  8
               area(content) {
  9
                   repeater(Group) {
 10
                       field("Item No."; "Item No.") { ApplicationArea = Basic; }
                       field("Location Code"; "Location Code") { ApplicationArea = Basic; }
 11
                       field("Bin Code"; "Bin Code") { ApplicationArea = Basic; }
 12
                       field("Serial No."; "Serial No.") { ApplicationArea = Basic; }
 13
                       field(Quantity; Quantity) { ApplicationArea = Basic; }
 14
 15
           }}}
 16
           trigger OnOpenPage()
 17
           var
               LotAvail: Query "Lot Avail. by Bin";
 18
 19
           begin
 20
               LotAvail.Open;
               while LotAvail.Read do begin
 21
 22
                   Init:
 23
                   "Item No." := LotAvail.Item No;
 24
                   "Location Code" := LotAvail.Location_Code;
 25
                   "Bin Code" := LotAvail.Bin_Code;
                   Quantity := LotAvail.Sum_Quantity;
 26
                   Insert;
 27
 28
               end;
           end;
 29
 30
```








amics 365	Business Central	Posted Sales	Invoices					Q	©	?
	Guildford Water Depar Mr. Jim Stewart	tment						· Invoice Page 1 of 1		
	25 Water Way Guildford, GU7 5GT Great Britain						Kensi	NUS, London RC. Jack S. Richins ington Street, 22 ondon, N12 5XY Great Britain		
	Bill-to Customer No. VAT Registration No.	50000 582048936				Phone No. Email Home Page		+44-999 154642		
	Invoice No. Posting Date	103030 December 1, 2019				VAT Reg. No. Giro No. Bank	14	777777777 888-9999 Vorld Wide Bank		
	Due Date Document Date Payment Terms Shipment Method Prices Including VAT	December 15, 2019 December 1, 2019 Net 14 days Ex Warehouse No				Account No. Salesperson	**	99-99-888 Peter Saddow		
C ₃	No. Descrip	tion	Posted Shipment Date	Quantity	Unit of Measure	Unit Price Discount %	VAT identifier	Amount		
W.		er - TURBO Package Enterprise Package	12/01/19 12/01/19	1		187.10 346.30	VAT25 VAT25	187.10 346.30		
						Total GBP I	Excl. VAT	533.40 133.35		
						Total GBP	Incl. VA1	666.75		
	VAT Amount Specific	ation				Invoice				
	VAT Identifier	VAT %	Line Amo		e Discount se Amount	Discount Amount	VAT Base	VAT Amount		
	VAT25	25	533	.40	533.40	0.00	533.40	133.35		
	Total		533	40	533.40	0.00	533.40	133.35		

Dynai	mics 365	Busi	ness Cen	tral	Posted Sales Invoi	ces					Ō	0	?	•
<	G/L Regist												ember 25, 2018 Page 1 / 192 IMVITO\MARKB	
— Р	Posting Date	Document Type	Document No.	G/L Accoun No.	nt Name	Description	VAT Amount	Gen. Posting Typ	Gen. Bus. Posting Gr	Gen. Prod. Posting Gro		Amount	Entry No.	
	Register No.: 1													
1	C12/31/18		START	1110	Land and Buildings	Opening Entry	0.00					1,324,991.34	1	
	C12/31/18		START	1140	Accum. Depreciation, Buildings	Opening Entry	0.00					-340,556.22	2	
_	C12/31/18		START	1210	Operating Equipment	Opening Entry	0.00					582,872.18	3	
	C12/31/18		START	1240	Accum. Depr., Oper. Equip.	Opening Entry	0.00					-362,263.84	4	
	C12/31/18		START	1110	Land and Buildings	Opening Entry	0.00					154,489.26	5	
_	C12/31/18		START	1140	Accum. Depreciation, Buildings	Opening Entry	0.00					-62,924.95	6	
	C12/31/18		START	1310	Vehicles	Opening Entry	0.00					49,473.91	7	
	C12/31/18		START	1340	Accum. Depreciation, Vehicles	Opening Entry	0.00					-24,803.76	8	
	C12/31/18		START	2180	Primo Inventory	Opening Entry	0.00					269,948.75	9	
	C12/31/18		START	2180	Primo Inventory	Opening Entry	0.00					135,240.26	10	












```
report 50102 "Demo"
 1
 2
       AccessByPermission
 3
                                AccessByPelmission property ()
       ✗ ApplicationArea

    Caption

 5
       ✗ CaptionML
 6
       DefaultLayout
 7
 8
       ▶ Description
       ✗ EnableExternalAssemblies
       ✗ EnableExternalImages
10
       ✗ EnableHyperlinks
11
12
       ▶ PaperSourceDefaultPage
       ▶ PaperSourceFirstPage
13
14
       PaperSourceLastPage
15
```










```
report 50102 "Demo"
 1
      {
          trigger OnInitReport()
 3
          begin
 4
          end;
 5
 6
          trigger OnPreReport()
          begin
 8
          end;
 9
10
11
          trigger OnPostReport()
          begin
12
          end;
13
14
```

11	requestpage
12	{
13	S I
14	SaveValues SaveValues property S
15	{
16	<pre> SourceTable </pre>
17	<pre>SourceTableTemporary</pre>
18	<pre> SourceTableView </pre>
19	<pre> AutoSplitKey </pre>

11	requestpage
12	{
13	trigger
14	begin ♦ OnAfterGetCurrRecord
15	end; ⊖ OnAfterGetRecord
16	☼ OnClosePage
17	layout ♦ OnDeleteRecord
18	{
19	area 😭 OnInit
20	{
21	☼ OnModifyRecord
22	☼ OnNewRecord
23	☼ OnNextRecord
24	☼ OnOpenPage
25	♦ OnQueryClosePage











```
Report 50101 Shows by Type.al
     report 50101 "Shows by Type"
 2
 3
          WordLayout = './Shows by Type.docx';
 4
 5
          dataset
 6
              dataitem(RadioShowType; "Radio Show Type")
 8
 9
                  column(UserComment; UserComment) { }
10
                  column(Code_RadioShowType; Code) { IncludeCaption = true; }
                  column(Description_RadioShowType; Description) { IncludeCaption = true; }
11
                  dataitem(RadioShow; "Radio Show")
12
13
14
                      column(No RadioShow; "No.") { IncludeCaption = true; }
15
                      column(Name_RadioShow; Name) { IncludeCaption = true; }
                      column(RunTime_RadioShow; "Run Time") { IncludeCaption = true; }
16
17
                      dataitem(PlaylistHeader; "Playlist Header")
18
19
                          column(PostingDate_PlaylistHeader; "Broadcast Date") { IncludeCaption = true; }
                          column(StartTime_PlaylistHeader; "Start Time") { IncludeCaption = true; }
20
```


```
11
                 column(Description RadioShowType; Description) { IncludeCaption = true; }
12
                 dataitem(RadioShow; "Radio Show")
13
                     DataItemLink = "Radio Show Type" = FIELD (Code);
14
                     DataItemTableView = SORTING ("Radio Show Type");
15
                     PrintOnlyIfDetail = true;
16
                      column(No_RadioShow; "No.") { IncludeCaption = true; }
17
                     column(Name_RadioShow; Name) { IncludeCaption = true; }
18
19
                      column(RunTime_RadioShow; "Run Time") { IncludeCaption = true; }
20
                     dataitem(PlaylistHeader; "Playlist Header")
21
                         DataItemLink = "Radio Show No." = FIELD ("No.");
22
                         DataItemTableView = SORTING ("No.");
23
                          column(PostingDate_PlaylistHeader; "Broadcast Date") { IncludeCaption
24
25
                          column(StartTime PlaylistHeader; "Start Time") { IncludeCaption = tru
```






























```
report 50101 "Shows by Type"
₽ 2
  3
          DefaultLayout = Word;
          WordLayout = './Shows by Type.docx';
  4
          UsageCategory = ReportsAndAnalysis;
  5
  6
  7
          dataset
 8
              dataitem(RadioShowType; "Radio Show Type")
 9
 10
                  column(UserComment; UserComment) { }
 11
                  column(Code_RadioShowType; Code) { IncludeCaption = true; }
 12
                  column(Description_RadioShowType; Description) { IncludeCap
 13
```

```
33
         requestpage
Z4 =
35
             layout
36 🖃
                  area(content)
37
38 🖃
                      group(Options)
39
40 -
                          field(UserComment; UserComment)
41
42 -
                              ApplicationArea = Basic;
43
                              Caption = 'User Comment';
44
45
46
```





Show Schedule by Type


Enter any 11 digit prime number please...


CALL-IN


Talk and Listener Interview


Name	No.	Runtime
Ask Cole!	RS003	2 hours
What do you think?	RS004	2 hours

Chapter 6: Introduction to AL









```
到 File Edit Selection View Go Debug Terminal • test.al - Programming-Microsoft-Dynamics-365-Business-Central - Visual Studio Code [A...
        EXPLORER
                                                                        ≡ page 50100 Radio Show List.al
                                                                                                                                    ® □ ···

    test.al

       ▲ OPEN EDITORS 1 UNSAVED
                                                                                table id MyTable
           ≡ page 50100 Radio Show List.al
                                                                                    DataClassification = ToBeClassified;
                                                                           3

◆ PROGRAMMING-MICROSOFT-DYNAMICS-365-BUSINESS-CENTRAL

                                                                                    fields
        vscode
                                                                           6
                                                                                         field(1;MyField; Integer)
        deploy.ps1
                                                                           8
        .gitignore
                                                                           9
                                                                                             DataClassification = ToBeClassified;
        {} app.ison
                                                                          10
11

    ■ Mark, Dave & Chris WDTU 1.0.0.0.app

                                                                          12
                                                                                    }
\Sigma
        ≡ page 50100 Radio Show List.al
                                                                          13
        ≡ page 50101 Radio Show Card.al
                                                                          14
                                                                          15
        ≡ page 50102 Radio Show Type.al
                                                                                         key(PK; MyField)
                                                                          16
        ≡ page 50103 Playlist Document List.al
                                                                          17
        ≡ page 50105 Playlist Item Rates.al
                                                                          18
                                                                                             Clustered = true;
        ≡ page 50106 Radio Show Entries.al
                                                                          19
        = page 50107 Listenership Entries.al
```

```
procedure \(\text{T}\)CreateRadioShows()
begin

HelperCreateRadioShow('RS001', 'TALK', 'CeCe and Friends', 020000T - 000000T, 'CECE', 'CeCe');
HelperCreateRadioShow('RS002', 'MUSIC', 'Alec Rocks and Bobs', 020000T - 000000T, 'ALEC', 'Alec
HelperCreateRadioShow('RS003', 'CALL-IN', 'Ask Cole!', 020000T - 000000T, 'Cole', 'Cole');
HelperCreateRadioShow('RS004', 'CALL-IN', 'What do you think?', 020000T - 000000T, 'WESLEY',
HelperCreateRadioShow('RS005', 'MUSIC', 'Quiet Times', 020000T - 000000T, 'SASKIA', 'Saskia');
HelperCreateRadioShow('RS006', 'NEWS', 'World News', 020000T - 000000T, 'DAAN', 'Daan');
HelperCreateRadioShow('RS007', 'ROCK', 'Rock Classics', 020000T - 000000T, 'JOSEPH', 'Josephine
HelperCreateRadioShow('RS008', 'MUSIC', 'Baby Talk', 020000T - 000000T, 'KRISTAL', 'Kristel');
end;
```

```
procedure HelperCreateShowType("Code": Code[10]; Descr: Text):Boolean
varI
    RadioShowType: Record "Radio Show Type" temporary;
begin
    RadioShowType.Code := Code;
    RadioShowType.Description := Descr;
    RadioShowType.Insert;
end;
```

```
2 references
local procedure CalculateNewDate()

var
    DateFormMgt: Codeunit "Date Formula Mgt.";
begin
    "Date Result" := CalcDate("Date Formula to Test", "Reference for Date Calculation");
end;
```


	Other Operators				
Symbol	Evaluation				
	Member of:				
	Fields in Records				
	Controls in Forms				
	Controls in Reports				
	Functions in Objects				
()	Grouping of elements				
[]	Indexing				
::	Scope				
	Range				
@	Case-insensitive				


	Arithmetic Operators				
Symbol	Action	Data Types			
+	Addition	Numeric, Date,			
		Time, Text and Code			
		(concatenation),			
-	Subtraction	Numeric, Date, Time			
*	Multiplication	Numeric			
/	Division	Numeric			
DIV	Integer Division (provides	Numeric			
	only the integer portion of				
	the quotient of a division				
	calculation)				
MOD	Modulus (provides only	Numeric			
	the integer remainder of a				
	division calculation)				


Во	Boolean Operators			
Symbol	Evaluation			
NOT	Logical NOT			
AND	Logical AND			
OR	Logical OR			
XOR	Exclusive Logical OR			

Relational Operators			
Symbol	Evaluation		
<	Less than		
>	Greater than		
<=	Less than or Equal to		
>=	Greater than or Equal to		
=	Equal to		
	Not equal to		
IN IN Valueset			

C	C/AL Operator Precedence Hierarchy			
Sequence	Symbols			
1		Member (Fields in Records, etc)		
	[]	Indexing		
	()	Parenthetical Grouping		
	::	Scope		
	@	Case-insensitive		
2		Unary instances of:		
	NOT	Logical Not		
	+	Positive value		
	-	Negating value		
3	*	Multiplication		
	/	Division		
	DIV	Integer division		
	MOD	Modulus		
	AND	Logical AND		
	XOR	Logical Exclusive OR		
4	+	Addition or Concatenation		
	-	Subtraction		
	OR	Logical OR		
5	>	Greater than		
	<	Less than		
	>=	Greater than or equal to		
	<=	Less than or equal to		
		Not equal to		
	IN	IN Valueset		
6		Range		







FIND "which" parameter	FIND action	Search and primary key value prerequisite before FIND		
=	Match the search key values exactly	All must be specified		
>	Read the next record with key values larger than the search key values	All must be specified		
<	Read the next record with key values smaller than the search key values	All must be specified		
>=	Read the first record found with key values equal to or larger than the search key values	All must be specified		
<=	Read the next record with key values equal to or smaller than the search key values	All must be specified		
-	Read the first record in the selected set. If used with SQL Server, reads a set of records	No requirement		
+	Read the last record in the selected set. If used with SQL Server, reads a set of records	No requirement		

FINDxxxx options	FINDxxx action	Search and primary key value prerequisite before FINDxxx		
FINDFIRST	Read the first record in a table based on the current key and filter. Used only for access to a single record, not in a read loop.	All must be specified		
FINDLAST	Read the last record in a table based on the current key and filter. Used only for access to a single record, not in a read loop.	All must be specified		
FINDSET	Read the record set specified. Syntax is Record.FINDSET([ForUpdate][,UpdateKey]) Set ForUpdate = True if data to be updated Set ForUpdate = True and UpdateKey = True if a key field is to be updated If no parameter specified, both default to False	All must be specified		


```
table 50110 "Radio Show Fan"
 2
         DataClassification = ToBeClassified;
 3
 4
         fields
 5
 6
             field(1; "No."; Code[20]) { }
 7
             field(10; "Radio Show No."; Code[20]) { }
 8
             field(20; Name; Text[50]) { }
9
             field(30; "E-Mail"; Text[250]) { }
10
             field(40; "Last Contacted"; Date) { }
11
             field(60; Address; Text[50]) { }
12
             field(70; "Address 2"; Text[50]) { }
13
             field(80; City; Text[50]) { }
14
             field(90; "Country/Region Code"; Code[10]) { }
15
             field(100; "Post Code"; Code[20]) { }
16
```


```
table 225 "Post Code"
  fields
    field(1;Code;Code[20])
    field(2;City;Text[30])
    field(3; "Search City"; Code[30])
    field(4; "Country/Region Code"; Code[10])
    field(5;County;Text[30])
  keys
    key("Code,City";Code, City)
```


\leftarrow	ADIO SHOW FANS									
		O Search + New Edit List ➤ Delete Show Attached ☐ Open in Excel								
	NAME	E-MAIL	LAST CONTACT ADDRESS	POST CODE	CITY	COUNTRY CODE				
	Maryann Smith	smith925@tigerfire.com	1/23/2020	AU-2000	Sydney, NSW	AU				
	Andrew Good	agood@libertystuff.com	1/23/2020	DE-40593	Dusseldorf	DE				

```
report 50102 "Fan Promotion List"
{
    DefaultLayout = Word;
    WordLayout = './FanPromotionList.docx';
    UsageCategory = ReportsAndAnalysis;
    ApplicationArea = Basic;

    dataset
    {
        column(Name; Name) { }
        column(Address; Address) { }
        column(Address_2; "Address 2") { }
        column(City; City) { }
        column(Post_Code; "Post Code") { }
        column(Country_Region_Code; "Country/Region Code") { }
    }
}
```










```
table 50110 "Radio Show Fan"
{
   DataClassification = ToBeClassified;
   fields
   {
       field(1; "No."; Code[20]) { }
       field(10; "Radio Show No."; Code[20]) { }
       field(20; Name; Text[50]) { }
       field(30; "E-Mail"; Text[250]) { }
       field(40; "Last Contacted"; Date) { }
       field(60; Address; Text[50]) { }
                                                     Τ
       field(70; "Address 2"; Text[50]) { }
       field(80; City; Text[50]) { }
       field(90; "Country/Region Code"; Code[10]) { }
       field(95; County; Text[30]) { }
       field(100; "Post Code"; Code[20])
       { ···
       field(110; Gender; Option) { OptionMembers = ,Male,Female; }
       field(120; "Birth Date"; Date) { }
```


```
CountryRegion: Record "Country/Region";
CountryName: Text;
Age12orLess: Boolean;
Age13to18: Boolean;
Age19to34: Boolean;
Age35to50: Boolean;
Age0ver50: Boolean;
Male: Boolean;
Female: Boolean;
SelectThisFan: Boolean;
FanAge: Integer;
}
```

```
trigger OnAfterGetRecord()
begin
    //Look up the Country Name using the Country/Region Code
    CountryRegion.Get("Country/Region Code");
    CountryName := CountryRegion.Name;
    //Calculate the fan's age
    FanAge := ROUND(((WORKDATE - "Birth Date") / 365), 1.0, '<');</pre>
    //Select Fans to receive promotional material
    SelectThisFan := FALSE;
    IF Age120rLess AND (FanAge <= 12) THEN</pre>
        SelectThisFan := TRUE;
    IF Age13to18 AND (FanAge > 12) AND (FanAge < 19) THEN</pre>
        SelectThisFan := TRUE;
    IF Age19to34 AND (FanAge > 18) AND (FanAge < 35) THEN
        SelectThisFan := TRUE;
    IF Age35to50 AND (FanAge > 34) AND (FanAge < 51) THEN</pre>
        SelectThisFan := TRUE;
    IF AgeOver50 AND (FanAge > 50) THEN
        SelectThisFan := TRUE;
    IF Male AND (Gender = Gender::Male) THEN
        SelectThisFan := TRUE;
    IF Female AND (Gender = Gender::Female) THEN
        SelectThisFan := TRUE;
    //If this Fan not selected, skip this Fan record on report
    IF SelectThisFan <> TRUE THEN
        CurrReport.SKIP;
end;
```





Chapter 7: Intermediate AL




```
begin
    //Look up the Country Name using the Country/Region Code
    CountryRegion.Get("Country/Region Code");
    CountryName := CountryRegion.Name;


    //Calculate the fan's age
    FanAge := ROUND(((WORKDATE - "Birth Date") / 365), 1.0, '<');


    //Select Fans to receive promotional material
    SelectThisFan := FALSE;
    IF Age120rLess AND (FanAge <= 12) THEN
        SelectThisFan := TRUE;</pre>
```


Status must be equal to 'Open' in Sales Header: Document Type=Order, No.=101016. Current value is 'Released'.


OK











```
        ≡ table 50103 Playlist Line.al •

                    IT (Type - const (Item/) Item. No. ,
 15
               field(30; "Data Format"; Option) { OptionMembers
 16
               field(40; "Publisher Code"; Code[10]) { }
 17
               field(50; Description; Text[50]) { }
 18
               field(60; Duration; Duration)
 19
 20
                    Editable = false;
 21
 22
               field(70; "Start Time"; Time) { }
 23
               field(80; "End Time"; Time) { }
 24
```

```
        ≡ table 50102 Playlist Header.al ●

               field(10; "Radio Show No."; code[20])
  7
  8
                   trigger OnValidate()
  9
                   var
                        RadioShow: Record "Radio Show";
 10
 11
                   begin
                        if RadioShow.Get("Radio Show No.") then begin
 12
 13
                            "PSAs Required" := RadioShow."PSAs Required";
                            "Ads Required" := RadioShow."Ads Required";
 14
                            "News Required" := RadioShow. "News Required";
 15
                            "Sports Required" := RadioShow. "Sports Required";
 16
                            "Weather Required" := RadioShow."Weather Required";
 17
 18
                        end else begin
 19
                            "PSAs Required" := false;
                            "Ads Required" := false;
 20
                            "News Required" := false;
 21
 22
                            "Sports Required" := false;
                            "Weather Required" := false;
 23
 24
                        end;
 25
                   end;
 26
```

```
field(50; "Start Time"; Time)
{
    trigger OnValidate()
    var
        RadioShow: Record "Radio Show";
    begin
        RadioShow.Get("Radio Show No.");
        "End Time" := "Start Time" + RadioShow."Run Time";
    end;
```

```
≡ page 50104 Playlist Document.al 🗙
  1
      page 50104 "Playlist Document"
  2
  3
          PageType = Document;
  4
          SourceTable = "Playlist Header";
  5
          ApplicationArea = Basic;
          UsageCategory = Documents;
  6
  7
          layout
  8
          {
 9
              area(content)
 10
                  group(Group)
 11
 12
                      field("No."; "No.") { ApplicationArea = Basic; }
 13
                      field(Description; Description) { ApplicationArea = Basic; }
 14
                      field("Radio Show No."; "Radio Show No.")
 15
                       { …
 16 🛨
 22
                       field("Start Time"; "Start Time") { ApplicationArea = Basic; }
 23
                       field("End Time"; "End Time") { ApplicationArea = Basic; }
 24
                      field("Broadcast Date"; "Broadcast Date") { ApplicationArea = Basic; }
 25
                      field(Duration; Duration) { ApplicationArea = Basic; }
 26
 27
 28
 29
          }
 30
```

```
≡ page 50109 Playlist Subpage.al 
●
      page 50109 "Playlist Subpage"
           PageType = ListPart;
           SourceTable = "Playlist Line";
  4
  6
           layout
  7
               area(Content)
  9
 10
                   repeater(Group)
 11
                       field(Type; Type) { ApplicationArea = All; }
 12
                       field("No."; "No.") { ApplicationArea = All; }
 13
 14
                       field("Data Format"; "Data Format") { ApplicationArea = All; }
                       field(Description; Description) { ApplicationArea = All; }
 15
                       field(Duration; Duration) { ApplicationArea = All; }
 16
                       field("Start Time"; "Start Time") { ApplicationArea = All; }
 17
                       field("End Time"; "End Time") { ApplicationArea = All; }
 18
 19
 20
 21
```

```
page 50109 Playlist Subpage.al

1  page 50109 "Playlist Subpage"
2  {
3     PageType = ListPart;
4     SourceTable = "Playlist Line";
5     AutoSplitKey = true;
6     DelayedInsert = true;
7     layout
8     {
```

```
≡ page 50104 Playlist Document.al ●
      page 50104 "Playlist Document"
  2
  3
          PageType = Document;
  4
          SourceTable = "Playlist Header";
  5
          ApplicationArea = Basic;
  6
          UsageCategory = Documents;
  7
          layout
  8
               area(content)
  9
 10
                   group(Group)
 11
 12 +
                   { …
 27
                   }
                   part(lines; "Playlist Subpage")
 28
 29
                       SubPageLink = "Document No." = FIELD ("No.");
 30
                       SubPageView = SORTING ("Document No.", "Line No.");
 31
 32
```


```
field("No."; "No.")
    ApplicationArea = All;
    trigger OnValidate()
    begin
        case Type of
            Type::Resource:
                begin
                end;
            Type::Item:
                begin
                end;
            Type::Show:
                begin
                end;
        end;
    end;
```

```
trigger OnValidate()
var
   Res: Record Resource;
   Item: Record item;
   RadioShow: Record "Radio Show";
begin
   case Type of
      Type::Resource:
         begin
            res.
              AssistEdit procedure AssistEdit(OldRes
         end;
      Type::Item 	☐ CheckResourcePrivacyBlocked
         end; 🕥 DisplayMap
      begin │ ♦ ValidateShortcutDimCode
         end; Address
   end;
```

```
field("No."; "No.")
    ApplicationArea = All;
    trigger OnValidate()
    var
        Res: Record Resource;
        Item: Record item;
        RadioShow: Record "Radio Show";
    begin
        case Type of
            Type::Resource:
                begin
                    Res.Get("No.");
                    Description := Res.Name;
                end;
            Type::Item:
                begin
                    Item.Get("No.");
                    Description := item.Description;
                    "Data Format" := item. "Data Format";
                    Duration := item.Duration;
                end;
            Type::Show:
                begin
                    RadioShow.Get("No.");
                    Description := RadioShow.Name;
```

```
55
         procedure NWSRequired(Category: Option ,News,Weather,Sports): Integer
56
         var
             PlaylistLine: Record "Playlist Line";
57
58
             RadioShow: Record "Radio Show";
59
             RadioShowType: Record "Radio Show Type";
60
             Cnt: Integer;
61
         begin
62
             PlaylistLine.SetRange("Document No.", "No.");
             PlaylistLine.SetRange(Type, PlaylistLine.Type::Show);
63
64
             if PlaylistLine.FindSet then repeat
65
                 RadioShow.get(PlaylistLine."No.");
                 RadioShowType.get(RadioShow."Radio Show Type");
66
67
                 case Category of
68
                     Category::News:
69
                         if RadioShowType.Code = 'News' then
70
                            Cnt += 1;
                     Category::Weather:
71
72
                         if RadioShowType.Code = 'Weather' then
73
                            Cnt += 1;
74
                     Category::Sports:
75
                         if RadioShowType.Code = 'Sports' then
76
                            Cnt += 1;
77
                 end;
78
             until PlaylistLine.Next = 0;
79
         end:
80
```


```
page 50112 "Playlist Factbox"
{
    PageType = Card;
    Application
    UsageCatego
    SourceTable
    ConfirmationDialog
```




```
≡ page 50112 Playlist factbox.al 
●
      page 50112 "Playlist Factbox"
  2
  3
          PageType = CardPart;
          ApplicationArea = All;
  4
  5
          UsageCategory = Administration;
  6
          SourceTable = "Playlist Header";
  7
  8
          layout
  9
          {
 10
              area(Content)
 11
                   group(GroupName)
 12
 13
 14
                       field("PSAs Required"; "PSAs Required") { ApplicationArea = All; }
 15
                       field("PSA Count"; "PSA Count") { ApplicationArea = All; }
                       field("Ads Required"; "Ads Required") { ApplicationArea = All; }
 16
 17
                       field("Ads Count"; "Ads Count") { ApplicationArea = All; }
 18
                       field("News Required";"News Required") { ApplicationArea = All;}
                       field("Weather Required";"Weather Required") { ApplicationArea = All;
 19
                       field("Sports Required"; "Sports Required") { ApplicationArea = All;
 20
```


```
group(GroupName)
{
    field("PSAs Required"; "PSAs Required") { ApplicationArea = All; }
    field("PSA Count"; "PSA Count") { ApplicationArea = All; }
    field("Ads Required"; "Ads Required") { ApplicationArea = All; }
    field("Ads Count"; "Ads Count") { ApplicationArea = All; }
    field("News Required"; "News Required") { ApplicationArea = All; }
    field("Weather Required"; "Weather Required") { ApplicationArea = All; }
    field("Sports Required"; "Sports Required") { ApplicationArea = All; }
    field(NewsCount; NWSRequired(1)) { ApplicationArea = All; }
    field(WeatherCount; NWSRequired(2)) { ApplicationArea = All; }
    field(SportsCount; NWSRequired(3)) { ApplicationArea = All; }
```

```
    ■ page 50104 Playlist Document.al ●
       page 50104 "Playlist Document"
  2
       {
  3
           PageType = Document;
           SourceTable = "Playlist Header";
  4
           ApplicationArea = Basic;
  5
  6
           UsageCategory = Documents;
  7
           layout
  8
  9
               area(content)
 10
 11
                    group(Group)
                    { ···
 12 +
 27
                    part(lines; "Playlist Subpage")
 28
 29 +
                    { ···
 33
 34
               area(FactBoxes)
 35
 36
                    part(factbox; "Playlist Factbox")
 37
 38
                        SubPageLink = "No." = FIELD ("No.");
 39
 40
 41
 42
 43
```



Chapter 8: Advanced AL Development Tools





```
page 9006 "Order Processor Role Center"
 2
 3
         Caption = 'Sales Order Processor', Comment='{Dependency=Match, "ProfileDescription_ORDERPROCESSOR"}';
4
         PageType = RoleCenter;
 5
 6
         layout
 7
 8
             area(rolecenter)
 9
                 part(Control104; "Headline RC Order Processor")
10
11 🛨
13
                 }
14
                 part(Control1901851508; "SO Processor Activities")
15 🛨
                 { …
18
19
                 part(Control1907692008; "My Customers")
```

```
page 1441 "Headline RC Order Processor"
 1
         Caption = 'Headline';
         PageType = HeadlinePart;
         RefreshOnActivate = true;
 5
         SourceTable = "Headline RC Order Processor";
 6
 7
         layout
             area(content)
10
11
                 group(Control2)
12
13
                      ShowCaption = false;
14
15
                      Visible = UserGreetingVisible;
                      field(GreetingText;GreetingText)
16
17
                          ApplicationArea = Basic, Suite;
18
                          Caption = 'Greeting headline';
19
                          Editable = false;
20
                          Visible = UserGreetingVisible;
21
22
```

```
page 9060 "SO Processor Activities"
 1
         Caption = 'Activities';
         PageType = CardPart;
         RefreshOnActivate = true;
         Source Table = "Sales Cue";
 7
 8
         layout
 9
             area(content)
10
11
                  cuegroup("For Release")
12
13
                  {
```

```
8
          layout
 9
10
              area(content)
11
                  cuegroup("For Release")
12
13
14
                      Caption = 'For Release';
15
                      CueGroupLayout = Wide;
16
                      field("Sales Quotes - Open"; "Sales Quotes - Open")
17
18
                          ApplicationArea = Basic, Suite;
                         DrillDownPageID = "Sales Quotes";
19
20
                         ToolTip = 'Specifies the number of sales quotes that are not yet converted to invoices or orders.';
21
                     field("Sales Orders - Open"; "Sales Orders - Open")
22
23
24
                          ApplicationArea = Basic,Suite;
                                                                                                       Ι
25
                         DrillDownPageID = "Sales Order List";
26
                          ToolTip = 'Specifies the number of sales orders that are not fully posted.';
27
28
29
                      actions
30 ⊞
                      { …
48
49
50
                  cuegroup("Sales Orders Released Not Shipped")
51 🛨
                  { …
108
                  }
                  cuegroup(Returns)
109
110 🕀
                  { …
144
                  }
145
                  cuegroup("Document Exchange Service")
146 ±
                  { …
161
```




```
table 9053 "Sales Cue"
  1
  2
  3
          Caption = 'Sales Cue';
  4
  5
          fields
  6
  7
               field(1;"Primary Key";Code[10])
               { ···
  8 +
 10
               }
 11
               field(2;"Sales Quotes - Open";Integer)
 12 +
               { ····
 19
 20
               field(3;"Sales Orders - Open";Integer)
               { ····
 21 +
 29
               field(4;"Ready to Ship";Integer)
30
31 +
               { …
41
42
               field(5;Delayed;Integer)
43 +
               { …
 54
               }
               field(6; "Sales Return Orders - Open"; Integer)
 55
 56 +
               { ····
 64
65
               field(7;"Sales Credit Memos - Open";Integer)
               { ····
66 ±
73
               field(8;"Partially Shipped";Integer)
 74
75 +
               { ···
 86
 87
               field(9;"Average Days Delayed";Decimal)
 88 +
93
               field(10; "Sales Inv. - Pending Doc.Exch."; Integer)
94
               { ····
95 ±
100
               }
101
               field(12; "Sales CrM. - Pending Doc.Exch."; Integer)
102 H
               { …
107
               }
```

```
part(Control21; "Report Inbox Part")
{
    AccessByPermission = TableData "Report Inbox"=R;
    ApplicationArea = Suite;
}
systempart(Control1901377608; MyNotes)
{
    ApplicationArea = Basic, Suite;
}
}
```

```
page 9006 "Order Processor Role Center"
2 ⊟⊮
3
         Caption = 'Sales Order Processor', Comment='{Dependency=Match, "ProfileDescription_ORDERPROCESSOR"}';
4
         PageType = RoleCenter;
5
         layout
6
7 🖃
8
             area(rolecenter)
9 🖃
10
                 part(Control104; "Headline RC Order Processor")
11 🖽
13
                 part(Control1901851508;"SO Processor Activities")
14
15 ℍ
18
                 part(Control1907692008; "My Customers")
19
20 🛨
22
23
                 part(Control14; "Team Member Activities")
24 ⊞
26
                 part(Control13; "Power BI Report Spinner Part")
27
28 ⊟
29
                     ApplicationArea = Basic, Suite;
30
31
                 part(Control1; "Trailing Sales Orders Chart")
32 🛨
                 { ···
35
                 part(Control4;"My Job Queue")
36
37 ℍ
40
                 part(Control1905989608; "My Items")
41
42 ±
45
46
                 part(Control21; "Report Inbox Part")
47 ±
                 { …
50
51
                 systempart(Control1901377608;MyNotes)
52 ℍ
```

```
part(Control4;"My Job Queue")
{
    ApplicationArea = Basic,Suite;
    Visible = false;
}
```


```
table 9152 "My Item"
    Caption = 'My Item';
    fields
        field(1;"Usem ID";Code[50])
        field(2;"Item No.";Code[20])
        field(3;Description;Text[100])
        field(4;"Unit Price";Decimal)
        field(5;Inventory;Decimal)
```





CRONUS International Ltd. Sales > Purchasing > Inventory > Posted Documents > Self-Service >						
Sales Orders Sales Orderss 365 for Sales Sales Quotes	Blanket Sales Orders Sales Invoices Sales Return Orders	Sales Credit Memos Items Customers	Item Journals Sales Journals Cash Receipt Journals	Transfer Orders		
The bigges for <u>kr 12.25</u>		rder wa	ACTIONS + Sales Que + Sales Inve + Sales Ord	oice + Sales Credit Memo	> History > Tasks > Sales	> Reports


```
actions
   area(embedding)
       ToolTip = 'Manage sales processes, view KPIs, and access your favorite items and customers.';
       action(SalesOrders)
       { …
       action(SalesOrdersShptNotInv)
       { …
       action(SalesOrdersComplShtNotInv)
       { …
       action(Items)
       { …
       action(Customers)
       { …
       }
       action("Item Journals")
       { ···
       action(SalesJournals)
       action(CashReceiptJournals)
       { …
       action("Transfer Orders")
   area(sections)
       group(ActionGroup76)
       { …
       }
       group(ActionGroup63)
```

```
902
                   group(History)
903
904
                       Caption = 'History';
                       action("Navi&gate")
905
906
907
                           ApplicationArea = Basic, Suite;
                           Caption = 'Navi&gate';
908
909
                           Image = Navigate;
910
                           RunObject = Page Navigate;
                           ToolTip = 'Find all entries and documents that
911
912
913
914
                   group(WDTUOperations)
915
                       Caption = 'WDTU Operations';
916
                       action(RadioShows)
917
918
919
                           ApplicationArea = Basic, Suite;
920
                           Caption = 'Radio Shows';
                           Image = AddToHome;
921
922
                           RunObject = Page "Radio Show List";
923
924
                       action(Playlists)
925
926
                           ApplicationArea = Basic, Suite;
927
                           Caption = 'Playlists';
928
                           Image = PhysicalInventory;
929
                           RunObject = Page "Playlist Document List";
930
```









```
desttop-ghc1a66 × +

desttop-ghc1a667047/DynamicsNaV100/WS/CRONUS%20USA%2C%20Inc/Senices

| desttop-ghc1a667047/DynamicsNaV100/WS/CRONUS%20USA%2C%20Inc/Senices

| desttop-ghc1a667047/DynamicsNaV100/WS/CRONUS%20USA%2C%20Inc/Senices

| desttop-ghc1a667047/DynamicsNaV100/WS/CRONUSWA%2C Inc./SystemSenice*/>
| colscovery vmlns= "http://schemas.xmlsoap.org/disco/scl/" ref="http://desktop-ghc1a667047/DynamicsNaV100/WS/CRONUS USA%2C Inc./Deaperly of the color of t
```



```
1
     XmlPort 50100 "Ratings Import"
2
3
         UseDefaultNamespace = true;
4
5
         schema
6
             textelement(Root)
8
9
                 MaxOccurs = Once;
                 tableelement(ListenershipEntries; "Listernership Entry")
10
11
12
                     MinOccurs = Zero;
13
                     XmlName = 'RatingsData';
14
                     fieldelement(EntryNo; ListenershipEntries."Entry No.") { }
15
                     fieldelement(Date; ListenershipEntries.Date) { }
16
                     fieldelement(StartTime; ListenershipEntries."Start Time") { }
17
                     fieldelement(EndTime; ListenershipEntries."End Time") { }
                     fieldelement(RadioShowID; ListenershipEntries."Radio Show No.") { }
18
                     fieldelement(Listeners; ListenershipEntries."Listener Count") { }
19
                     fieldelement(Audience; ListenershipEntries."Audience Share") { }
20
                     fieldelement(Age; ListenershipEntries."Age Demographic") {| }
21
22
23
24
         }
```

```
textelement(Root)
{
    MaxOccurs = Once;
    tableelement(ListenershipEntries; "Listernership Entry")
    {
```

```
codeunit 50101 "WDTU Web Service"
{
    procedure ImportRating(RatingsXML: XmlPort "Ratings Import"): Text
    begin
    RatingsXML.Import();
    exit('<Root><Station Frequency="91.5">WDTU<Station></Root>');
end;
}
```



```
desktop-ghc1ao6
                                                                                                                                                                                                                                    Ø
      → Odesktop-ghc1ao6:7047/Dynam
                                                                                                                                                                                                          🔰 Twitter 🚧 Brummel Dynamics 😷 Citrix XenApp - 🚨 ING 🔞 Dynamics TMS 📓 Buienradar 🏸 Yammer 📆 Telegraaf 🥷 Google Maps 🔑 NAV Skills Blog 🔯 Office 365 🙎 Marktplaats 🥻 Bricklink 📌 Puntenlijst 🛅 Linkedin 🔝 Facebook
   <?xml version="1.0"?>
   <definitions xmlns="http://schemas.xmlsoap.org/wsdl/" xmlns:tns="urn:microsoft-dynamics-schemas/codeunit/RatingWebservice"
targetNamespace="urn:microsoft-dynamics-schemas/codeunit/RatingWebservice">
         <types>
              "cschema xmlns="http://www.w3.org/2001/XMLSchema" xmlns:tns="urn:microsoft-dynamics-nav/xmlports/x50000" targetNamespace="urn:microsoft-dynamics-nav/xmlports/x50000" elementFormDefault="qualified">
                    <complexType name="RatingsData">
                      - <seauence>
                               <element name="EntryNo" type="int" default="0" maxOccurs="1" minOccurs="1"/>
                              <element name="Date" type="string" maxOccurs=1" minOccurs=1"
element name="Date" type="string" maxOccurs=1" minOccurs=1"/>
<element name="StartTime" type="string" maxOccurs="1" minOccurs="1"/>
<element name="EndTime" type="string" maxOccurs="1" minOccurs="1"/>
<element name="RadioShowID" type="string" maxOccurs=1" minOccurs="1"/>
<element name="Listeners" type="string" maxOccurs=1" minOccurs="1"/>
<element name="Audiom="type="string" maxOccurs=1" minOccurs="1"/>
<element name="Audiom="type="string" maxOccurs=1" minOccurs=1"/>
<element name="Audiom="type="string" maxOccurs=1" minOccurs=1"/>

                         </sequence>
                    </complexType>
                 - <complexType name="Root" mixed="true">
                      - <sequence>
                               <element name="RatingsData" type="tns:RatingsData" maxOccurs="unbounded" minOccurs="0"/>
                         </sequence>
                    </complexType>
                    <element name="Root" type="tns:Root"/>
            - <schema xmlns="http://www.w3.org/2001/XMLSchema" targetNamespace="urn:microsoft-dynamics-schemas/codeunit/RatingWebservice" elementFormDefault="qualified">
                    <element name="ImportRatings">


    <complexType>


                            - <sequence>
                                     .
<element name="ratingsXML" type="q1:Root" maxOccurs="1" minOccurs="1" xmlns:q1="urn:microsoft-dynamics-
                                         nav/xmlports/x50000"/>
```


Chapter 9: Successful Conclusions


```
if not IsHandled then
  if "No." = '' then begin
    TestNoSeries;
    NoSeriesMgt.InitSeries(GetNoSeriesCode,xRec."No. Series","Posting Date","No.","No. Series");
    end;
```

```
"Line Discount Amount" :=
  Round(
     Round(Quantity * "Unit Price", Currency. "Amount Rounding Precision") *
     "Line Discount %" / 100, Currency. "Amount Rounding Precision");
```










```
if CostEntry.ReadPermission then begin
    CostEntry.Reset;
    CostEntry.SetCurrentKey("Document No.", "Posting Date");
    CostEntry.SetFilter("Document No.", DocNoFilter);
    CostEntry.SetFilter("Posting Date", PostingDateFilter);
    InsertIntoDocEntry(Rec, DATABASE:: "Cost Entry", 0, CostEntry.TableCaption, CostEntry.Count);
end;
OnAfterNavigateFindRecords(Rec, DocNoFilter, PostingDateFilter);
    I
```



```
FromFileName := XMLfile.Name;
ToFileName := 'RadioShowExport.xml';

XMLfile.Close();
```



```
File Edit Selection View Go Debug Terminal Help
                                                                                                               page 50100
       DEBUG
                          ▶ NAV
                                            ▼ 🔅 🗅
                                                         {} app.json

✓ VARIABLES

▲ Globals

                                                                               ApplicationArea = Basic;
                                                           34
                                                                               SubPageLink = "Radio Show No." = field ("No."
                                                           35
        ▲ Fields: Count = 22
                                                           36
                                                           37
          No.: ''
           Radio Show Type: !!
                                                           38
                                                                    actions
           Name:
                                                           40
           Run 1
                  Copy Value
                                                           41
                                                                       area(Processing)
Ü
           Host
                                                           42
                  Copy as Expression
                                                           43
                 Add to Watch
                                                           44
                                                                           action(Init)
\sum
           Audience Share: 0
                                                           46
                                                                               Caption = 'Init';
           Advertising Revenue: 0
                                                                               RunObject = codeunit "Radio Extension Init";
                                                           47
           Royalty Cost: 0
                                                           48
           Frequency: 0
                                                           49
           PSAs Required: No
                                                           50
                                                           51
           Ads Required: No
                                                           52
     53
        No.: Not available
                                                           54
                                                                    trigger OnOpenPage()
                                                           55
                                                                      Message('Hello');
                                                          56
                                                           57
                                                                    end;
                                                           58
```

•