
Chapter 1: Introducing Create React App 2



Chapter 2: Creating Our First Create React App Application

To Do Items		
To Do Item #1	Done	
To Do Item #2	Mark As Done	
To Do Item #2	Mark As Done	

	• • •	👾 React	t App	× +								
\sim		ŵ	i localhost:300			⊠ ☆	Q Search		Ŧ	111	»	≡
3	X Most Visited	🖨 Gmail	28 Google Calendar	18 SumoLogic	nollbar 📶	💓 Anypoir	nt					
Т	odoifier											
					l am an	item						
					l am an	item						
												_

	• • •	🔯 React	t App	× +												
	-) → C'	۵	i localhost:3000)	•••	• ⊠ ☆		Q Search		⊻	111	ø	0	0	»	Ξ
X	X Most Visited	💮 Gmail	28 Google Calendar	SumoLogic	nollbar	💓 Anypoi	int									
Тс	odoifie															
																_
					I	Do the th	ning	g								
					Do	o another	r th	ing								

TypeError: this is undefined

markAsDone

src/Todo.js:13

10 };	
11 }	
12 markAsDone() {	
<pre>> 13 this.setState({ done: true</pre>	<pre>});</pre>
14 🍞	
15 render() {	
16 <mark>return</mark> (
View compiled	
▶ 18 stack frames were collapsed.	

•••	🛞 React	: Арр	× +							
(←) → C ⁱ	۵	i localhost:300	00		⊚ ☆	כ	Search	$\overline{\mathbf{\Lambda}}$	»	≡
A Most Visited	🖨 Gmail	28 Google Calendar	^{ຄືບ} SumoLogic	n Rollbar	🚫 Any	ypoint				
Todoifier										
			Do the Mark as							
			Do anoth Mark as	-						

(•••		🐼 React	t App	× +										
(<	\rightarrow		ŵ	i localhos	st:3000		⊠ ☆	Q Search		⊻	111	•	ø	»	≡
×	F Most \	/isited	💮 Gmail	28 Google Cale	endar 👬 SumoLogio	c 📶 Rollbar	💓 Anypoint								
Тс	odoi	fier													
	[1	
								Add							
					(New Mark as Done	ltem 1 Remove	e Me]	
					(New Mark as Done	Item 2 Remove	e Me							

Chapter 3: Create React App and Babel

••	•	👹 React App	þ		× +			_	_					_	_	_	_		_	_				_				
(-)	→ C	۵	(i) lo	ocalhost:3	3000										•••	. ⊴	\$		I	IV I	Ð	•	P	0	0	••••	٢	1
Todo	oifier																											
							[Ad	ld													
_									Ma	ark as		em #1	l Remove	e Me														
_									Ma	ark as		m #2	2 Remove	e Me														
_								0	Ma	ark as		m #3	3 Remove	e Me														
							_		_					_	_	_	_		_	_		_	_					
•	•		\$	React	Арр							>	×	-	┝													
$\langle \leftarrow$) →	G	ŵ		(i) la	oca	alł	lhc	ost	t:3	00	0						• •	••	⊵	,	☆	•			»		₽
То	doi	ifier																										
	¢	Inspecto	or	⊳ C	onsole	C			De	ebu	gge	er	{	} \$	Styl	e E	dit	or	»	,					Ó] •	•••	×
圃	∇	Filter ou	utput																					(P	ersi	st L	.ogs
0		load the											eve	lop	ome	nt	re	act	t-d	om	.de	eve	lop	mer	nt.j	js:2	207	35
	appN	lame is T	Todo:	ifier																					Aŗ	pp.j	js:	13


)	React	Арр		× +											
G	۵	i	localhost:3000				•••	⋓	☆		111	∎	•	»	⊉
do	ifier														
						Ado	ł								
			М			move Me									
			M			move Me									
		C û	React App C	C i localhost:3000 doifier	C 🙆 i localhost:3000	C i localhost:3000 doifier Item #1 Mark as Done Re Item #2	C i localhost:3000 doifier Add Item #1 Mark as Done Remove Me Item #2	C I localhost:3000 ···· Coifier Coifi	C i localhost:3000 Constraints of the second	C localhost:3000 C doifier	C i localhost:3000 ··· i i localhost:3000 c i i localhost:3000 c i i localhost:3000 c i localhost:3000 ltem #1 Mark as Done Remove Me ltem #2	C D Ocalhost:3000 ···· C D D IN doifier	C û localhost:3000 ···· V A IN C doifier Add Item #1 Mark as Done Remove Me Item #2	C I localhost:3000 ···· I I C I localhost:3000 I localhost:300 I	C û localhost:3000 ···· C A IIN II >> doifier

•		•	👹 React	t App			×	+								
) →	e G		0	localho	st:3000		🖾 ଘ	7	lii\	•	¥	0	0	 ۵	⊉
	Tod	loifi	ər													
								Add]	
								Write some code Mark as Done Remove Me								
								Change the world Mark as Done Remove Me			 					
								Take a nap and Eat a cookie Mark as Done Remove Me								

• •		🏶 Re	act A	pp				×	+														
€)→	G	۵		()	localh	iost:3	3000							•••	⊌	☆	lii\	∎	•	8	0	»	4
Tode	o Li	st																					
														A	dd								
								N	Mark a			n #1 R	emove	e Me									
										lt	tem	n #2											

••	•	👹 React App	×	+																
Ŧ	⇒ C'	۵	i localhost:3000						•••	© ₹	\$	111/	•	0	×	0	m	3	۵	₩
Post	Tod	oifior																		
		onner																		
								Ad	d										1	
											 								1	
						Write so rk as Done		OCIE move Me												
																			٦	
						Change rk as Done		orld ^{move Me}												
											 								-	
						a nap ar		a cook	cie											
					Mar	rk as Done	Rer	move Me												
_																			_	


Chapter 4: Keep Your App Healthy with Tests and Jest




Watch Usage


- > Press f to run only failed tests.
- > Press o to only run tests related to changed files.
- > Press p to filter by a filename regex pattern.
- > Press t to filter by a test name regex pattern.
- > Press q to quit watch mode.
- > Press Enter to trigger a test run.


 I. tmux
PASS src/Todo.test.js
✓ renders without crashing (25ms)
Test Suites: 1 passed, 1 total
Tests: 1 passed, 1 total
Snapshots: 0 total
Time: 1.259s
Ran all test suites related to changed files.
Watch Usage
> Press a to run all tests.
> Press f to run only failed tests.
> Press p to filter by a filename regex pattern.
> Press t to filter by a test name regex pattern.
> Press q to quit watch mode.
> Press Enter to trigger a test run.





```
1. tmux
          Mark as Done
        </button>
        <button
          onClick={[Function]}
        >
          Remove Me
        </button>
      </div>
      22 |
               const component = renderer.create(<Todo description="Yo" />);
      23 |
               const tree = component.toJSON();
             expect(tree).toMatchSnapshot();
    > 24 |
      25 | });
      26 |
      27 | it("renders a Todo component", O \Rightarrow \{
      at Object.toMatchSnapshot (src/Todo.test.js:24:18)
 > 1 snapshot failed.
Snapshot Summary
 > 1 snapshot failed from 1 test suite. Inspect your code changes or re-run jest with `-u` to update them.
Test Suites: 1 failed, 1 passed, 2 total
Tests: 1 failed, 4 passed, 5 total
Snapshots: 1 failed, 1 total
             3.547s
Time:
Ran all test suites.
Watch Usage: Press w to show more.
```





Chapter 5: Applying Modern CSS to Create React App Projects

• •	•	Read	et App	×	+								
← -	e c	仚	i localhost:3000		Q	☆	2	••• <mark>3</mark> 🔊	۰	<u>a</u> 1	255	۲	:
Best	Todo	ifier											
												 _	
							Add						
				W	/rite som	ne cod	e						
				Mark	as Done	Remove	Me						
				Cł	hange th	e worl	d						
				Mark	as Done	Remove	Me						
			-	-		Eat c	k						
			1		nap and	Eat a							

• • • React App × +	
$\leftarrow \rightarrow \mathbb{C} \land (0 \text{ localhost:} 3000) \land (2 \Rightarrow) \swarrow \mathbb{C} $) 🌍 !
Best Todoifier	
Add	
Write some code	
Mark as Done Remove Me	
Change the world	
Mark as Done Remove Me	
Take a nap and Eat a cookie	
Mark as Done Remove Me	

••• • React App × +				
$\leftrightarrow \rightarrow \mathbb{C} \bigtriangleup$ (0 localhost:3000	९ ☆	1 📲 🔊	o 🖪 🖾 🤅) 😂 :
Best Todoifier				
Add				
Write some code				
Mark as Done Remove Me				-
Change the world				_
Mark as Done Remove Me				
Take a nap and Eat a cookie				
Mark as Done Remove Me				

🗧 😑 🕘 👹 React App	× +	
\leftrightarrow \rightarrow C \bigtriangleup (i) localhost:3000	० 🖈 🔏 🖏 🕤 🔍 👫 🛙	🐺 🖂 🗌 🏶 🗄
	Add	
	Write some code	
	Mark as Done Remove Me	
	Change the world	
	Mark as Done Remove Me	
	Take a nap and Eat a cookie	
	Mark as Done Remove Me	

● ● ● ■ React App × ← → C ☆ ① localhost:3000	+ Q 🖈 🔏 🌄 🗔 오 🔩 🐺 🕢 🏶 :
Best Todoifier	
	Add
	Write some code Mark as Done Remove Me Mark as Critical
	Change the world
	Mark as Done Remove Me Mark as Critical
	Take a nap and Eat a cookie Mark as Done Remove Me Mark as Critical

• • • React App x +
← → C ① (10 localhost:3000) Q ☆ 2 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Best Todoifier
Add
Write some code
Mark as Done Remove we Mark as Citical
Change the world
Mark as Done Remove Me Mark as Critical
Take a nap and Eat a cookie
Mark as Done Remove Me Mark as Critical

🗧 😑 🛛 🎆 React App	×	+										
\leftrightarrow \rightarrow C \triangle (i) localhost:3000			Q	☆	2	••• <mark>•</mark> 3	20) [a <mark>_</mark>	223		۲	:
Todoifier												
	_											
🗧 🗧 👹 React App	×	+										
● ● ● ■ React App ← → C ☆ ③ localhost:3000	×	+	Q	\$	1	••••]	2 () a		Θ	ŝ	

\leftrightarrow \rightarrow C \triangle (i) localhost:3000	Q	☆	1	••••]	2	٥	8 <mark>1</mark>	C 55		۲	:
Todoifier											
										_	
Input item name here									Add		

••• React App × +	
\leftrightarrow \rightarrow C \triangle (i) localhost:3000	a 🖈 🔏 🌄 🗔 🝳 📭 😔 i
Todoifier	
Input item name here	Add
Write son	ne code
Mark as Done Remove	Me Mark as Critical
Change th	ne world
Mark as Done Remove	e Me Mark as Critical
Take a nap and	Eat a cookie
Mark as Done Remove	e Me Mark as Critical


Chapter 6: Simulate Your Backend with a Proxy API

React App × +	
$\leftarrow \rightarrow \mathcal{C} \bigtriangleup$ (i) localhost:3000	् ५ 🛧 者 📆 🖘 💿 🗛 👒 Θ । 🌍 :
Todoifier	
Input item name here	Add
Write some code	
Mark as Done Remove Me Mark as Critical	
Mark as Done Renove we Mark as Childa	11
Change the world	
Mark as Done Remove Me Mark as Critical	
	*
Take a nap and Eat a cookie	
Mark as Done Remove Me Mark as Critical	


GET http://localhost:4000/api/todos	+ •••		No Environment	• • *
http://localhost:4000/api/todos				
GET • http://localhost:4	4000/api/todos		Send	▼ Save ▼
Params Authorization Heade	rs Body Pre-requ	est Script Tests	Cookies	Code Comments (0)
KEY		VALUE	DESCRIPTION	••• Bulk Edit
Кеу		Value	Description	
Body Cookies Headers (6) Test F	Results		Status: 200 OK Time: 25 ms Size: 43	35 B Download
Pretty Raw Preview JS	ion 🔹 🚍			Q
6 "done": fal 7 "critical": 8 }, 9- { 10 "id": 2, 11 "descriptio 12 "done": fal 13 "critical": 14 }, 15- { 16 "id": 3,	false n": "Change the world se, false n": "Eat a cookie", se,			
,			Q Le	earn 🔹 📇 🥐


POST http://	/localhost:4000/api/todos • + ••••	No Environment	• © \$
POST	 http://localhost:4000/api/todos 	Send	▼ Save ▼
1 - { 2 3 4 5 }	"description": "A new todo", "done": false, "critical": false		
ody Cook Pretty	ies Headers (6) Test Results	Status: 200 OK Time: 7 ms Size: 502 E	B Download
1 - { 2 - 3 - 4 5 6 7 8 9 - 10 11 12 13 14 15 - 16 17 18 19 20 21 - 22 23	<pre>"todos": [{ "id": 1, "description": "Write some code", "done": false, "critical": false }, { "id": 2, "description": "Change the world", "done": false, "critical": false }, { "id": 3, "description": "Eat a cookie", "done": false, "critical": false }, { "id": 4, "description": "A new todo", "done": false, }</pre>		


DEL http://localhost.4000/api/todos/; • + •••	No Environment 🔻 📀 🎄
DELETE v http://localhost:4000/api/todos/2	Send - Save -
Params Authorization Headers (1) Body Pre-request Script Tests	Cookies Code Comments (0)
none form-data x-www-form-urlencoded raw binary	
This request does not have a body	
Body Cookies Headers (6) Test Results	Status: 200 OK Time: 53 ms Size: 363 B Download
Pretty Raw Preview JSON 🔻 🚍	□ Q
<pre>1 * { 2 * "todos": [3 * " 4 " 5 " 6 " 6 " 7 "citical": false 8 } 9 * { 10 " 10 " 11 "description": "Eat a cookie", 12 " 13 "critical": false 14 } 15] 16 }</pre>	



Chapter 7: Building Progressive Web Applications







Elements	Console	Sources	Network	Performance	Memory	Application	Security	Audits	Redux	React	(1	: ×
Application Manifest Service Workers		Service Workers Offline Update on reload Bypass for network											
Clear storage		localhos	t								Update	<u>Unre</u>	gister
Storage		Source service-worker.js Received 12/31/1969, 7:00:00 PM Status • #13144 activated and is running stop Clients http://localhost:5000/ focus											
Cache Cache Storage Application Cache			Push Sync	Test push mes	-	DevTools.				ush ync			