




# Chapter 1: What is Robotic Process Automation?



## Chapter 2: Record and Play



**Free, fully featured and extensible.  
A tool that works for you.**

GET COMMUNITY EDITION

The way we work is changing. RPA is becoming the heart of every company's digital operation. The sooner we enable everyone to experience it, the faster we all get to master it to our benefit.

For individuals and small professional teams.

First Name\*

- Please complete this required field.

Last Name\*

- Please complete this required field.

Email\*

Twitter User

REQUEST COMMUNITY EDITION

RPA PLATFORM GET STARTED SOLUTIONS RESOURCES COMPANY BLOG Q START

# Thank you for your request!

Please check your email.  
You will shortly receive an email containing the link to download UiPath Studio Community and other instructions.  
Or, download it [here](#).

Type your question here... Q

UiPath Studio Community

New Recent

- Blank**  
An empty project. A diagram is a graphical representation of a business process.
- Flowchart**  
Simple Process  
Model a process as a flowchart
- Assistant**  
Agent Process Improvement  
Trigger an automation in real time
- Process**  
Transactional Business Process  
Model a business process as a process


### Welcome to UiPath Studio

Thank you for installing. Activation is required to authenticate this copy of UiPath Studio. This wizard will guide you through the Activation process.

- **Start Free**  
I agree with the [Community Edition licensing terms](#)
- **Activate License**  
I have a license key for Enterprise Edition
- **View License**  
Review licensing terms

Help


## New



Blank

### Blank


An empty project. A diagram is a graphical representation of a business process.



Flowchart

### Simple Process


Model a process as a flowchart diagram.



Assistant

### Agent Process Improvement

Trigger an automation in response to a mouse or keyboard user event.








Process

### Transactional Business Process




Model a business process as a state machine diagram.



The screenshot shows the 'New' dialog box in the UiPath Studio application. On the left is a blue sidebar with navigation options: 'Open', 'Close', 'Start', and 'Help'. The main area is titled 'New' and contains four project templates: 'Blank', 'Flowchart', 'Assistant', and 'Process'. Each template has an icon and a brief description. To the right of the 'New' section is a 'Recent' section, which is currently empty. The window title bar at the top reads 'UiPath Studio Community' and includes standard minimize, maximize, and close buttons.











Properties	
UiPath.Core.Activities.InputDialog	
[-] <b>Common</b>	
DisplayName	Input dialog
[-] <b>Input</b>	
IsPassword	<input type="checkbox"/>
Label	The label of the form fiel ...
Options	An array of options to ch ...
Title	"Hello World!" ...
[-] <b>Misc</b>	
Private	<input type="checkbox"/>
[-] <b>Output</b>	
Result	The value inserted by th ...



















— □ ×




Indicate Another  or  to Scrape.



Scraping Method




Scrape Options

- No Formatting
- Get Words Info





















# Chapter 3: Sequence, Flowchart, and Control Flow

Main



Main > Flowchart > Sequence

Expand All Collapse All

Sequence

Input dialog

Title. Text must be quoted

"What's your name ?"

Message box

Text must be quoted

Name	Variable type	Scope	Default
name	String	Sequence	Enter a VB expression

Create Variable

Main > Flowchart > Sequence

Expand All Collapse All

Sequence

Input dialog

Title. Text must be quoted

"What's your name ?"

Message box

name

Expression Editor



Result (OutArgument)



name



OK Cancel

Name	Variable type	Scope	Default
name	String	Sequence	Enter a VB expression

Create Variable








Output Main

⌚ 0 ⚠️ 0 ⚠️ 0 ⓘ 2 ⓘ 2 ✖️

Search

- ⓘ delay execution started
- ⓘ Hey, What is your name?
- ⓘ My name is Andrew Ng.
- ⓘ delay execution ended in: 00:00:50




Output Main for each

⌚ 0 ⚠️ 0 ⚠️ 0 ⓘ 2 ⓘ 1 ✖️

Search

- ⓘ switch execution started
- ⓘ 1
- ⓘ switch execution ended





The screenshot shows the "Output" window for a program named "Main". The window displays a search bar and a list of output messages. The messages are as follows:

- switch execution started
- 5
- 15
- 10
- 20
- 25
- 30
- 35
- 40
- 45
- 50
- switch execution ended in: 00:00:02

Do while

Body

Sequence

▽

A\*B Assign

y = y+2

▽

Write line

Text y

▽

Condition

y<20

Output


⌚ 0 0 2 10 ✖

Search

---

- 13 execution started
- 2
- 4
- 6
- 8
- 10
- 12
- 14
- 16
- 18
- 20
- 13 execution ended


---



The screenshot shows the Visual Studio Output window. The window has tabs for 'Main' and 'for each'. The output shows the following messages:

- switch execution started
- 2
- 4
- 6
- 8
- 10
- 12
- 14
- 16
- 18
- 20
- switch execution ended

The output also shows a search bar and a toolbar with icons for search, error (0), warning (0), info (2), and error (10).



Main x

Main > Flowchart > If Expand All Collapse All

The screenshot shows the configuration of an "If" block. The "Condition" field contains the expression  $x+y < 6$ . The "Then" branch contains a "Write line" block with the text "True". The "Else" branch contains a "Write line" block with the text "False".

Then	Else
<b>Write line</b> Text: "True"	<b>Write line</b> Text: "False"

Variables Arguments Imports 100%

**Output**

⌚ 0 ⚠️ 0 ⓘ 2 ⓘ 1 ✖️

Search

- 13 execution started
- false value
- 13 execution ended in: 00:00:05

Main > Flowchart > Sequence

Expand All Collapse All

Sequence

Input dialog

"Enter any number "

"The number is"

Switch

Expression: k mod 2

Default: Add an activity

Case 1

Write line

Text: k.ToString + "is an odd numt"

Add new case

step by step using s...ce and workflow

Main > Flowchart > Sequence

Expand All Collapse All

Sequence

Input dialog

Title. Text must be quoted

"What's your name ?"


Message box

name


Name	Variable type	Scope	Default
name	String	Sequence	Enter a VB expression

Create Variable


Flowchart



Sequence



Flowchart



Main > Main > Sequence

Expand All Collapse All

Sequence

▼

Drop activity here

Name	Variable type	Scope	Default
names	String[]	Sequence	{"John", "Sam", "Andrew", "Anita"}
Count	Int32	Sequence	Enter a VB expression

Create Variable

Variables Arguments Imports

100%

Sequence



For each

Foreach  in

Body

Body

Drop activity here





▽

↶ For each ↷

Foreach  in

Body

↶ Body ↷

▽

↶ If ↷

Condition

Then	Else
<i>Drop activity here</i>	<i>Drop activity here</i>

▽

▽

**For each** ⌵

Foreach  in

Body

**Body** ⌵

▽

**If** ⌵

Condition

Then	Else
<p><b>A+B Assign</b></p> <p><input type="text" value="Count"/> = <input type="text" value="Count + 1"/></p>	<p><i>Drop activity here</i></p>

▽

Body

Body

If

Condition

item.ToString.StartsWith("a")

Then

Else

A+B Assign

Count = Count + 1

Drop activity here


Message box

Count.ToString


# Chapter 4: Data Manipulation

## Memory

---



Each cell can store 1 bit of information having the value 0 or 1



Main\* x

Main Expand All Collapse All

Flowchart

```

    graph TD
      Start([Start]) --> RS[Recording Sequence]
  
```

Recording Sequence  
Double-click to view

Name	Variable type	Scope	Default
ExtractDataTable	DataTable	Recording Sequence	New System.Data.DataTable
variable1	String	Recording Sequence	Enter a VB expression
Create Variable			

Variables Arguments Imports

100%

Main\* x

Main Expand All Collapse All

```

    graph TD
      Start([Start]) --> MB[Message box]
  
```

Message box  
Double-click to view

Name	Variable type	Scope
name	String	Flow
Create Variable		

Variables Arguments Imports

- Open
- Cut
- Copy
- Paste
- Delete
- Annotations
- Copy as Image
- Save as Image
- Create Variable
- Remove Sequence
- Surround with Try Catch (Ctrl+T)
- Extract as Workflow
- Open Workflow
- Disable Activity (Ctrl+D)
- Enable Activity (Ctrl+E)
- Set as Start Node

Main > Flowchart

Expand All Collapse All

```

graph TD
    Start([Start]) --> Message[Message box]
  
```

Message box  
Double-click to view

Name	Variable type	Scope	Default
name	String	Flowchart	"Hello world"

Create Variable

Variables Arguments Imports

100%

Main > Flowchart

Expand All Collapse All

```

graph TD
    Start([Start]) --> Sequence[Sequence]
  
```


Sequence  
Double-click to view

Name	Variable type	Scope	Default
arr	System.Int32[]	Sequence	{1,2,3,4,5}

Create Variable

Variables Arguments Imports

100%



Main Expand All Collapse All

Drop activity here

Name	Direction	Argument type	Default value
argument1	In	String	Enter a VB expression
Create Argument			

Variables Arguments Imports 100%

Wizards

- Screen Scraping
- Data Scraping
- User Events
- Create Variable
- Manage Variables
- Launch UIExplorer

Variables

Selectors

Main > Flowchart > Sequence

Expand All Collapse All

Properties  
UIPath.Core.Activities.BuildDataTable

Common

Build Data Table

	Column1 (String)	Column2 (Int32)
x	text	1
x		

Remove Column

OK Cancel

Build data table

Sequence

- Build data table
- DataTable...

Variables Arguments Imports

100%



Wizards: Screen scraping, Data Scraping, User Events, Create Variable, Manage Variables, Launch UiExplorer, Selectors

Main > Flowchart > Sequence

Properties: UiPath.Core.Activities.BuildDataT

- Common
- DisplayName
- Misc

### Build Data Table

+	
x	
x	

OK Cancel

### New Column

Column Name:

Data Type:

Allow Null:

Auto Increment:

Default Value:

Unique:


MaxLength:


OK Cancel

Build Data Table

	Name (String)	Roll No (Int32)	Class (String)
x	Tom	1	x
x	Sara	2	vi
x	Luis	4	vii
x	Cyna	7	xii
x			

OK Cancel





Name	Variable type	Scope	Default
data	DataTable	Sequence	Enter a VB expression

Create Variable

Main > Flowchart > Sequence

Expand All Collapse All

For each row

Foreach  in

Body

Body

Message box

`row("Name").ToString + "-" + row("Roll No").ToString`

Name	Variable type	Scope	Default
data	DataTable	Sequence	Enter a VB expression

Create Variable

Variables Arguments Imports

100%

Main > Flowchart > Sequence

Expand All Collapse All

Sequence

Open browser

`"https://www.amazon.in/s/ref=nb_sb_ss_l_7_6?url=search-alias%3Dstripb"`

Do

Drop activity here

Variables Arguments Imports

100%



Win an

Books: "books for kids"

Sort by



SPONSORED BY DISHA PUBLICATION

### MEGA Checklist Book of Skills for Pre-primary

Shop now

**UI Extract Wizard**

**Select Second Element**


To create a pattern you need to indicate a similar field, preferable the last in collection.

Help Cancel < Back Next

Showing most relevant results. See all results for books for kids.

LOOK INSIDE!

Best seller



### Peppa Pig: Little Library

by Ladybird

Board book

₹160 ~~₹250~~

You Save: ₹90 (36%)

prime

More Buying Choices

₹158 offer (36 offers)

Offer: 15% back with Amazon Pay balance See



### Picture Books Collection for Early Learning

by E C Axus

Cards

₹230 ~~₹360~~

You Save: ₹130 (36%)

★★★★☆ 51

Offer: 15% back with Amazon Pay balance See

New Releases & Pre-orders Best Sellers Browse Genres Children's & Young Adult Textbooks Exam Central Books in Indian Languages

for Books: "books for kids" Sort by Re

SPONSORED BY DISHA PUBLICATION


**MEGA Checklist Book of Skills for Pre-primary**

[Shop now](#)

---

Showing most relevant results. See all results for books for kids.

**LOOK INSIDE!**



**Best seller**

**Peppa Pig: Little Library** 6 August 200

by Ladybird

Board book

₹160 ₹250


You Save: ₹90 (36%)

prime

More Buying Choices

₹158 offer (36 offers)

---



**Picture Books Collection for Early Learning** 2016

by E C Axus

Cards

₹230 ₹360

You Save: ₹130 (36%)

**Extract Wizard**

**Configure Columns**

The identified fields are highlighted.

Extract Text

Text Column Name

Extract URL

URL Column Name

Offer: 15% back with Amazon Pay balance See L

Books books for kids Win an iP

Shop by Category Your Amazon.in Today's Deals Hello, Sign in Account & Lists

New Releases & Pre-orders Best Sellers Brows

or Books: "books for kids"

---

SPONSORED BY DISH


**MEGA Che Pre-primary**

[Shop now](#)

---

Showing most relevant results. See all res

**LOOK INSIDE!**



**Best**

**Peppa Pig: Little Library**

by La

Board

₹160


You S

prime

More

₹158

---



**Pict**

by E C

Cards

₹230 ₹360

You Save: ₹130 (36%)

prime



**Extract Wizard**

**Preview Data**

Book Name
Peppa Pig: Little Library
Picture Books Collection for Early Learning
Diary of a Wimpy Kid: The Getaway (book 12)
ABC (My Small Board Book)
Great Stories for Children
Classic Tales Panchatantra
2nd Activity Book - Logic Reasoning (Kid's Activity Books)
Fairy Tales (My Jumbo Book)
The Wimpy Kid: Do-it-Yourself Book (Diary of a Wimpy Kid)
365 Bedtime Stories
Double Down (Diary of a Wimpy Kid Book )
Grandma's Bag of Stories
Brain Games for Clever Kids
Diary of a Wimpy Kid: Old School (Book 10)
[Sponsored]1001 ACTION WORDS
[Sponsored]Sachchi Kahaniya Urdu No.4
[Sponsored]Sachchi Kahaniya Hindi No.1
[Sponsored]Deen Seekhna aur Seekhaana Hindi

Edit Data Definition Maximum number of results (0 for all)

Offer: 15% back with Amazon Pay balance See Deta

Books books for kids   **Win an iPad**

Shop by **Category** Your Amazon.in Today's Deals Amazon Pay Sell Customer Service Hello, Sign in **Account & Lists** **Orders**

New Releases & Pre-orders Best Sellers Browse Genres Children's & Young Adult Textbooks Exam Central Books in Indian Languages

for Books : "books for kids" Sort by **Relev**

---

SPONSORED BY DISHA PUBLICATION

**MEGA Checklist Book of Skills for Pre-primary**

[Shop now](#)

**skill skill**

Perfect Genius Tiny Toddlers Skill Based... Perfect Genius Tiny Tr

**skill skill**

Perfect Genius Tiny Toddlers Skill Based... Perfect Genius Tiny Tr

Showing most relevant results. See all results for books

**LOOK INSIDE!**

**Best seller**


**Peppa Pig: Little Library** 6 August 2009

by Ladybird

Board book

₹160 ₹250

You Save: ₹90 (36%)

 prime

More Buying Choices

₹158 offer (36 offers)

Is data spanning multiple pages?

Identify the element that navigates to the next pages. It could be a 'Next' button or an arrow (not a page number).

Press Yes to indicate it.

★★★★☆ 431

Offer: 15% back with Amazon Pay balance [See Detail](#)

---


**Picture Books Collection for Early Learning** 2016

by E C Axus

Cards

₹230 ₹360

You Save: ₹130 (36%)

 prime

★★★★☆ 51

Offer: 15% back with Amazon Pay balance [See Detail](#)

Main > Flowchart

Flowchart

```

graph TD
    Start([Start]) --> Sequence[Sequence]
    Sequence --> DataScraping[Data scraping]
  
```

Name	Variable type	Scope	Default
ExtractDataTable	DataTable	Data scraping	New System.Data.DataTable
Create Variable		Data scraping	
		Flowchart	

Variables Arguments Imports

100%



Main > Flowchart

Sequence  
Double-click to view

Data scraping  
Double-click to view

Output data table

Expression Editor

DataTable (DataTable)

ExtractDataTable

(Local Variable) ExtractDataTable As System.Data.DataTable  
Represents one table of in-memory data.

OK Cancel

Name	Variable type	Scope	Default
ExtractDataTable	DataTable	Flowchart	New System.Data.DataTable

Create Variable

Variables Arguments Imports

Main > Flowchart

Double-click to view

Output data table

Message box  
Double-click to view

Expression Editor

Text (String)



result


OK Cancel


Name	Variable type	Scope	Default
ExtractDataTable	DataTable	Flowchart	New System.Data.DataTable
result	String	Flowchart	Enter a VB expression



Create Variable



Variables Arguments Imports















UIPath Studio Community - Excel to Data Table and vice versa

Universal Search (Ctrl + F)

Wizards Variables Selectors

Main > Flowchart > Excel application...

Expand All Collapse All

Properties  
UIPath.Core.Activities.OutputDataTable

Common  
DisplayName Output data table

Input  
DataTable Data

Misc  
Private

Output  
Text Result

Outline  
Main  
Flowchart  
Excel application scope  
Body  
Do  
Read Range  
Output data table

Name	Variable type	Scope	Default
Data	DataTable	Do	Enter a VB expression
Result	String	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports

Main > Flowchart > Excel application...

Expand All Collapse All

Excel application scope

"Book1.xlsx"

Do

Read Range  
"Sheet1" ==

Output data table

Message box  
Result

Name	Variable type	Scope	Default
Result	String	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports



Wizards

- Screen Scraping
- Data Scraping
- User Events
- Create Variable
- Manage Variables
- Launch UiExplorer

Main > Flowchart > Build data table

Expand All Collapse All

Properties  
UiPath.Core.Activities

- Common
- DisplayName
- Misc
- Private
- Output

Build Data Table

+	
x	
x	

New Column

Column Name: Name

Data Type: String

Allow Null:

Auto Increment:

Default Value:

Unique:

MaxLength: -1

Name  
Create Variable

Variables Arguments Imports

100%

Main\* x

Main > Flowchart > Build data table Expand All Collapse All

**Build Data Table** [Close] [Maximize] [Minimize]

	Name (String)	Roll (Int32)
+		
x	anand	1
x	krishna	2
x	vaibhav	3
x		

OK Cancel

Name  
Create Variable

Variables Arguments Imports 100%

Main > Flowchart > Excel application...

Expand All Collapse All

Excel application scope

"Book1.xlsx" ...

Do

Write Range

"Sheet1" ...

variable1

Name	Variable type	Scope	Default
variable1	DataTable	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports

100%

Main > Flowchart

Expand All Collapse All

Flowchart

```



graph TD
    Start([Start]) --> BuildData[Build data table  
Double-click to view]
    BuildData --> ExcelScope[Excel application scope  
Double-click to view]
  
```

Name	Variable type	Scope	Default
variable1	DataTable	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports

100%



Main > Flowchart > Excel application... Expand All Collapse All

Do

Read Range

"Sheet1"

Append range

"Book1.xlsx"

"Sheet1"

Data

Name	Variable type	Scope	Default
Data	DataTable	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports 100%

Book1 - Excel Sign in

File Home Insert Page Layout Formulas Data Review View Add-ins Team Tell me what you want to do Share

Clipboard Font Alignment Number Styles Cells Editing

A1 anand

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
1	anand	1															
2	krishna	2															
3	vaibhav	3															
4	abcd	1234															
5	bvcd	1548															
6	bhgy	1487															
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	

Sheet1 100%

Excel application scope

"Book1.xlsx" ...



Do

Read Range

"Sheet1" ...

Name	Variable type	Scope	Default
Data	DataTable	Flowchart	Enter a VB expression

Create Variable



Wizards Variables Detectors

Main > Flowchart > Build data table Expand All Collapse All

Build Data Table

	Name (String)	Roll (Int32)
x	anand	1
x	krishna	2
x	vaibhav	3
x		

OK Cancel

Name  
Create Variable

Variables Arguments Imports

100%



Main > Flowchart Expand All Collapse All

Flowchart

```
graph TD; Start([Start]) --> BuildData[Build data table]; BuildData --> ExcelScope[Excel application scope];
```

The flowchart consists of three vertically aligned rectangular boxes connected by downward-pointing arrows. The first box is a green circle with a white play button icon and the text "Start". The second box is a light gray rectangle with a document icon, the text "Build data table", and "Double-click to view" below it. The third box is a yellow rectangle with a document icon, the text "Excel application scope", and "Double-click to view" below it.

Name	Variable type	Scope	Default
variable1	DataTable	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports 100%

Excel application scope

"Book1.xlsx" ...



Do


Write Range

"Sheet1" ""

Variable1

## Chapter 5: Taking Control of the Controls





UiExplorer  
Selectors

Expression Editor

Children (IEnumerable<UiElement>)

elements

OK Cancel

Find children

Indicate on screen

Properties

Activities.FindChildren

Find children

XML string

Target

Options

Scope FIND\_CHILD

Output

Children elements

Outline

Main

Flowchart

Find children

Variable type	Scope	Default
IEnumerable<UiElement>	Flowchart	Enter a VB expression

Main > Flowchart

Expand All Collapse All

Flowchart

```

graph TD
    Start([Start]) --> FindChildren[Find children 'SPAN']
    FindChildren --> MessageBox[Message box]
  
```

Name	Variable type	Scope	Default
var	IEnumerable<UiElem	Flowchart	Enter a VB expression

Create Variable

Variables Arguments Imports

100%

Expand All Collapse All

Expression Editor

Ancestor (UiElement)

OK Cancel

Get ancestor

Indicate on screen

Properties

UiPath.Core.Activities.GetAncestor

Input	Target
ClippingRegion	
Element	Enter a VE ...
Selector	Enter a VE ...
TimeoutMS	Enter a VE ...
WaitForReady	INTERACTIV
UpLevels	1

Misc

Private




Output

Ancestor The results ...

Outline

- Main
  - Flowchart
    - Get ancestor

100%



Activities Main\* X

mouse X

- ▶ Favorites
- ▲ Available
  - ▲ UI Automation
    - ▲ Element
      - ▲ Mouse
        - Click**
        - Double Click
        - Hover

Main > Main

Main

Start

Click

Double-click to view

This screenshot shows the 'Activities' palette on the left with the 'Click' activity selected. The main workspace on the right displays a flowchart diagram with a 'Start' node (a green play button) connected to a 'Click' activity node (a yellow box with a mouse cursor icon). The 'Click' node contains the text 'Double-click to view'.

Activities Main\* X

mouse X

- ▶ Favorites
- ▲ Available
  - ▲ UI Automation
    - ▲ Element
      - ▲ Mouse
        - Click
        - Double Click
        - Hover**

Main > Main

Main

Start

Hover

Double-click to view

This screenshot shows the 'Activities' palette on the left with the 'Hover' activity selected, indicated by a black arrow. The main workspace on the right displays a flowchart diagram with a 'Start' node (a green play button) connected to a 'Hover' activity node (a yellow box with a mouse cursor icon). The 'Hover' node contains the text 'Double-click to view'.



**Send hotkey**

Indicate on screen

Alt  Ctrl  Shift  Win  Key



**Type into**

Indicate on screen

*Text must be quoted* +

The screenshot shows a software interface with a 'Wizards' pane on the left. The 'Type' wizard is expanded to 'Keyboard' > 'Type Secure Text'. An 'Expression Editor' dialog box is open, showing 'SecureText (SecureString)' and 'Variable1'. Below the dialog, the 'Type secure text' wizard step is visible, and a table at the bottom lists the variable configuration.

Name	Variable type	Scope	Default
Variable1	SecureString	Main	Enter a VB



**Monitor events**

Click trigger 'list item'

Google Search

Event handler

Message box

"hello"

The screenshot shows a 'Monitor events' window with a yellow header. It contains two main sections. The top section, titled 'Click trigger 'list item'', shows a visual representation of a search button labeled 'Google Search' with a red trigger icon in the top-left corner. The bottom section, titled 'Event handler', contains a 'Message box' component with a red trigger icon and a text input field containing the string 'hello'.

**Monitor events**

Key press trigger '\_WwG'

Alt Ctrl Shift Win Key

enter

Event handler

Message box

"hello"

The screenshot shows a 'Monitor events' window with a yellow header. It contains two main sections. The top section, titled 'Key press trigger '\_WwG'', shows a visual representation of a search button with a blue trigger icon in the top-left corner. Below the button are four checkboxes labeled 'Alt', 'Ctrl', 'Shift', and 'Win', all of which are currently unchecked. To the right of these checkboxes is a 'Key' dropdown menu with 'enter' selected. The bottom section, titled 'Event handler', contains a 'Message box' component with a red trigger icon and a text input field containing the string 'hello'.

Monitor events


System trigger

Sequence

Event handler

Message box

"hello"






Recording Sequence

Type into 'editable text'

"Basic Recording"

Click 'push button Close'





1-16 of over 2,00,00,000 results for "books"


Show results for

- Books**
  - Personal Development & Self-Help
  - Contemporary Fiction
  - Indian Writing
  - Biographies & Autobiographies
  - Business, Strategy & Management
  - See more
- Kindle Store**
  - Biographies & Autobiographies
  - Business, Strategy & Management
  - Crime, Thriller & Mystery
  - Personal Development & Self-Help
  - Short Stories
  - Contemporary Romance
  - See All 32 Departments



Children's Bookshelf

Explore monthly recommendations for children | Handpicked



Sponsored  
**Dharmayodha Kalki: Avatar of Vishnu (Book 1)** 15 October  
 by Kevin Missal  
 ₹175 ₹250  
 You Save: ₹75 (30%)  
 prime FREE Delivery  
 Get it by **Tomorrow, Mar 17**

★★★★☆ 131



Sponsored  
**Smokes And Whiskey (Book)** 2018  
 by Tejaswini Divya Naik  
 ₹175

★★★★☆ 69

**Extract Wizard** ✕

**Preview Data**

Column1
General Knowledge 2018
This Is Not Your Story
The Power of your Subconscious Mind
Think and Grow Rich
The Monk Who Sold His Ferrari
I Do What I Do
Three Thousand Stitches: Ordinary People, Extraordinary Lives
The Alchemist
A Wasted Hour
The Boy with a Broken Heart
The Theory of Everything
General Knowledge for All (English)
Wings of Fire: An Autobiography of Abdul Kalam
As a Man Thinketh
[Sponsored]Discover India - A Travel Map

Maximum number of results (0 for all)

Scrape Result Preview

AUTOMATIC method failed to scrape this UI Element

Indicate Another  or  to Scrape.

Scraping Method



Scrape Result Preview

NATIVE method failed to scrape this UI Element

Indicate Another  or  to Scrape.

Scraping Method

Scrape Options

No Formatting

Get Words Info



Scrape Result Preview

The Most Powerful Enterprise  
RP'A Platform . - \_

Indicate Another  or  to Scrape.

Scraping Method

Scrape Options

OCR Engine

Languages


Characters

Scale

Invert

Get Words Info





**Ui** Manage Packages

Installed

All

Available

Update

Filter Activities

Auto Update

Include Prerelease

uipath.core

**Ui** **UiPath.Core.Activities** Uninstall

UI Automation Activities

1

**Created by:** UiPath

**Version:** 17.1.6522.14190



**Installed:** 11/18/2017

**Project:** [View Project Information](#)


**Description:**  
UI Automation Activities



Showing installed packages







## Chapter 6: Tame that Application with Plugins and Extensions








# Google

Google Search

I'm Feeling Lucky

Google offered in: [हिन्दी](#) [বাংলা](#) [తెలుగు](#) [मराठी](#) [தமிழ்](#) [ગુજરાતી](#) [ಕನ್ನಡ](#) [മലയാളം](#)




# Google

Google off

I'm Feeling Lucky

[गुजराती](#) [ಕನ್ನಡ](#) [മലയാളം](#) [ਪੰਜਾਬੀ](#)





Rpa Development

Google Search I'm Feeling Lucky

Google offered in: हिन्दी বাংলা ਪੰਜਾਬੀ മലയാളം

Set mouse position  Or indicate a point on the screen

The screenshot shows the RPA software interface with a 'Recording Sequence' window. The sequence includes an 'Attach Browser' step for 'Google Page' and two 'Do' steps. Each 'Do' step contains a 'Type into' action targeting the search input field, with the text 'Rpa Development' entered. The interface also shows a 'Main' window with a search bar containing 'Rpa Development' and a 'Recording Sequence' window with a tree view of the automation steps.

Ui Manage Packages ×

Installed

All

Available

Update

Filter Activities

Auto Update

Include Prerelease

mail

**Ui** **UiPath.Mail.Activities** Uninstall

Retrieve and send mail using POP3, IMAP, SMTP and Exchange protocols

1

**Created by:** UiPath

**Version:** 1.1.6479.13205


**Installed:** 10/10/2017

**Project:** [View Project Information](#)

**Description:**  
Retrieve and send mail using POP3, IMAP, SMTP and Exchange protocols

**Dependencies:**  
Microsoft.Exchange.WebServices (≥ 2.2.0)  
MailKit (≥ 1.2.7)

Showing installed packages





UiPath Manage Packages

Installed

- All
- Available
- Update

Filter Activities  
 Auto Update  
 Include Prerelease

pdf

UiPath.PDF.Activities  
PDF/XPS Activities Pack

Uninstall

Created by: UiPath  
Version: 1.0.6479.13204  
Installed: 10/10/2017  
Project: [View Project Information](#)  
Description: PDF/XPS Activities Pack

1



Showing installed packages




Activities

Library Project



pdf


- ▶ Favorites
- ▲ Available
  - ▲ App Integration
    - ▲ PDF
      - Read PDF Text
      - Read PDF With OCR
    - ▲ Word
      - Export to PDF





## Chapter 7: Handling User Events and Assistant Bots





- System Trigger
  - Hotkey Trigger
  - Mouse Trigger
  - System Trigger**

Hotkey trigger

Alt	Ctrl	Shift	Win	Key
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>

Mouse trigger

Alt	Ctrl	Shift	Win	Mouse Button
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BTN_LEFT

- BTN\_LEFT
- BTN\_RIGHT
- BTN\_MIDDLE

Properties

UiPath.Core.Activities.SystemTrigger

**Common**

DisplayName System trigger

**Input**

TriggerInput Keyboard, Mouse

**Misc**

Private

**Options**

EventMode EVENT\_FORWARD

Available

User Events

Element Trigger

 Click Trigger



 Key Press Trigger

Image Trigger

 Click Image Trigger

Click trigger

Indicate element on screen

Key press trigger

Indicate element on screen

Alt	Ctrl	Shift	Win	Key
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>

Open browser

"www.gmail.com"

Do

Drop activity here

Open browser

"www.gmail.com"

Do

Input dialog

Title. Text must be quoted

"Username?"

Input dialog

Title. Text must be quoted

"password?"

Properties ..... ▾

UiPath.Core.Activities.InputDialog

DisplayName	Input dialog
<b>Input</b>	
IsPassword	<input type="checkbox"/>
Label	"Username?" ...
Options	An array of c ...
Title	The title of th ...
<b>Misc</b>	
Private	<input type="checkbox"/>
<b>Output</b>	
Result	user ...

T Type into 'INPUT identifierd' ^

user +

Detailed description: This screenshot shows the 'Type into' activity configuration. The title bar reads 'T Type into 'INPUT identifierd' ^'. The main area contains a text input field with a red border and the text 'Email or phone'. Below the field is a dropdown menu showing 'user' and a '+' button. A menu icon is visible on the right side of the field.

Send hotkey ^

Indicate element inside browser

Alt	Ctrl	Shift	Win	Key
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	enter ▾

Detailed description: This screenshot shows the 'Send hotkey' activity configuration. The title bar reads 'Send hotkey ^'. Below the title bar is a link 'Indicate element inside browser' and a menu icon. A table of checkboxes for modifier keys (Alt, Ctrl, Shift, Win) and a 'Key' dropdown menu are present. The 'Key' dropdown is currently set to 'enter'.

T Type into INPUT ^

pass +

Detailed description: This screenshot shows the 'Type into' activity configuration. The title bar reads 'T Type into INPUT ^'. The main area contains a text input field with a red border and the text 'Enter your password'. Below the field is a dropdown menu showing 'pass' and a '+' button. A menu icon is visible on the right side of the field.




Send hotkey ^

Indicate element inside browser

Alt	Ctrl	Shift	Win	Key
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Detailed description: This screenshot shows the 'Send hotkey' activity configuration. The title bar reads 'Send hotkey ^'. Below the title bar is a link 'Indicate element inside browser' and a menu icon. A table of checkboxes for modifier keys (Alt, Ctrl, Shift, Win) and a 'Key' dropdown menu are present. The 'Key' dropdown is currently empty.





Properties ⌵ 🔍

UiPath.Core.Activities.InputDialog

DisplayName	Input dialog	<span>⬆</span>
<b>Input</b>		
IsPassword	<input type="checkbox"/>	
Label	"Email ID?"	<span>⋮</span>
Options	An array of c	<span>⋮</span>
Title	The title of th	<span>⋮</span>
<b>Misc</b>		
Private	<input type="checkbox"/>	
<b>Output</b>		
Result	name	<span>⋮</span>

**Input dialog**

*Title. Text must be quoted*

"Subject?"

Properties ⌵ 🔍

UiPath.Core.Activities.InputDialog

DisplayName	Input dialog	
<b>Input</b>		
IsPassword	<input type="checkbox"/>	
Label	"Subject?"	<span>⋮</span>
Options	An array of c	<span>⋮</span>
Title	The title of th	<span>⋮</span>
<b>Misc</b>		
Private	<input type="checkbox"/>	
<b>Output</b>		
Result	subject	<span>⋮</span>

**Input dialog**

*Title. Text must be quoted*

"Message"

UiPath.Core.Activities.InputDialog	
DisplayName	Input dialog
<b>Input</b>	
IsPassword	<input type="checkbox"/>
Label	"Message" ...
Options	An array of c ...
Title	The title of th ...
<b>Misc</b>	
Private	<input type="checkbox"/>
<b>Output</b>	
Result	message ...

Activities

Library Project

type into

- ▶ Favorites
- ▲ Available
  - ▲ UI Automation
    - ▲ Element
      - ▲ Keyboard
        - T Type Into


T Type into 'TEXTAREA :mu'

Symbiosis UI New message

Hi Friends, H To

name +

**T** Type into 'INPUT :md'




et, programmin Subject

subject +

This screenshot shows a web form with a text input field containing the word "Subject". A red rectangular box highlights the text "Subject" within the input field. Below the form, there is a search or filter bar containing the text "subject" and a plus sign icon.


**T** Type into 'DIV :ne'



message +

This screenshot shows a web form with a large, empty text area. To the left of the text area, there is a list of items, including "reference for De", "MOCHA Actor", "For your rese", and "er Trouwe Eng". Below the form, there is a search or filter bar containing the text "message" and a plus sign icon.

**Click** 'DIV :m3'



tion | Free Shi Send

This screenshot shows a web form with a "Send" button highlighted in a blue box. The button is located next to a text input field containing the text "tion | Free Shi". To the right of the "Send" button, there are icons for text formatting (underline) and a paperclip icon. Below the form, there is a search or filter bar containing the text "Send" and a plus sign icon.

**Message box**

"message is sent"

This screenshot shows a message box with the text "message is sent". The message box is a simple rectangular box with a light gray border and a small icon in the top left corner.



**Monitor events**



Drop trigger activity here

Event handler

Drop activity here

This screenshot shows a "Monitor events" panel. At the top, there is a dropdown arrow and the text "Drop trigger activity here". Below this, there is an "Event handler" box. The "Event handler" box has a dropdown arrow and the text "Drop activity here" inside it.





Excel application scope  
"C:\Users\HP\Documents\Book1.xlsx"

Do

Append Range

"Sheet1"

movie

Properties

UiPath.Core.Activities.HotkeyTrigger

Common	
DisplayName	Hotkey trigger
Input	
Key	enter
Misc	
Private	<input type="checkbox"/>
Options	
EventMode	EVENT_BLOCK
KeyModifiers	None
UseWindowsHotKey	<input type="checkbox"/>

Monitor events

▼

*Drop trigger activity here*

Event handler

▼

*Drop activity here*

Monitor events

Hotkey trigger

▼

Alt	Ctrl	Shift	Win	Key
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	w




▼

Event handler


▼

*Drop activity here*





## Chapter 8: Exception Handling, Debugging, and Logging



Main > Flowchart > Try catch

Expand All Collapse All

Try catch

Try

Drop activity here



Catches


Add new catch

Finally *Add an activity*

Variables Arguments Imports

100%



 Try catch


---

**Try** *Sequence*

---

**Catches**

Exception


 Message box ⤴

---

*Add new catch*

---

**Finally** *Add an activity*

 Try catch

---

**Try** *Sequence*

---


**Catches**


Exception *Message box*

*Add new catch*

---

**Finally**



 Message box ⤴





Name	Variable type	Scope	Default
UserName	String	Flowchart	
Create Variable			



Variables Arguments Imports



100%











name → Name\*

Email → Email\*

Do you want to report an incident or submit a Service Request?

Incidents may refer to an error or malfunction of a UiPath component, leading to an unplanned interruption or degradation of a service. Service requests may refer to a request for information or advice, software activation and licensing.\*


- Please Select -

- Please select an option from the dropdown.

Attachment

Please add an archive with the relevant workflows, logs, error message screenshot etc.

Choose File No file chosen

I'm not a robot 

**Ui** Sign Up Log In 🔍 ☰

---

Orchestrator CE

A new beast is out... **Orchestrator CE** - <https://platform.upath.com>.

CE users will have their own free Orchestrator and two free CE robots can be connected to it. As is, without guarantee 😊

- Docs [here](#)
- Release Notes [here](#)
- Academy Training for 2016.2 is out in preview

**Docs**




Orchestrator - <https://orchestrator.upath.com>

Studio - <https://studio.upath.com>



Robot - <https://robot.upath.com>



Activities - <https://activities.upath.com>

all categories Categories Latest Top


Category	Topics	Latest
<b>Learn</b> Academy Docs RPA Challenge FAQ & Troubleshooting	8 / week	 <b>How to ask a good question?</b> Others forum faq 3 44m
<b>RPA Dev</b> Rockies How To Issues Apps 484	133 / week	 <b>UiPath Training Materials</b> Docs 49 6d
<b>Orchestrator</b> <a href="https://platform.upath.com">https://platform.upath.com</a>	12 / week	 <b>Json String limit exceeds</b> How To json string 3 4m


# Chapter 9: Managing and Maintaining the Code





General Business Process





**Try catch**

Type: TryCatch  
Name: Try catch

try

**Write line**

Text

---

**Catches**


Exception [Add an activity](#)

*Add new catch*

---

**Finally** [Add an activity](#)

Flowchart









The screenshot shows a software development environment with two main panes:



- Activities Pane (Left):** A tree view showing various activity categories. A blue arrow points to the "Invoke Workflow File" activity under the "Workflow" > "Invoke" sub-category.
- Main Workspace (Right):** Displays the configuration for the "Invoke workflow file" activity. It includes a text field for the workflow path with the placeholder text "Workflow path. Text must be quoted." and two buttons: "Edit Arguments" and "Import Arguments". Below the workspace, there are tabs for "Variables", "Arguments", and "Imports".

Two blue arrows point from boxes labeled "Edit arguments" and "Workflow path" to the "Edit Arguments" and "Import Arguments" buttons, respectively, indicating the source of the configuration data.









State1

Entry

InputDialog

Title. Text must be quoted


Label. Text must be quoted



Exit





Drop activity here

Transition(s)



No transition configured for this state







Name	Date modified	Type	Size
 Initialization	11/14/2017 1:28 PM	XAML File	5 KB
 Main	11/14/2017 1:28 PM	XAML File	36 KB
 project	11/14/2017 1:28 PM	JSON File	1 KB
 Transaction	11/14/2017 1:28 PM	XAML File	9 KB

```
{
  "name": "a",
  "description": "Transactional Business Process Project",
  "main": "Main.xaml",
  "dependencies": {},
  "excludedData": [
    "Private:*",
    "*password*"
  ],
  "toolVersion": "17.1.6522.14204",
  "projectVersion": "1.0.6527.24239",
  "packOptions": {},
  "runtimeOptions": {}
}
```








Activities



Library Project

credential

- ▶ Favorites
- ▲ Available
  - ▲ Orchestrator
    - ▲ Assets
      - 🔒 Get Credential
      - 🔒 Set Credential
    - ▲ System
      - ▲ Credentials
        - 🗑️ Add Credential
        - 🗑️ Delete Credential
        - 🗑️ Get Secure Credential
        - 🗑️ Request Credential



## Chapter 10: Deploying and Maintaining the Bot



### Upload Package

Select or drop files BROWSE

---

*\* Please note that it may take a few minutes before your upload is propagated*

CANCEL     UPLOAD

```

project - Notepad
File Edit Format View Help
{
  "name": "13",
  "description": "Blank Project",
  "main": "Main.xaml",
  "dependencies": {
    "UiPath.Core.Activities": "17.1.6522.14190"
  },
  "excludedData": [
    "Private:*",
    "*password*"
  ],
  "toolVersion": "17.1.6522.14204",
  "projectVersion": "1.0.6528.35408",
  "packOptions": {},
  "runtimeOptions": {}
}


```

Queues ss1/admin

🔍
+

	NAME	DESCRIPTION	IN PROGRESS	REMAINING	AVERAGE TIME	SUCCESSFUL	APP EXCEPTIONS	BIZ EXCEPTIONS
<input type="checkbox"/>	second	task2	0	0	0 s	0	0	0
<input type="checkbox"/>	First1	task1	0	0	0 s	0	0	0

Items: 10
Page 1/1
2 items




Assets ss1/admin

+

<input type="checkbox"/>	NAME ^	TYPE ▾	VALUE
<input type="checkbox"/>	aps	Bool	False
<input type="checkbox"/>	cond	Bool	False
<input type="checkbox"/>	str	Credential	username: krishna.dev@rpatech.in

Items: 10 ▾ Page 1/1 3 items



Processes Packages ss1/admin

Q

NAME	VERSION	ENVIRONMENT	DESCRIPTION
td2	1.0.6548.27322	enm	

Items: 10 Page 1/1 1 item

Manage versions for td2\_enm

LATEST ROLLBACK

VERSION	PUBLISHED	USED	
1.0.6548.27322 Current	2 hours ago	2 hours ago	↻
1.0.6548.27288	2 hours ago		
1.0.6548.27218	2 hours ago		

Items: 10 Page 1/1 3 items

CANCEL

### Deploy Process

Package Name

No process selected.

0-00-000-0000-aUITest

0-00-000-0000-atul

0-00000edureka

00000000000000-SAPPO

enm

---

Description

---

CANCEL   CREATE

Robots   Environments admin

Search: doc

NAME	MACHINE	TYPE	ENVIRONMENTS	HEARTBEAT	STATUS
Documentation 2	DESKTOP-E47LTUF	Free	doc_env,PWC Norway group	a few seconds ago	Available
Documentation	MBOBOC	Free	a_mrk_env,doc_env	a few seconds ago	Disconnected
Documentation 1	DESKTOP-E47LTUF	Free	a_mrk_env,doc_env,Walmart,PWC N...	a few seconds ago	Busy

Items: 10   Page 1/1   3 items



UiPath Robots Environments U0 admin

ROBOTS PROCESSES JOBS SCHEDULES ASSETS QUEUES

NAME	MACHINE	TYPE	ENVIRONMENTS	HEARTBEAT	STATUS
WIN7-EN-X64	WIN7-EN-X64	NonProduction	ENV_WIN7-EN-X64	a month ago	Available
COSVM3	COSMIN-WIN10	NonProduction	_GROUP_1	in a few seconds	Available
Documentation 1	DESKTOP-E47LTUF	NonProduction	a_mrk_env,doc_env,docume...	a few seconds ago	Available
Documentation 2	DESKTOP-E47LTUF	NonProduction	doc_env,documentation_env	a few seconds ago	Available
Documentation	MB0B0C	NonProduction	a_mrk_env,doc_env,docume...	a few seconds ago	Available

Robots Environments ss1/admin

NAME	MACHINE	TYPE	ENVIRONMENTS	HEARTBEAT	STATUS
rbt	KD-PC	NonProduction	enm	a few seconds ago	Available

Items: 10 Page 1/1 1 item

CONFIGURATION

RUNTIME

Key \*

1a354725-847d-4e8b-92c3-898574f0f9ee



Machine \*



Name \*

Domain\Username \*

Password



Type

NonProduction



Description

Create another

CANCEL

PROVISION

System tray area containing icons for network, Bluetooth, Wi-Fi, and volume, along with the time 12:52 PM and date 12/6/2017.

UiPath Robot Settings - 2017.1.6522

Orchestrator Configuration

Machine Name: KD-PC

Robot Key: 98a2d4e1-8a16-47ef-b6bf-e7b761bb81e0

Orchestrator URL: <https://platform.uipath.com>

Connect Disconnect


Robot Logging

Level: Information

Status: Connected

Close







Info

 Project published successfully to <https://www.myget.org/F/orchestrator/>


Package Name: td2  
Package Version: 1.0.6549.23598

Press Ctrl + C to copy the information.

OK

-  ROBOTS
-  PROCESSES
-  JOBS
-  SCHEDULES
-  ASSETS
-  QUEUES



<input type="checkbox"/>	NAME ^	TYPE ▾	DESCRIPTION	
No data to show				
Items: 10 ▾			0 items	

### Create Environment

Name \*

---

Type

Dev



Description

---

CANCEL

CREATE


## Manage DevTest Environment



<input type="checkbox"/>	NAME	TYPE	DESCRIPTION	
No data to show				
Items: 10			0 items	

CANCEL

UPDATE



## Deploy Process

Package Name

No process selected.



Package Version

No version selected.



Environment

DevTest



Description

CANCEL

CREATE

## Start Job

Process

Select a process



ROBOT



MACHINE



STATUS



No data to show

Items: 10



0 items

CANCEL

START

General License Deployment Mail Security



Not licensed 

Attended robots: 0 of 0

Unattended robots: 0 of 0

NonProduction robots: 1 of 2

Search

NAME ^	DESCRIPTION	PUBLISHED	 
Zeo_Demo	Blank Project	a month ago	
Zero_hours	Blank Project	6 months ago	
Zions_demo	Zions Bank demo	a month ago	
ZohoBooks	Blank Project	4 days ago	

## Manage versions for td2\_enm

LATEST

ROLLBACK

VERSION	PUBLISHED	USED	
1.0.6549.23598	3 hours ago		
1.0.6549.23513	3 hours ago		
1.0.6548.27322 Current	a day ago	a day ago	

Items: 10 ▾    ⏪ <    Page 1/1    > ⏩    3 items

CANCEL

## Upload Package

Select or drop files

 BROWSE

*\* Please note that it may take a few minutes before your upload is propagated*


CANCEL

UPLOAD



## Package td2 Versions

REMOVE ALL INACTIVE

<input type="checkbox"/>	STATUS	VERSION	PUBLISHED	
<input type="checkbox"/>	Inactive	1.0.6549.23598	3 hours ago	
<input type="checkbox"/>	Inactive	1.0.6549.23513	3 hours ago	
<input type="checkbox"/>	Active	1.0.6548.27322	a day ago	

Items: 10 ▾    |<< <    Page 1/1    > >>    3 items

CLOSE