


Chapter 1: Introduction to the MERN Stack





Chapter 2: Building a Web server with ExpressJS


```
▼ Response Headers    view source
Connection: keep-alive
Content-Encoding: gzip
Content-Type: text/html; charset=utf-8
```

- ❗ Failed to set referrer policy: The value 'same-origin' [localhost/:1](#) is not one of 'no-referrer', 'no-referrer-when-downgrade', 'origin', 'origin-when-cross-origin', or 'unsafe-url'. The referrer policy has been left unchanged.
- ❗ Refused to load the image '<http://evil.com/pic.jpg>' [localhost/:9](#) because it violates the following Content Security Policy directive: "default-src 'none'". Note that 'img-src' was not explicitly set, so 'default-src' is used as a fallback.
- ❗ Refused to execute inline script because it violates the [localhost/:9](#) following Content Security Policy directive: "script-src 'nonce-MC41NTY3NjI2ODI5NzQxNzUy'". Either the 'unsafe-inline' keyword, a hash ('sha256-rFKp17X6XMQNDA0G7t/e42CiZX1fKuJxRotykwjTsEc='), or a nonce ('nonce-...') is required to enable inline execution.
- ❗ Refused to load the script '<http://evil.com/evilstuff.js>' [localhost/:1](#) because it violates the following Content Security Policy directive: "script-src 'nonce-MC41NTY3NjI2ODI5NzQxNzUy'".

Chapter 5: Managing State with Redux







Chapter 6: Building Web Applications with React

1. Study for Chinese exam
2. Take a shower
3. Finish chapter 6