



# Chapter 1: Getting Started with Vue





 **Vue.js devtools** 2.2.0  Enabled 


Chrome devtools extension for debugging Vue.js applications.

[Details](#)


Allow in incognito  Allow access to file URLs

Elements Console **Vue** Sources Network Timeline Profiles Application >> ⋮ ✕

 Instance selected: Root  Components  Vuex  Refresh

 Filter components

**<Root>** == \$vm0

**<Root>**  Inspect DOM


```
message: "Hello Vue.js!"
```


Vue is awesome!


Vue is awesome!



The screenshot shows the Vue DevTools interface. At the top, the browser window displays the text "Vue is awesome!". Below the browser, the DevTools toolbar includes tabs for Elements, Console, **Vue**, Sources, Network, Timeline, Profiles, and Application. The Vue tab is active, showing a sub-panel for "Instance selected: MyApp". The "Components" sub-panel is selected, displaying a search bar labeled "Filter components". Below the search bar, a component tree shows the selected component: `<MyApp> == $vm0`. To the right of this component, there is an "Inspect DOM" button. The component's data is displayed in a separate pane, showing `message: "Vue is awesome!"`.



# Chapter 2: Project 1 - Markdown Notebook
























Friends birthdays	<b>**Hi!**</b> This notebook is using [markdown] ( <a href="https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet">https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet</a> ) for formatting!
Cookie recipes	
Test note	
What does 42 mean?	
On Vue.js	
Things I need to learn	
Created 27/12/16, 00:11	

Friends birthdays	<b>**Hi!**</b> This notebook is using [markdown] ( <a href="https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet">https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet</a> ) for formatting!
Cookie recipes	
Test note	
What does 42 mean?	
On Vue.js	
Things I need to learn	
Created 27/12/16, 00:11 Lines 1 Words 8 Characters 123	

# Chapter 3: Project 2 - Castle Duel Browser Game



Anne of Cleves Turn 5 William the Bald

10 7 7 10

<p><b>Chapel</b></p> <p>Do nothing</p> <p><i>Pray in the chapel, and hope someone will listen.</i></p>	<p><b>Granary</b></p> <p>Gather 2 Food <sup>#</sup></p>	<p><b>Quick Repair</b></p> <p>Spend 3 Food <sup>#</sup> Repair 3 Damage <sup>..</sup></p> <p><i>This is not without consequences on the moral and energy!</i></p>	<p><b>Farm</b></p> <p>Gather 5 Food <sup>#</sup> Skip your next turn</p> <p><i>«One should be patient to grow crops.»</i></p>	<p><b>Trebuchet</b></p> <p>Spend 3 Food <sup>#</sup> Take 1 Damage <sup>..</sup> Deal 4 Damage <sup>..</sup></p> <p><i>«The finest machine Man ever created!»</i></p>
--	---	---	---	---




Anne of Cleves Turn 6 William the Bald



7 10 7 10

**William the Bald,  
your turn has come!**

Tap to continue









**Title**

---

**Description**

*Note/Flavor text*


**Archers**

---

**Spend 3 Food <sup>⚔</sup>**  
**Deal 3 Damage <sup>🛡️</sup>**

*«Ready your bows! Nock!  
Mark! Draw! Loose!»*

<p><b>Knighthood</b></p> <hr/> <p><b>Spend 7 Food <sup>⚔</sup></b> <b>Deal 5 Damage <sup>🛡️</sup></b></p> <p><i>Knights may be even more expansive than their mount.</i></p>	<p><b>Granary</b></p> <hr/> <p><b>Gather 2 Food <sup>⚔</sup></b></p>	<p><b>Quick Repair</b></p> <hr/> <p><b>Spend 3 Food <sup>⚔</sup></b> <b>Repair 3 Damage <sup>🛡️</sup></b></p> <p><i>This is not without consequences on the moral and energy!</i></p>	<p><b>Pikemen</b></p> <hr/> <p><b>Spend 1 Food <sup>⚔</sup></b> <b>Deal 1 Damage <sup>🛡️</sup></b></p> <p><i>Send your disposable men to a certain death.</i></p>	<p><b>Repair</b></p> <hr/> <p><b>Repair 5 Damage <sup>🛡️</sup></b> <b>Skip your next turn</b></p>
--	--	---	---	---





Ready. Detected Vue 2.2.1. Components Vuex Events Refresh

Filter events Clear Recording

<code>card-play</code> \$emit by <Hand>	02:55:31
<code>play</code> \$emit by <Card>	02:55:31


```

name: "play"
type: "$emit"
source: "<Card>"
payload: Array[0]
  
```




**Turn 1**

### Anne of Cleves




<b>Quick Repair</b> <hr style="border: 0; border-top: 1px solid white; margin: 5px 0;"/> Spend 3 Food 🍷 Repair 3 Damage 🛡️ <i>This is not without consequences on the moral and energy!</i>	<b>Poison</b> <hr style="border: 0; border-top: 1px solid white; margin: 5px 0;"/> Spend 1 Food 🍷 Your opponent lose 3 Food 🍷 <i>Send someone you trust poison the enemy granary.</i>	<b>Chapel</b> <hr style="border: 0; border-top: 1px solid white; margin: 5px 0;"/> Do nothing <i>Pray in the chapel, and hope someone will listen.</i>
--	--	--

### William the Bald




<b>Catapult</b> <hr style="border: 0; border-top: 1px solid white; margin: 5px 0;"/> Spend 2 Food 🍷 Deal 2 Damage 🗡️	<b>Repair</b> <hr style="border: 0; border-top: 1px solid white; margin: 5px 0;"/> Repair 5 Damage 🛡️ Skip your next turn
--	---






10
10



# Chapter 4: Project 3 - Support Center





## Frequently

### Frequently Asked Questions


#### Why won't my discount code work?

Inventore iste reprehenderit aut reiciendis repellendus. Quas cumque aliquam accusantium et itaque quisquam voluptatem. Commodi quo quia occaecati dicta ratione qui at tempore. At saepe est et saepe accusamus voluptates.

#### How do i return an item?

Voluptate cupiditate officia quia accusantium. Fugiat ut praesentium quia ut et labore reiciendis fugit. Voluptas eos maiores itaque aut. Sequi harum dolor neque sunt rerum iste ducimus. Quas sapiente cumque voluptatem repudiandae ipsum. Natus quis aut aut fugiat. Nisi non sed reprehenderit mollitia commodi et qui error. Velit autem omnis et repellendus facere libero praesentium. Sit aut possimus eligendi consectetur beatae. Iste et officia delectus modi ratione inventore enim voluptatem.

### Frequently Asked Questions

 Can't load the questions



## Frequently Asked Questions

-----



```
▼ <Root>
  ▼ <AppLayout>
    ▶ <NavMenu>
    <FAQ> == $vm0 router-view: /faq
```

data

- ▶ \$route: Object
- ▶ questions: Array[5]
- remoteDataLoading: 0

data

- ▶ \$route: Object
- ▶ questionList: Array[5]

- ▼ questionList: Array[5]
  - ▶ 0: Object
  - ▶ 1: Object
  - ▶ 2: Object
  - ▶ 3: Object
  - ▶ 4: Object

## Please login to continue

-----


Username


The image shows a web browser's developer tools interface. At the top, a light blue rectangular area contains the text "Foo" with a red underline. Below this, the developer tools are open to the "Vue" tab. The status bar indicates "Ready. Detected Vue 2.3.3." and a "Components" icon is visible. The component inspector shows a tree view on the left with the following structure:

- ▼ <AppLayout>
  - ▶ <NavMenu>
  - ▼ <Login> == \$vme router-view: /login
    - <FormInput>

The <Login> component is highlighted in green. On the right side of the component inspector, the "data" property is expanded, showing:

- ▶ \$route: Object
  - username: "Foo"





Ready. Detected Vue 2.4.1. Components Vuex

Filter components

- ▼ <Root>
  - ▼ <AppLayout>
    - ▶ <NavMenu>
    - ▶ <TicketsLayout> == \$vme router-view: /tickets

<TicketsLayout> Inspect DOM

```

data
  ▼ $route: Object
    fullPath: "/tickets/"
  ▼ meta: Object
    private: true
    name: "tickets"
  ▶ params: Object (empty)
    path: "/tickets/"
  ▶ query: Object (empty)

```

to tickets
to login

```

data
  ▼ $route: Object
    fullPath: "/login"
  ▶ meta: Object
    name: "login"
  ▼ params: Object
    wantedRoute: "/tickets"
    path: "/login"
  ▶ query: Object (empty)

```

## Your Support tickets

-----

Welcome new
07/17/2017



Elements Console Vue Sources Network Performance Memory Application Security Audits 4

top Filter Info

to tickets	<a href="#">router.js?707b:34</a>
to faq	<a href="#">router.js?707b:34</a>
to tickets	<a href="#">router.js?707b:34</a>
✖ GET <a href="http://localhost:3000/tickets">http://localhost:3000/tickets</a> 403 (Forbidden)	<a href="#">tickets:1</a>
✖ ▶ Error: Unauthorized	<a href="#">RemoteData.js?487b:37</a>

The image shows a web browser window with the address bar displaying `localhost:4000/tickets/new`. The page content features the text `New ticket` in a blue font, underlined with a dashed line. Below the browser window is the Vue DevTools interface. The top bar indicates 'Ready. Detected Vue 2.4.1.' and includes tabs for 'Components', 'Vuex', 'Events', and 'Refresh'. The 'Components' tab is active, showing a component tree on the left and a component inspector on the right. The component tree shows a hierarchy starting from `<Root>` down to `<NewTicket>`, which is highlighted in green. The component inspector shows the `data` property of the selected component, with a value of `$route: Object`.

Vue App

localhost:4000/tickets/new

# New ticket

Elements Console **Vue** Sources Network Performance Memory Application Security Audits

Ready. Detected Vue 2.4.1. Components Vuex Events Refresh

Filter components

- <Root>
  - <AppLayout>
    - <NavMenu>
    - <TicketsLayout> router-view: /tickets
      - <RouterLink>
      - <NewTicket> == \$vm9 router-view: /tickets/new**

<NewTicket> Inspect DOM Filter inspected data

data

- \$route: Object

## New ticket

Form fields:

- Text input: Foo
- Text area: Bar

Buttons:

- Go back
- Send ticket

---

Browser DevTools - Application Panel:

Key	Value
NewTicket.description	"Bar"
NewTicket.title	"Foo"



Waf new

05/28/2017

Meow new

05/28/2017

Test new

05/28/2017

## Ticket

Created on 05/28/2017

Author abc

Status new

### Waf

Voluptas dolor accusamus nesciunt tenetur tempora repudiandae. Doloribus ea ut consequuntur aut est. Dignissimos neque expedita et et. Cumque sapiente cupiditate modi nam atque pariatur consequatur. In magnam velit dolores. Repellat culpa dignissimos ad quo libero dolorum minima. Quos veniam et natus

The image shows a web browser window displaying a ticket page and the Vue DevTools component inspector. The browser window has a single tab titled "Vue App" and the address bar shows "localhost:4000/tickets/MGPvjSHdaqN7LiKZ". The page content includes two buttons: "See all tickets" and "New ticket". Below the buttons is a "Ticket" section with the following details: "Created on 05/28/2017", "Author abc", and "Status new". A light blue box labeled "Waf" contains the text "Voluptas dolor accusamus nesciunt tenetur tempora repudiandae. Doloribus ea ut consequuntur aut est." The Vue DevTools component inspector is open, showing the component tree on the left and the component props and data on the right. The component tree shows a hierarchy: <AppLayout> -> <NavMenu> -> <TicketsLayout> -> <Ticket>. The selected component is <Ticket>, and its props are: \$route: Object, id: "MGPvjSHdaqN7LiKZ", remoteDataLoading: 0, remoteErrors: Object, ticket: null, and ticket: Object. The component's data is: hasRemoteErrors: false and remoteDataBusy: false.

Vue App

localhost:4000/tickets/MGPvjSHdaqN7LiKZ

See all tickets New ticket

### Ticket

Created on 05/28/2017

Author abc

Status new

Waf

Voluptas dolor accusamus nesciunt tenetur tempora repudiandae. Doloribus ea ut consequuntur aut est.

Elements Console Vue Sources Network Performance Memory Application Security Audits

Ready. Detected Vue 2.4.1.

Components Vuex Events Refresh

Filter components

- <AppLayout>
  - <NavMenu>
  - <TicketsLayout> router-view: /tickets
    - <RouterLink>
    - <RouterLink>
    - <Ticket> == \$vm9 router-view: /tickets/:id

<Ticket>

Inspect DOM Filter inspected data

data props

- \$route: Object id: "MGPvjSHdaqN7LiKZ"
- remoteDataLoading: 0
- remoteErrors: Object
  - ticket: null
- ticket: Object

computed

- hasRemoteErrors: false
- remoteDataBusy: false

## This page can't be found

---

Sorry, but we can't find the page you're looking for.  
It might have been moved or deleted.  
Check your spelling or click below to return to the homepage.


[Return to home](#)

# Chapter 5: Advanced Project Setup


Available official templates:

- ★ `browserify` - A full-featured Browserify + vueify setup with hot-reload, linting & unit testing.
- ★ `browserify-simple` - A simple Browserify + vueify setup for quick prototyping.
- ★ `simple` - The simplest possible Vue setup in a single HTML file
- ★ `webpack` - A full-featured Webpack + vue-loader setup with hot reload, linting, testing & css extraction.
- ★ `webpack-simple` - A simple Webpack + vue-loader setup for quick prototyping.


```
Project is running at http://localhost:8080/  
webpack output is served from /dist/  
404s will fallback to /index.html
```





Package	Current	Wanted	Latest	Location
moment	2.18.1	2.19.2	2.19.2	geolocated-blog
socket.io-client	2.0.3	2.0.4	2.0.4	geolocated-blog
vue	2.4.2	2.5.3	2.5.3	geolocated-blog





Star Wars  
Blade Runner



# Chapter 6: Project 4 - Geolocated Blog





✖ ▶ [Vue warn]: Error in callback for watcher "function () { return this.\_data.\$\$state }": "Error: [vuex] Do not mutate vuex store state outside mutation handlers."

Ready. Detected Vue 2.4.2. Components Vuex Events 92 Refresh

Filter mutations Commit All Revert All Recording Export Import

Base State	01:41:17	state	getters
user	17:15:28	<ul style="list-style-type: none"> <li>user: Object           <ul style="list-style-type: none"> <li>profile: Object</li> </ul> </li> </ul>	
user	17:15:30	mutation	
user	17:15:32	<ul style="list-style-type: none"> <li>type: "user"</li> <li>payload: Object           <ul style="list-style-type: none"> <li>profile: Object</li> </ul> </li> </ul>	

user ↓ ⌛ 17:15:30

Time Travel to This State

user inspected active 17:15:32



**API** APIs & services

Dashboard

Library

**Credentials**

## Credentials

### Add credentials to your project

- Find out what kind of credentials you need  
Calling Google+ API from a web browser
- Create an OAuth 2.0 client ID

**Name**

**Restrictions**  
Enter JavaScript origins, redirect URIs, or both


**Authorized JavaScript origins**  
For use with requests from a browser. This is the origin URI of the client application. It can't contain a wildcard (http://\*.example.com) or a path (http://example.com/subdir). If you're using a nonstandard port, you must include it in the origin URI.

http://localhost:3000 ×

**Authorized redirect URIs**  
For use with requests from a web server. This is the path in your application that users are redirected to after they have authenticated with Google. The path will be appended with the authorization code for access. Must have a protocol. Cannot contain URL fragments or relative paths. Cannot be a public IP address.

http://localhost:3000/auth/google/callback ×

Create client ID





Base State	17:52:31
maps/center	17:53:07
maps/userPosition	17:53:07
posts/draft	17:53:08
posts/updateDraft	inspected active 17:53:08




|Title

---

Content

 Discard  Post





## My favorite restaurant

Guillaume CHAU 09/10/2017

This is the right place to eat! The service is very nice and the dishes are tasty and generous.

You can have a full set menu (starter + main course + dessert + coffee or tea) for 28€ and you can choose almost anything on the entire menu!



### 📍 Restaurant 310 à table

l'Europe, 145 Boulevard de l'Europe, 69310 Pierre-Bénite, France



## My favorite restaurant

Guillaume CHAU 09/10/2017

This is the right place to eat! The service is very nice and the dishes are tasty and generous.

You can have a full set menu (starter + main course + dessert + coffee or tea) for 28€ and you can choose almost anything on the entire menu!



Guillaume CHAU 09/10/2017

Seems very nice!



Guillaume CHAU 09/10/2017

Would like to go someday





Type a comment





# Chapter 7: Project 5 - Online Shop and Scaling Up

## Fashion Store

- 


Blue Socks  
~~\$3,99~~ -25%  
**\$2,99**  
★ 4.3
- 

Red Socks  
**\$3,99**  
★ 4
- 


Green Shirt  
**\$19,99**  
★ 4.2
- 

Grey Shirt  
~~\$19,99~~ -65%  
**\$6,99**  
★ 3.6


### Shopping Cart

- 

Green Socks  
\$3,99

x 1
- 

Green Shirt  
\$19,99

x 1
- 

Grey Shirt  
~~\$19,99~~ -65%  
**\$6,99**

x 1

Total \$30,97

Checkout

← → ↻ 🏠 localhost:3000/items

JSON Données brutes En-têtes


Enregistrer Copier

▼ 0:

id:	1
title:	"Blue Socks"
price:	2.99
originalPrice:	3.99
rating:	4.3
img:	"http://lorempixel.com/400/400/abstract/1/"

▼ 1:

id:	2
title:	"Green Socks"
price:	3.99
rating:	3.9
img:	"http://lorempixel.com/400/400/abstract/2/"



```
* 3 problems (3 errors, 0 warnings)
  2 errors, 0 warnings potentially fixable with the `--fix` option.
```

```
/src/main.js
20:3 error Do not use 'new' for side effects no-new
* 1 problem (1 error, 0 warnings)
```

```
ERROR Failed to compile with 1 errors
error in ./src/main.js

/Users/guillaumechau/Documents/Projets/packt-vue-project-guide/chapter7-full/src/main.js
25:11 error Missing trailing comma comma-dangle
* 1 problem (1 error, 0 warnings)
  1 error, 0 warnings potentially fixable with the `--fix` option.
```



```
localhost:8080

Failed to compile.

./src/main.js

/Users/guillaumechau/Documents/Projets/packt-vue-project-
guide/chapter7-full/src/main.js
25:11 error Missing trailing comma comma-dangle

* 1 problem (1 error, 0 warnings)
1 error, 0 warnings potentially fixable with the `--fix` option.

@ multi (webpack)-dev-server/client?http://localhost:8080
webpack/hot/dev-server ./src/main.js
```

```
DONE Compiled successfully in 321ms
```

```
PASS src/components/BaseButton.spec.js
BaseButton
  ✓ click event (13ms)

Test Suites: 1 passed, 1 total
Tests: 1 passed, 1 total
Snapshots: 0 total
Time: 1.809s
Ran all test suites.
```

```
4:1 error 'describe' is not defined no-undef
5:3 error 'test' is not defined no-undef
```

```
FAIL src/components/BaseButton.spec.js
BaseButton
  ✓ click event (21ms)
  ✓ icon prop (14ms)
  ✗ snapshot (20ms)

● BaseButton > snapshot

expect(value).toMatchSnapshot()

Received value does not match stored snapshot 1.
```

```
PASS src/components/BaseButton.spec.js
BaseButton
  ✓ click event (14ms)
  ✓ icon prop (10ms)
  ✓ snapshot (13ms)

> 1 snapshot updated.
Snapshot Summary
> 1 snapshot updated in 1 test suite.
```

● 200	GET	<input type="checkbox"/>	locale	🌐 localho...	JS docu...	html
● 200	GET	<input type="checkbox"/>	build.js	🌐 localho...	script	js
● 200	GET	<input type="checkbox"/>	2.build.js	🌐 localho...	JS script	js

Made with **Vue.js** and ❤️  
**Changer de langue**




● 200	GET	<input type="checkbox"/>	1.build.js	🌐 localho...	JS script	js
● 200	GET	<input type="checkbox"/>	3.build.js	🌐 localho...	JS script	js
● 200	GET	<input type="checkbox"/>	4.build.js	🌐 localho...	JS script	js


```

1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <meta charset="utf-8">
5     <title>Fashion Store</title>
6     <link rel="preload" href="/dist/manifest.c69ddec6ab4cedcb56a9.js" as="script"><link
rel="preload" href="/dist/vendor.a6e8017e514f497280bd.js" as="script"><link rel="preload"
href="/dist/main.de91e0e9b3d5804143cd.js" as="script"><link rel="prefetch" href="/dist
/0.21bf7785b82022f8af70.js"><link rel="prefetch" href="/dist
/2.508433d502229d905384.js"><link rel="prefetch" href="/dist
/3.395a70fc7d3563e990b9.js"><link rel="prefetch" href="/dist
/1.470b338ce90ba04e6319.js"><link rel="stylesheet" href="/dist
/common.de91e0e9b3d5804143cd.css"></head>
7   <body>
8     <div id="app" data-server-rendered="true"><header class="app-header" data-
v-40a9da8b><div class="content" data-v-40a9da8b><div class="state" data-v-40a9da8b data-
v-40a9da8b><h1 class="app-name" data-v-40a9da8b><a href="/" class="link router-link-
exact-active router-link-active" data-v-40a9da8b>Fashion Store</a></h1><button
class="base-button icon-button" data-v-76e42c36 data-v-40a9da8b><i class="material-icons
icon" data-v-76e42c36>search</i><span class="content" data-v-76e42c36></span><!-->

```



# Chapter 8: Project 6 - Real-time Dashboard with Meteor



```
=> Started proxy.  
[HMR] Dev server listening on port 3003  
=> Started MongoDB.  
=> Started your app.  
  
=> App running at: http://localhost:3000/  
█
```

Dashboard Measure


## Production Dashboard

Dashboard Measure

## Measure production

Generate Measure Generate Error

```
meteor:PRIMARY> db.measures.find({})
{ "_id" : "FMafQ3bD1by2vbABk", "value" : 17, "error" : false, "date" : ISODate("2017-10-28T00:29:23.183Z") }
{ "_id" : "KgmS6ryAeZChXi43B", "value" : 16, "error" : false, "date" : ISODate("2017-10-28T00:29:24.256Z") }
{ "_id" : "CcDFKR8tuLXab3jmN", "value" : 4, "error" : true, "date" : ISODate("2017-10-28T00:29:24.807Z") }
{ "_id" : "YiYsgye9kNzv2tJon", "value" : 60, "error" : false, "date" : ISODate("2017-10-28T00:30:08.553Z") }
{ "_id" : "XM73p2P7t7okY33Yb", "value" : 41, "error" : false, "date" : ISODate("2017-10-28T00:30:08.735Z") }
{ "_id" : "Rj95pRbcZxkjTFaL3", "value" : 62, "error" : false, "date" : ISODate("2017-10-28T00:30:08.896Z") }
{ "_id" : "nMZLHADf76oNnrfbd", "value" : 55, "error" : false, "date" : ISODate("2017-10-28T00:32:28.535Z") }
{ "_id" : "EwP1m3BgLWuRFYdJw", "value" : 89, "error" : true, "date" : ISODate("2017-10-28T00:32:30.324Z") }
meteor:PRIMARY> █
```



## Production Dashboard



Average  
50



Errors  
28%

28/10/2017 à 03:31:58		37
28/10/2017 à 03:31:58		3
28/10/2017 à 03:31:57	Error	49
28/10/2017 à 03:31:56		26
28/10/2017 à 03:31:56	Error	87
28/10/2017 à 03:31:56		47